

**Checklist of flora قائمة الحياة النباتية (الفلورا)**

**ACANTHACEAE السنفيّة (المضيّة)**

Acanthus arboreus Forssk. @ سف

Taiz, Al U'deyn, Ibb, Dhamar, Sanaa, Hajjah .

Angkalanthus oligophylla Balf.f. \* مشكرين @

(*syn. Ancalanthus paucifolius Balf.f.* ). (6)

Soqotra.

Anisotes diversifolius Balf.f. \* (2,6)

(*syn. A. diversifolius Balf.f. var. brevicalyx Balf.f.*) (6)

Soqotra.

Anisotes trisulcus (Forssk.)Nees. @ مضمض، قصص

Widespread: Tihama, Tihama foothills, Taiz, Maqbanah, Shara'b, Al U'deyn, Al Qafr, Madinat Ashsharq, al Dhalaa, Al Husha, Al Azareq, Qa'tabah, Juban, Abyen, Ataq-Aden, J. Assoda, Shabwa, Hadhramaut .

Asystasia gangetica (L.)T. Anders. @

(*syn. A. anselliooides balf.f.*, *A. coromandeliana* Nees.). (6)

Taiz, Al U'deyn, Ibb, Soqotra.

Asystasia guttata (Forssk.)Brum. @ شخيبة

(*syn. A. somalensis (Franch.)Lebrun & Toussaint*, *A. Petalidiodes* Deflers, *Ruellia guttata* Forssk.).

Taiz, Ibb, Jiblah, Dhisufal, Assayani, Al Maghariba, Mutheikhira. .

Asystasia petalidioides Defl. \* (3)

J. al Arays.

Asystasia schimperi T.Ander. (8)

Rare:Wadi Assukhnah.

Ballochia amoena Balf.f. \* مصيص @

Soqotra

Ballochia atro-virgata Balf.f. \* مصيص @

(*syn. B. puberula Vierh.*). (6)

Soqotra

Ballochia rotundifolia Balf.f. \* مصيص (2,6)

Soqotra

Barleria acanthoides Vahl @

Taiz, Lahj, al Faydh (Abyen), Qaatabah, al Jawf, Hadhramaut, Al Mahara.

Barleria aculeata Balf.f. \* (2,6)

Soqotra

Barleria argentea Balf.f. @ (2,6) أقرن

Tihama foothills, Wusab, Rihab, J. Eraf, Soqotra.

Barleria bispinosa (Forssk.)Vahl. \*\* شخط @

(*syn. B. spinicyma* Nees).

Taiz, Ibb, Al U'deyn, Assayani, Dhisufal, Al Qa'idah, Ashshwaet'. Sumara, Al Azareq, Al Hussein, Qa'tabah, Al Husha, Jihaf, Adhale', Abyen.

Barleria candida Nees. (3)

South of Al Mukalla (Hadhramaut)

Barleria farinosa Defl. \* (1)

J. al Arays, Hadhramaut.

Barleria hildebrandtii Moore. (3)

Aden, Ras al Maraqisha - Midran (Abyen)

Barleria hillcoatiae J.R.I.Wood. \*\* (8)

Adhale', Eastern mountains e.g. around Radaa and al Baydha.

Barleria hochstetteri Nees ex DC. (8)

Rare, Tihama and Tihama foothills, Hadhramaut, N of Fartak: Al Mahara .

Barleria lanceata (Forssk.)C.Chr. (8)

(syn. *B. triacantha Hochst. ex Nees*).

Rare, W. Zabid, w of Taiz, Surdud, Hays.

Barleria mucronifolia Lindau. (8)

Rare, Taiz.

Barleria orbicularis Hochst. ex T.Anders. (8)

(syn. *B. cardiocalyx Solms*, *B. chlamydocalyx Lindau*)

Tihama foothills, Wusab Assafel, Hagdah, al Barh.

Barleria parviflora R.Br. ex T. Anders. @

(syn. *B. scabriuscula O. Schwartz*, *B. pauciflora Lindau*, *B. harnierii Solms*, *B. cordifolia Hochst. ex T.Anderson*, *B. ruspolii Lindau*).

Taiz, Haraz, Damt, al Baydha.

Barleria popovii Verdc. \* (2) در حم

Soqotra

Barleria prionitis L. subsp. appressa (Forssk.)Brum. & J.R.I.Wood. (8) شخط ، شويك

(syn. *B. appressa Forssk.* (Vahl.).

Taiz, Manakha, Hajjah, al Dhale', Ibb, Al U'deyn, Dhisufal. Assayani. J. Sumara.

Mutheikhira, Al Qae'ida, Ba'dan, Ad Dalil, Demt, Qa'tabah, Jihaf, Al Azareq, Al Husa...

Barleria proxima Lind. @ شخط، شواك

(syn. *B. smithii Rendle*). (3)

Taiz, Maqbanah, Lahj, al Dhale', Juban, Qa'tabah, Al Azareq, Lawdar, Jihaf, Labu's, Yafea, al Baydha, Saada, Radaa, J. Al Araes (Abyen), Hadhramaut .

Barleria spinifolia J.R.I.Wood. (1)

J. Jihan: Adhale' .

Barleria tetricantha Balf.f. \* @ مسحوب

Soqotra

Barleria trispinosa (Forssk.)Vahl. @ شخط

(syn. *B. dicantha Nees*, *Justicia trispinosa Forssk.*).

Taiz, Ibb, J. Bura', Dhamar, Shabwa, Hadhramaut .

Barleria ventricosa Hochst. ex Nees. (8)

Dhisufal, al Misrakh, J. Habashi, Ibb.

Blepharis ciliaris (L.)B.L.Burtt. شخط الكلب، زغف، نقيع، شوك الصب، شوك العجوز @

(syn. *Acanthus imbricatus Edgworth*, *B. edulis* (Forssk.)Pers., *B. edulis* (Forssk.)Pers. var. *congesta*, *B. persica* (Burm.f.)Kuntz).

Widespread: Tihama, Tihama foothills, western mountains, Taiz, Assayani, Al Qafr, Mutheikhira, Aden, Dhamar, Abyen, Lahj, J. Sumara, Hajjah , Adhale' , Radfan, Shabwa, Yafea, Marib, W of Tarim Hadhramaut, Ataq-Nisab road, Al Mahara, Soqotra.

Blepharis dhofarensis A.Miller \*\*. @ عليب، عيزوب

between Jadib and Damqut and NE of Huf (Al Mahara)

Blepharis kuriensis Vierh. \*\* (2)

(syn. *B. linariifolia Vierh*)

Soqotra

Blepharis linariifolia Pers. (@, 5) عشكير (المهرة)

- Lawdar, al Maraqlsha (Abyen), Hunesh island, al Mahara.  
Blepharis maderaspatensis (L.) Heyne ex Roth. @ عربیدهن(سقطری)  
(*syn. B. boerhaviifolia Juss.*). (6)  
Taiz, Ibb, Al U'deyn, J. Bura', Soqotra.  
Blepharis spiculifolia Balf.f. \* ملیشیتت @  
(*syn. Blepharis spiculifolia juss.*)  
Soqotra  
Blepharispermum hirtum Oliv. \*\* (in Phytocoenologia, 34(4): 569-612, 2004)  
Huf (Al Mahara)  
Blepharispermum yemense Defl. \* (8)  
Rare: Al Hujariyah, al Rahidah.  
Chorisochora minor (Balf.f.) Vollesen \* @  
(*syn. Ecbolium striatum Balf.f. var. minor Balf.f.*).  
Wadi Darho (Soqotra)  
Chorisochora striata (Balf.f.) Vollesen \*  
(*syn. Ecbolium striatum Balf.f.*).  
Soqotra  
Crossandra johanninae Fiori (8)  
(*syn. C. wissmannii O. Schwartz*).  
Taiz, J. Bura', Al U'deyn, Dhi Sufal, Tihama foothills.  
Dicliptera effusa Balf.f. \* مخرش (@, 6)  
(*syn. D. ovata Balf.f.*). (6)  
Soqotra.  
Dicliptera foetida (Forssk.) Blatter (8)  
(*syn. D. zeylanica Nees*).  
Al H'adiyyah.  
Dicliptera suffruticosa J.R.I.Wood. (8)  
Sanaa, eastern mountains e.g. Damt, Radaa.  
Dicliptera verticillata (Forssk.) C.Chr. @  
(*syn. D. micranthes Nees*).  
Taiz (Hidhran), al Qa'idah, Muthaikhira, South Ibb, Zabid, Wusab, Haraz, Al Mahara.  
Dyschoriste dalyi A.G.Mill. \*\* (in Willdenowia 32: 239-269, 2002)  
Summit plateau of Jabal Chatan NE of the permanent spring (Mahara).  
Dyschoriste longicalyx (Defl.) Lin. (3) in Bull. Soc. Bot. France 43: 219 219 1896  
(*syn. D. actinotricha Chiov.*, *Duosperma longicalyx (Defl.) Vollesen*, *Ruellia longicalyx Defl.*)  
Jabal Al Arays  
Dyschoriste perrottetii (Nees) Kuntze. (8)  
Taiz, al Qa'idah, Ibb, Al U'deyn.  
Dyschoriste radicans Nees. (8)  
(*syn. D. radicans var. Minor Nees*, *Ruellia radicans Hochst.*)  
Highlands e.g Ibb.  
Ecbolium gymnostachyum (Nees) Milne-Redh. قرف الجمل، قصلة @  
(*syn. E. parvibracteatum Rendle.*)  
Taiz, Damt, Radaa, Al U'deyn, Rayma.  
Ecbolium viride (Forssk.) Alston. مديد قصيف ، قصاف ، @  
(*syn. E. linnaeanum Kurz.*)  
Taiz, Tihama, Abyen. Muthaykhira, Adhale'a, Alazareq, Qa'tabah.

Flora of Yemen, Dr. Abdul Wali Al Khulaidi

*Ecbolium strictum* Schwartz. \* (3)

Shabwa, Hadhramaut, Al Mahara.

*Hypoestes forskalei* (Vahl) Sol. ex Roem. & Schult. @ صورب

Widespread; Taiz, Ibb, Assayani, Yarim, Al Qae'dah, Dhisufal, J. Taa'ker, J. Sumara, Baa'dan, Kitab, Sanaa, Radaa, Dhamar, Adhale', Yafea, Hadhramaut, Al Mahara.

*Hypoestes pubescens* Balf.f. \* (2)

Soqotra

*Hypoestes triflora* (Forssk.) Roem. & Schult. (8)

(syn. *H. radicans* Deflers).

J. Saber, Taiz, Haddah (Sanaa), Shibam.

*Isoglossa punctata* (Vahl) Brum. & J.R.I.Wood. (8)

(syn. *I. oerstediana* Lindau, *Justicia punctata* Vahl).

Rare: Tihama foothills e.g. J. Milhan, Taiz.

*Justicia alexandri* R. Atkinson \* (2)

Soqotra

*Justicia anisotoides* J.R.I.Wood. (8)

Rare: Qaa Bakil, Anes, al Haymatein, S of Fartak (Al MAhara).

*Justicia adhatoda* L. (8)

Cultivated e.g. Taiz, Hays.

*Justicia areysiana* Defl. \*\* @ شغب، هروم، هروم ضاعليج (المهرة)

(syn. *J. bentii* V.A.W.Graham, *Bentia fruticulosa* Rolfe.).

Shabwa, J. Al Arays (abyen), Kor Seiban (Hadhramaut), J. Gedo (Shabwa), al Mahara.

*Justicia caerulea* Forssk.

(syn. *J. nuda* (Nees) O.Schwartz).

Dhisufal, Ibb.

*Justicia calyculata* Deflers (8)

(syn. *J. exigua* S. Moore, *J. leptostachya* (Nees) O.Schwartz).

Ases (S Taiz), Hajjah, Huth.

*Justicia diffusa* Willd. (in Tulin & Mohammed)

Al Mahara: Ras Fartak, along road to Tabut

*Justicia flava* (Vahl)Vahl @

(syn. *J. sulcata* Vahl).

Taiz, Dhisufal, AdDalil, Jiblah, Ashshawaet', Mutheikhira, Assayani, Lahj, Lawdar Ad Dhala'e', Hadhramaut .

*Justicia heterocarpa* T. Anders. (2,6,8)

Western mountains, S of Taiz, al Mahabishah, Abyen, Al Mahara, Soqotra.

*Justicia odora* (Forssk.) Vahl. var. *villosa* Defl. @ وزر

Widespread e.g. Taiz, J. Sawraq, Assayani, Mutheikhira, Lahj , al Dhala, Dhamar, al Maraqisha.

*Justicia rigida* Balf.f. \* (2,6)

Soqotra.

*Justicia takhinensis* R. Atkinson \* (2)

Soqotra

*Lepidagathis calycina* Nees. (8)

Rare: east of al Ashshah, Al-Mahra: Coastal mountains between Al Faydami and Hawf, plateau of Jabal Chatan N of the village Con.

*Lepidagathis scariosa* (Wall.) Nees. @

- Tihama foothills, Qadas & Shara'ab (Taiz), Ibb, Dhawran (Dhamar).  
Megalochlamys linifolia (Lindau) Lindau. (1) (in Willdenowia 32: 239-269, 2002)  
Shabwa, Louder, J. Ged: Shabwa, al Mukalla, Al-Mahra: Jabal Fartak, on the  
track between Haswayn and Al Ghaydah.
- Megalochlamys violacea (Vahl.) Vollesen. (8)  
(syn. *Ecbolium violaceum* (Vahl) J.R.I. Wood & Hillcoat, *Ecbolium anisacanthus*  
(Schweinf) C.B., *Justicia violacea* Vahl).  
Taiz, Al Qae'dah, Wadi Surdud, Madinat Ashsharq, J. Milhan. Jabel Bura',  
Adhale', Al Mahara.
- Monechma bracteatum Hochst. (8)  
Rare: Western mountains, al Misrakh, Haraz.
- Monechma debile (Forssk.) Nees. @  
(syn. *Justicia debilis* (Forssk.) Nees.).  
Taiz, al Faydh.
- Neuracanthus aculeatus Balf.f. \* (2,6)  
Soqotra.
- Neuracanthus argyrophyllus Chiov. (2)  
Soqotra
- Neuracanthus capitatus Balf.f. (2,6)  
Soqotra.
- Neuracanthus robecchii (Lindau) Clarke. (3) {doubtful record in Yemen} ?
- Neuracanthus spinosus Defl. subsp. spinosus (3)  
Modia (Abyen)
- Peristrophe paniculata (Forssk.) Brummitt. (@,8) عزارب  
(syn. *P. bicalyculata* (Retz.) Nees). (3)  
Tihama foothills, Taiz, Lahj, al Dhalaa, Abyan: NNE of Shuqra, Hadhramaut, Al-  
Mahra: Hawf Mts, locality called Takka NE from Hawf, Soqotra.
- Phaulopsis imbricata (Forssk.) Sweet. (8)  
Al Turba, Ases, Ibb, Baa'dan, S'uhban, Al U'deyn.
- Pseuderanthemum atropurpureum (Benth.) Rodlk. (1,3)  
Cultivated as ornamental.
- Rhinacanthus scoparius Balf.f. \* (2,6)  
Soqotra.
- Ruellia carnea Balf.f. (2,6)  
Al Mahara, Soqotra.
- Ruellia dioscoridis Napper \* (2,6)  
(syn. *R. patula* jacq. var *minor* Jacq.).  
Soqotra.
- Ruellia discifolia Oliv. (1,3)  
Shabwa, Lawdar, al Mukalla.
- Ruellia grandiflora (Forssk.) Blatter. @ غبرة  
(syn. *R. longiflora* vahl).  
Tihama foothills, Taiz, w. Anna (Al U'deyn), Assayani, Damt, J. Sawraq, J. Al  
Arays (Abyen), Hadhramaut.
- Ruellia heterotricha Defl. (3) ?  
J. Al Arays (Abyen)
- Ruellia insignis Balf.f. \* (2,6)  
Soqotra.
- Ruellia kuriensis Vierh. \*

**Abdul Kuri island**

Ruellia linearis-bracteolata Lindau (in Willdenowia 34: 159-182, 2004)

Hadhramaut: Upper Wadi Charid, Al-Mahra: N Fartak.

Ruellia patula Jacq. **قرية، قصيف، وزرة، أقحر @**

(*syn. R. pallida Vahl*).

Tihama foothills, Taiz, Lahj, Aden, Yafea, Lawdar, Dhamar, Hajjah, Abyen, Soqotra.

Ruellia paulayana Vierh. \* **@**

Soqotra.

Ruellia praetermissa Lindau. **@**

Tihama foothills, Wussab Assafel, J. Bura', Haraz, J. Al Arays (Abyen).

Ruellia prostrata sensu T.Anders. (8)

Taiz, al Misrakh (J. Saber), al Mahabisha.

Rungia pectinata (L.)Nees. (ref. Thulin et al, in press)

Sadfan between Jabid and Damqut (Al Mahara)

Ruttya fruticosa Lindau. **@**

J. Al Arays (Abyen), Al Mahara

Trichocalyx obovatus Balf.f. \* **علهل @**

Soqotra

Trichocalyx orbiculatus Balf.f. \* **علهل @**

Killisan (Soqotra).

**ACTINOPTERIDACEAE**

Actinopteris radiata (Swartz) Link. (8)

Tihama foothills & Western mountains.

Actinopteris semiflabbellata Pic-Serm. **@** **حكة، مشط الغراب، سررين (سقطرى)**

Coastal areas, Tihama foothills, Hagda (w of Taiz), Ibb, al U'deyn, al Baydha, Hajjah, Soqotra, Hadhramaut, Al Mahara.

**ADIANTACEAE**

Adiantum balfourii Baker (2,7)

J. Al Arays (Abyen), Soqotra.

شعر الكلاب، برسيان **@**

Taiz, Dhisufal, J. Bura', J. Milhan, Ussil, Manakha, Wadi Mour, Hujeila, Sanaa, Hajjah, Amran, ad Dhala, Soqotra.

Adiantum incisum Forssk. (7,8) **مشط الغراب سبع الأرض**

(*syn. A. Caudatum L.*)

Taiz, J. Bura', J. At Tur, J. Razih, Ussil, J. Milhan, Al Mahara.

Adiantum lunulatum Burm.f. (in Willdenowia 32: 239-269, 2002)

(*syn. Adiantum philippense L.*) (7)

Huf: Mahara,

Adiantum poiretii Wikstr. (7,8)

(*syn.A. aethiopicum L.* ( 6), *A. thalictroides Willd ex Schle.*).

High mountains, J. Milhan, Soqotra.

Cheilanthes coriacea Decne. (7,8)

High mountains e.g. Hajjah, Manakha.

Cheilanthes farinose (Forssk.)Kaulf. **كفان، كفين @**

(*syn. Pteris decursiva Forssk.*)

J. Saber, Ba'adan, Sa'dah, J. Sumara , J. Milhan, J. Bura', J. Raymah, Southern mountains.

Cheilanthes marantae (L.) Domin (7,8)

- (*syn. Notholaena marantae (L.)Desv.*)  
Rare: Ibb, Utuma, Wusab, Shibam, Manakha.
- Cheilanthes pteridoides (Reich.)C.Chr. Shibam. (7,8)  
(*syn. C. fragrans Swartz.*).  
High mountains e.g. J. Shibam, Manakha.
- Cosentinia vellea (Aiton) Tod. (in Englera 28: 57-77, 2006)  
(*syn. . C. catanensis (Cosent)Fuchs. Cheilanthes vellea (Aiton)F.Mueller. Shibam.*) (5,8, 7)  
High plateau, Ibb, Hagher (Soqotra).
- Doryopteris concolor (Langsd. & Fisch.) Kuhn. (@, 7)  
(*syn. Cheilanthes concolor (Langsd. & Fisch.)R&A Tryon, Doryopteris kirkii (Hook.) Alston, Pellaea concolor (Langsd. & Fisch.)Bak.*).  
Hagher (Soqotra).
- Doryopteris inaequalis (Schlechtend..) Kuntze (8)  
High altitude areas : J. Saber, J. Manar, J. Rayma, J. Milhan, Hajjah, Al Mahwit .
- Negripteris sciona (Chiov.) Pic-Ser. (7,8)  
Low & medium altitude mountains, J. Sumara, Soqotra
- Onychium divaricatum (Poir.)Alston. (7)  
(*syn. Allosorus melanolepis Decne, O. melanolepis (Decne) Kunze (5).*  
J. Saber, Taiz, His'n Hab (Ba'dan), Soqotra..
- Pellaea involuta (Swartz) Bak. (7)  
(*syn. Cheilanthes involuta (Sw.) Sch. & Anthony.*).  
Soqotra.
- Pellaea quadripinnata (Forssk.)Prantl. (@, 7, 8)  
(*syn. Cheilanthes quadripinnata (Forssk.)Swartz, Pteris quadripinnata Forssk., P. viridis Forssk.,*).  
Rare : Obove Al H'adiyyah in J. Raymah, Hagher (Soqotra)
- Pellaea viridis (Forssk.) Prantl. (@, 8)  
(*syn. Cheilanthes viride Balf.f*)  
Rare : J. Bura', J. Rayma, Soqotra.
- AGAVACEAE**
- Agave sisalana Perr. حزب, سعف  
Introduced: Taiz, Assayani, Dhisufal, Ibb, Damt, Qa'tabah, Al Husha, Adh Dhale', Al Hussein, Al Azareq, Sumara, Hajjah .
- AIZOACEAE**
- Aizoon canariensis L. (1,7,8) حدق  
(*syn. Glinus chrystallinus Forssk.*).  
Sanaa, Tihama, Lahj, Abyaen, al Dhala, Hadhramaut , N of Saada, Radaa, Soqotra, Abdul Kuri.
- Corbichonia decumbens (Forssk.)Jack. ex Exell. (2,7,8)  
(*syn. Orygia decumbens Forssk.*).  
Tihama, Maqbanah, Taiz, Shabwa, J. Bura', Lawdwr-al Mukalla, al Maraqisha, Wussab, Soqotra.
- Delosperma harazianum (Deflers)Popp-Ihr. \*\* (7,8)  
(*syn. Mesembryanthemum harazianum Deflers.*).  
Haraz, Sumara, SW of Yerim, J. Ta'aker, J. Dhawran, J. Annabi Shua'ib, Kawkaban, J. al Lawz, J. Shibam.
- Gisekia pharnaceoides L. (1,2,7,8) رقمنة  
(*syn. pharnaceum occultum Foessk.*)

- Abyen, coastal areas, Marib, Ahjur, Sanaa, Saada, Damt, Soqotra.
- Glinus lotoides* L. (1,2,7,8)  
(*syn. Mollugo glinus A.R.Rich, M. hirta Thunb.*).  
Rare, Tihama, Aden: Bir Ali, Abyen, Huth, Marib, J. Milhan, Soqotra .
- Glinus setiflorus* Forssk. (7,8)  
Very rare, Tihama: Dhahi.
- Limeum arabicum* Friedr. \*\* (7)  
Southern coastal areas.
- Limeum obovatum* Vicary. (7,8)  
(*syn. L. humile Forssk., L. indicum Stocks ex T. Anderson.*).  
Rare, Tihama: al Luhayyah, al Mukha, al Mafraq.
- Mollugo cerviana* (L.)Ser. (7,8)  
(*syn. Pharnaceum umbellarum Forssk.*).  
Tihama, Lahj, J. Milhan, al Mahwit, Radaa, J.Bura', Haraz, Lahj, Soqotra
- Mollugo nudicaulis* Lam.  
Rare, J. Milhan, J. Bura', Hagda, Rihab, Bani Saad, Soqotra.
- Sesuvium sesuvioides* (Fenzl)Verdc. (7,8)  
(*syn. Trianthema polysperma Oliver.*)  
Very rare, Coastal area, Manzar,
- Sesuvium verrucosum* Raf. (in Fragm. Flor. Geobot, 36(2):1991)  
Khormakser, al Manssoora-Caltex. (Aden).
- Telephium sphaerospermum* Boiss. (7)  
Low & highlands.
- Tetragonia pentandra* Balf.f. (7)  
Soqotra.
- Trianthema crystallinum* (Forssk.)Vahl. (7,8)  
(*syn. Papularia crystallina Forssk.*).  
Tihama, Taiz: al Hoban, J. Milhan, N of J. Marif, Adhale, near Shuqra: E of Al Kod, Aden, Lahj , w. Bana: Abyen, Marib, Wadi Rimaa.
- Trianthema portulacastrum* L. (1,7)  
(*syn. T. monogyna L.*)  
Hais, Tihama foothills, Aden, Abyen, Hajjah .
- Trianthema salsolooides* Fenzl ex Olive. (3) {doubtful record in Yemen} ?  
Lahj , Hadhramaut
- Trianthema sheilae* A.G. Miller & J. A. Nyberg. (3,7)  
Southern coastal area
- Trianthema triquetrum* Rottler ex Willd. (1,7,8)  
(*syn. T. sedifolia Vis.* )  
Rare, Taiz, Lahj , Hujaylah, Tihama, Sheikh Othman, W Hardabah (Adhale).
- Zaleya pentandra* (L.)Jeffrey. (1,7,8)  
(*syn. Trianthema pentandra L., Rocama prostrata Forssk.*)  
High plateau,Taiz, Tihama, Lahj , al Mahara, Sayun, Soqotra.
- ALOEACEAE**
- Aloe abyssicola* Lavr. & Bilaidi. صبر \* (in Cact. Succ. Jou. (US), 43(5): 206 (1971)  
J. al Arays, E of Shuqra (Hadhramaut).
- Aloe ahmarensis* Favell, Miller & Al Gifri \*  
Al Ahmar village
- Aloe austroarabica* Lavr. \*\*  
N of Taiz, J. Bura'

- Aloe castellorum J.R.I. Wood. \*\* صبر ( in Kew Bulletin vol. 38(1):13-31(1982)  
(syn. *A. hijazensis* Lavr. & Collen. *Cact. Succ. J. (US)* 72:23. 2000 synon. nov.)  
Hajjah , Kuhalan, Shahara, J. Razeh.
- Aloe dhufarensis Lavr. \*\*  
East side of the Ras Fartaq mountains and west of Hat (Al Mahara).
- Aloe eremophila Lavr. \* (in *J.S.Afr.Bot.* 31: 71 (1965)  
Mola Mater & Wadi Duan (Hadramaut).
- Aloe fleurentinorum Lavr. & Newton. \*\* (in *Cact. Succ. J.(US)* 49: 113 (1977) صبر  
(syn. *A. edentata* Lavr. & Collen *Cact. Succ. J. (US)* 72:86. 2000 synon. nov.)  
Allajm (Taiz), Ad Dimna, Huth, Dhawran, Wadi Dhahr, Nihim, al Mahabisha,  
Hadramaut .
- Aloe fulleri Lavr. \* (in *Cact. Succ. J.(US)* 39: 125 (1967) صبر  
(syn. *Aloe rigens* Reynolds & Bally. var.*mortimeri* Lavr.) (in *Cact. Succ. J.(US)*  
39: 123 (1967)  
Around Habban (Shabwa), NW of Al Mukalla, S of Habban.
- Aloe haggeherensis McCoy & Lav. \* (in Kakteen und andere Sukkulanten 58(11): 295-  
298 2007)  
Haggher (Soqotra)
- Aloe inermis Forssk. @ علبي، صبر، صبر حضرمي، سفل (حوف)  
Taiz, al Dalaa, Radaa, Tor Al Baha, Hadhamaut, Al Mahara.
- Aloe irafensis Lav., McCoy & Gifri \* رقيشة  
J. Eraf (S of Taiz), Al Hashama & Bani Omar (N of Taiz)
- Aloe jawiyon Christie, Hannon & Oakham \* (2)  
Soqotra
- Aloe lanata McCoy & Lavr. \* (in Kakteen und andere Sukkulanten 58(11): 295-298  
عندد 2007)  
Al Hoban, W. Warazan and al Rahida (Taiz), Damt, Radaa, Lahj , Adhale' , NW  
Al Baydha, Damt, Qa;tabah,.
- Aloe lavranosii Reynoids.\* (in *J.S.Afr.Bot.*31: 77(1965)  
(syn. *A. doei* Lavr, *Aloe splendens* Lavr. )  
Hadhamaut .Modia, around the Lawdar.,
- Aloe luntii Baker \* (in *Kew Bull.* 1894: 342 (1894) صبر  
Eastern plateau, Hadhamaut.
- Aloe mccoyi Lavr.& Mies \*  
Ras Fartak (Al Mahara)
- Aloe mahraensis Lavr.& McCoy \*\* (in *Cac. & Suc. J. (US)* 47(5): 237-240 (2002)  
Ghubbet Qamar (Al Mahara)
- Aloe menachensis (Schweinf.)Blatter \*\* in *Fl. Arab. Rec.Bot. Surv.India* 8: 463 (1936)  
(A natural hybrid of *A.rubroviolacea* x *A.vacillans*.)  
(syn. *A. trichosantha* Berg. var. *menachensis* Schweinf.)  
Taiz, Manakha, J. Shibam ( Haraz), J. Sumara.
- Aloe niebuhriana Lav. \*\* (in *J.S.Afr.Bot.* 31: 68 (1965) صبر  
Southern Tihama, Hajjah-Al Mafraq road, N of Taiz, Al Barakani, Taiz-  
Addimna road and Annashamah (Taiz);, J. Eraf and S of Tur Al Baha.
- Aloe officinalis (Forssk.) Back. @  
(syn. *A. vera* var. *officinalis*).  
Tihama, Tihama foothills.
- Aloe pendens Forssk. \* (8) صبر  
(syn. *A. arabica* Lam., *A. variegata* Forssk.).

- J. Bura', J. Raymah, obove Al H'adiyyah.
- Aloe perryi Baker. \* طيف @  
(syn. *A. forbesii Balf.f.*) (2)  
Soqotra.
- Aloe praetermissa McCoy & Lavr. \*\* صبر  
Huf
- Aloe rivierei Lavr. & Newton. \* (in Cact. Succ. J.(US) 49: 114 (1977) صبر  
Adhabab, near At Turbah,(Taiz), Shahara, Ibb, Sumara
- Aloe rubroviolacea Schweinf. \*\* ( in Bull.Herb.Boiss. 2, App.2: 71(1894) صبر، قشيرة  
J. Saber and At Turbah (Taiz), Ba'dan, Sumara, Manakha, J. Shibam, J. Razeh, Al Ahjur, Audhali plateau N of Lawdar.
- Aloe sabaea Schweinf. \*\* @ قبب  
(syn. *A. gillilandii Reynolds*).  
Taiz, al Qaeda, Hammam Ali., wadi Hijan (Haraz), Hujela, NE of Aden,  
Hadramawt, near Ra's Huweira
- Aloe serriyensis Lavr. \* (in J.S.Afr.Bot.31: 76 (1965)  
J. al Arays (Abyen).
- Aloe squarrosa Baker \* (2,6)  
Soqotra
- Aloe tomentosa Defl. \* صبر، خرخر @  
J. Saber (Taiz), Dhamar, Yerim, Sanaa, J. Annabi Shua'ib .
- Aloe vacillans Forssk. \*\* صبار، رؤمة @  
(syn. *A. dhalensis Lavr.*, *A. audhalica Lavr.* & *Hardy*).  
Jabel S'aber (Taiz), Al U'deyn, Ibb, Sumara, Sanaa, Dhamar, Lawdar, near Mukairas, near Adhale', Kusuma.
- Aloe vera Burm.f. @ صبر  
(syn. *A. barbadensis Miller*, *A. perfoliata var. vera L.*).  
Tihama, Tihama foothills.
- Aloe woodii Lavr. & collenette \*\*  
Huth, E of Al Mahabisha.
- Aloe yemenica J.R.I.Wood. \*\* (in J.S.Afr.Bot.31: 77(1965) صبر  
J. Bura', wadi Assukhnah, wadi Ayn Ali (Hajjah), wadi Qusa' (Madinat Ashsharq), J. Milhan, Haraz, Suq ArRabu' (Wussab al Ali), Al Mahabisha, al Mahwit.
- ### AMARANTHACEAE
- Achyranthes aspera L. محاط، عقيس، حمشد، عاخص  
var. aspera @  
Taiz, Hadda, Lahj, Aden, Yafea, Soqotra.  
var. pubescens (Moq.)C.Town. @  
Low & medium altitude mountains.  
var. sicula L. (7)  
Highlands.
- Aerva artemisioides Vierh. & Schwartz subsp. artemisioides. \* (7)  
Hadhramaut
- Aerva javanica (Burm.f.) Juss. ex Schult. @ راء، رين، روا، غيل، راء بقري، هرتك  
(syn. *A. persica (Burm.f.) Meur*, *A. tomentosa Forssk.*).  
Widespread throughout the country  
var. bovei Webb. (7)  
Dry areas.

- Aerva lanata (L.) Juss. ex J.A. Sechult. راء، رين، راء غنمی @  
(syn. *A. lanatus* var. *viridis*, *A. lanata* var. *robusta* Balf.f, *Achyranthes villosa* Forssk., *Amaranthus lanatus* A.L. Juss var. *rotundifolia* Moq.,.)  
Taiz, Jahran, Manakha, Aden, al Dhalaa, Hadhramaut, Kuhlan Affar, Tihama.
- Aerva microphylla Moq. \* قهتن @  
(syn. *A. microphylla* var. *humilis* Vierh )  
Soqotra
- Aerva revoluta Balf.f. \* (6,7)  
Soqotra
- Alternanthera pungens Kunth. @  
(syn. *A. repens* (L.) Steud).  
Taiz, Lahj, Lawdar.
- Alternanthera sessilis (L.)R.Br. ex Roth. سبط @  
Wadi Adhabab, Usaifera: Taiz, Yerim, Kuhlan Affar, Al Dalil
- Amaranthus ascendens Lois. @  
(syn.. *A. lividus* L, *A. blitum* L).  
Taiz, Lahj, Hadhramaut, Abyen, Lawdar, Wadi Mawr, Soqotra.
- Amaranthus caudatus L. (7,8)  
Cultivated as garden ornamental: Sanaa, Bagel.
- Amaranthus dubius Thell. (2)  
Soqotra
- Amaranthus graecizans L. @ بھجی  
subsp. *graecizans* L.  
(syn. *A. ansustifolius* Lam subsp. *aschersonianus* Thell, *A. angustifolius* Lam.  
var. *graecizans* (L.)Thell.)  
Tihama foothills, Abyen, Lahj, Taiz, Yafea, Abyen, Mukairas, Hadhramaut,  
Soqotra .  
subsp. *sylvestris* (Vill.)Heokels. (7)  
Tihama foothills.  
subsp.*thellunganianus* (Nevski) Gusev  
Soqotra
- Amaranthus hybridus L.  
subsp. *cruentus* (L.)Thell. (7,8)  
(syn. *A. cruentus* L., *A. paniculatus* L.)  
Rare, Sanaa.  
subsp. *hybridus*. @  
(syn. *A. chlorostachys* Willd, *A. hypochondriacus* L.).  
Taiz, Aden, Lahj, Abyen, high plateau.
- Amaranthus sparganocephalus Thell. (7) ضدح  
Lahj , Abyen, Soqotra.
- Amaranthus spinosus L. @ شواكة  
Tihama, Taiz, Abyen, Ibb, Utumah, Hadhramaut, Al Dalil, Mukairas.
- Amaranthus tricolor L. subsp. *mangostanus* (L.)Thell. (7)  
(syn. *A. mangostanus* L., *A. gangeticus* L., *A. tristis* L.)  
Introduced as ornamental
- Amaranthus viridis L. (7,8)  
(syn.*A. gracilis* Desf.).  
Sanaa, Tihama, Tihama foothills.
- Celosia anthelmintica Asch. (7)

- (*syn. C. intermedia Hochst.*, *C. digyna* Suess. var. *cordata* Suess., *C. acroprosodes* Hochst.)
- Very rare
- Celosia argentea* L. var. *cristata* (L.)O.Kuntze. (7,8)  
Hajjah, cultivated in Bagel & J. Bura',.
- Celosia polystachia* (Forssk.)C.Town. (7,8)  
(*syn. C. populifolia* Moq., *Achyranthes polystachia* Forssk.).  
Tihama foothills, Qaatabah.
- Celosia trigyna* L. @  
(*syn.C. caudata* Vahl, *C. trigyna* L. var. *fasciculiflora* Fenzl ex Moq, *Achyranthes decumbens* Forssk., *A. paniculata* Forssk.)  
Tihama foothills, Taiz, Al U'deyn, central escarpment Ibb.
- Digera muricata* (L.) Mart. سكر البقر، قصيف  
(*syn. D. arvensis* Forssk.)  
subsp. *muricata*. @  
(*syn. D. alternifolia* (L.)Aschers, *Desmochoeta alternifolia* (L.)DC)  
Taiz, Hadhramaut, Yafaa, Abyen, Lahj, Wadi Rima, Soqotra.  
subsp. *trinervis* C. Towns. var. *patentipilosa* C. Towns. (7)  
Soqotra.
- Gomphrena celosioides* Mart. @  
Dixsan plateau (Soqotra).
- Gomphrena globosa* L. (7,8)  
Cultivated as ornamental garden plant: Taiz, J. Bura', Bayt al Faqih.
- Psilotrichum aphyllum* C.C.Townsend. \* (2)  
Soqotra.
- Psilotrichum gnaphalobrym* (Hochst.)Schinz. (7,8)  
(*syn. Achyranthes cordata* Hochst. & Steud., *P. cordatum* Hochst. & Steud.).  
Taiz, Qaatabah, Radaa.
- Psilotrichum sericeum* (Roxb.) Dalz. (2)  
(*syn. Psilstachys sericea* (Roxb.) Hook.f.).  
Soqotra.
- Psilotrichum virgatum* C.Towns. (7)  
Southern low altitude mountains, Hadhramaut: Track from Buweish to Bein al Gebal, gorge NW of Shahora.
- Pupalia grandiflora* Peter. (7,8)  
J. Milhan.
- Pupalia lappacea* (L.)Juss. حنك، سبيط، لسة  
var. *velutina* (Moq.)Hook.f. @  
Taiz, Ibb, Dhisufal, Addalil, Al Qafr, Dhamar, Kuhlan Affar, Lahj, Lawdar, al Maraqisha, al Dhala, Lahj, Manakha, Soqotra.
- Pupalia robecchii* Lopr. (3).  
Ras Fartak (Al Mahara ).
- Saltia papposa* (Forssk.) Moq. \*\* صنعام ، سيلم ، زريه @  
(*syn. Achyranthes papposa* Forssk.)  
Al Barh and Al Mafraq (W of Taiz), Southern Tihama, Ar Rahidah, Lahj, Aden, J. Shamsan, Naqil al Hajlah between Jubah and Harib, Qaatabah, Wusab al Safel, Adhale', Hadhramout: Track from Al Mukalla to Bayn al Jibal and near the village Maula Matar, Wadi Shuhurah, Ras Fartak.

## AMARYLIDACEAE

*Crinum album* (Forssk.) Herb. \*\* @ بصل الحنش، سرف

(*syn. C. yemense* Defl.).

Taiz, Shibam, Sumara, W. Dhahr, Kumaym (al Hadah), Ibb, Yesleh, Adhale', Damt, W. Shares, Khamer, J. Taa'ker, J. Nu'man.

*Crinum balfourii* Baker \* (2)

Soqotra

*Hypoxis angustifolia* Lam. (8)

Rare: Al U'deyn, J. Ba'adan, Ibb, Tihama foothills.

*Hypoxis villosa* L.f. J. Numan. (3) ??

(*syn. H. krebsii* Fisch. & C.A.Mey., *H. schweinfurthiana* Nel, *H. scabra* Lodd.)

*Pancratium maximum* Forssk. @ بصل الرباح

Taiz, al Qaadah, Aden, Hadhramaut, Al Mahara.

*Pancratium tortuosum* Herbert. (3) بصل الرباح

Taiz, Aden, Hadhramaut.

*Pancratium trianthum* Herbert. (3) Doubtful record in Yemen

*Polyanthes tuberosa* L. (3) الزنبق البلدي

Cultivated as ornamental

*Scadoxus multiflorus* (Martyn) Raf. @ زرع الحنش، بصل الحنش، وقיד الحنش

(*syn. Haemanthus multiflorus* Martyn, *H. coccineus* Forssk., *H. abyssinicus* Herb, *H. somaliensis* Baker).

Taiz, Ibb, Sumara, J. Bura', Al U'deyn, Assaraem, Assayani, Jiblam Arrabadi, Dhisufal, J. Al Arays, Rodoum -Wadi Al-Himae (Shabwa), NW of Ghail-bin-Yamin (Hadhramaut).

## ANACARDIACEAE

*Anacardium occidentale* L. (3) سن العجوز

Cultivated: Introduced

*Lannea fruticosa* (Hochst.) Engl. (8)

Wadi Annah & Wadi Addur: Al U'deyn, Wadi Assukhnah, Utumah.

*Lannea transulta* (Balf.f.) A.R.Smith. \* @ كنهر

(*syn. Elaeocarpus transultus* Balf.f.).

Soqotra.

*Lannea triphylla* (A.Rich.) Engl. (in Willdenowia 32: 239-269, 2002)

(*syn. Odina triphylla* A.Rich.)

Huf: Hawf Mts, southeastwards below Shah'rut.and ibid., SE of Ka'ab, ibid., Wadi Chard

*Mangifera indica* L. @ منجا

Cultivated.

*Ozoroa insignis* (Del.) O.Kuntze (8) راض، رعد

(*syn. Heeria insignis* (Del.) O.Kuntz).

J. Rayma, Al U'deyn, J. Bura'.

*Pistacia aethiopica* Kokw. @ ظلام

J. Eraf (al Maqattirah).

*Pistacia falcata* Becc. ex Mart. @ نودة، ضرو

J. Eraf: Taiz, east Hammam Ali, Qa'tabah, Wusab al Ali, J.Bura', J.Milhan, Hadhramaut: Kor Seiban,, Hawf Mts, upper escarpment to the Jabal Chatan N of the village Con.

*Rhus flexicaulis* Baker. \*\* @ قيلي، عريض

(*syn. R. vulgaris* Meikle, *R. gallagheri* Ghaz.) (in Willdenowia 32: 239-269, 2002)

Al Hujaryah: Bani Umar, J. Eraf, Abyen: Modiya, J. Al Arays, Al Mahara: Huf and Fartak Mts, J. Gedu (Shabwa).

Rhus glutinosa A.Rich. (in Willdenowia 32: 239-269, 2002)

subsp. *abyssinica* (Oliv.) M. Gilbert

(*syn. Rhus abyssinica* Oliver, *R. Petition* A.Rich., *R. folios* A. Rich.,) (8)

Very rare: Haraz, J. Eraf, J. Al Arays (Abyen).

subsp. *neoglutinosa* (M. Gilbert) M. Gilbert

Kor seiban: Hadhramaut.

Rhus natalensis Bernh. ex Krauss. @ تيلاب ، تالب

(*syn. R. glaucescens* A.Rich.).

Al Hujeriyah, J. Saber, J. Eraf, al Mahwit, Al U'deyn, Assayani, Dhisufal, Ashshawaet', J. Sumara, Madinat Ashsharq, Kor seiban: Hadhramaut, Soqotra.

Rhus retinorrhoea Steud. ex Oliv. @ تالب

J. Saber, Baedan: Ibb, J. Sumara, Ba'dan, E of Ibb, Mashawara, Jibla, Dhisufal, Mutheikhira, Adhale', Mukayras, Utuma, J. Bura'.

Rhus somalensis Engl. (in Willdenowia 32: 239-269, 2002)

N Fartak mountains and the summit plateau of Jabal Chatan NE of Ain Ayn (Al Mahara)

Rhus thysiflora Balf.f. \* @ زورف

Soqotra.

Rhus villosa L. (3)

J. al Maraqisha (Abyen)

Schinus molle L. @ فلفل كاذب

Introduced.

## ANNONACEAE

Annona squamosa L. @ عط، خربش، خرمش، سفرجل

Taiz, Tihama foothills, western wadis.

## ANTHERICACEAE

Anthericum corymbosum Baker. (8)

(*syn. A. gregorianum* R. endle)

Rare: J. Ta'aker (E. of Sumarah).

Anthericum inconspicuum Baker. (8)

Rare: Dhi Na eim.

Chlorophytum filifolium Nordal & Thulin (2)

Soqotra

Chlorophytum graptophyllum (Baker) A.G.Mill. \* (2)

(*syn. Anthericum graptophyllum* Baker)

Soqotra

## APIACEAE (UMBELLIFERAE)

Adenosciadium arabicum (T. Ander.) Wolf. \*\* (3)

NE Shuqra (Abyen), E of Sayhut and Huf (Al Mahara)

Agrocharis melananthera Hochst. (8)

(*syn. Caucalis melanantha* (Hochst.) Benth. & Hook., *Daucus yemensis* Deflers).

J. Saber, J. Maswer, J. An Nabi Shua'ib.

Ammi majus L. @ خلة برية

J. Saber, Ibb, Dhi Sufal.

Anethum graveolens L. (8)

Rare, cultivated in Sanaa & Manakha.

*Anthriscus sylvestris* (L.) Hoffm. (8)

J. Saber, Mashwara, J. Ba'adan, J. Ta'aker, J. Manar, Muthaikhira.

*Apium graveolens* L. @

At Turbah, al Qaeedah, Radaa, Kawkaban, Manakha, Soqotra.

*Apium nodiflorum* (L.) Reichb.f. @

Taiz, Dhisufal, al Ahgor, Haraz, Ibb.

*Berula erecta* (Huds.) Coville (8)

(*syn.B. thunbergii* (DC.) Wolff).

High plateau: al Hada, Yerim, Sa'dah.

*Centella asiatica* (L.) Urb. @

(*syn. Hydrocotyle asiatica* L.).

At Turba, Dhamar, W. Shalalah, W. Habab, Ibb, Saada, Arhab, Soqotra.

*Conium maculatum* L. (8)

J. Saber: Taiz, Sumara, Ibb, J. Maswer, Shibam-Kawkaban, Sanaa-Al Hudayda road, J. Annabi Shua'ib.

*Coriandrum sativum* L. @ كزبرة

Cultivated

*Daucus carota* L. @ جزر

Cultivated.

*Ferula communis* L. @ شمر, شمار, قلطاح

(*syn. Ferula abyssinica* Hochst. ex A.Rich.)

High altitude: Ibb, J. Saber, J. Habashi, J. Sumara, J. Baedan, J. Qaradh, J. Milhan.

*Foeniculum vulgare* Mell. شمر (8)

Cultivated and road sides: S of Dhamar, Ibb, Annajd Al Ahmer, J. Ta'ker, W of Yarim, Soqotra.

*Heteromorpha arborescens* (Spreng.) Cham. & Schlecht. (8)

At Turbah: S of Taiz, Ibb, J. Ta'kar, Muthaikhira.

*Hydrocotyle ranunculoides* L.f. (8)

Ibb, Yerim, al Hada, W. Habab.

*Hydrocotyle sibthorpioides* Lam. (8)

Very rare: J. Manar: Ibb, W. Bana, Kawkaban.

*Nirarathamnos asarifolius* Balf.f. \* (2,6)

Vulnerable: Soqotra.

*Oreofraga morrisiana* M.F.Watson & E.L.Barclay \* (2)

Vulnerable: Soqotra, Samha.

*Oreoschimperella arabiae-felicitis* C. Town. \*\* (8)

(*syn. Trachyspermum arabiae-felicitis* C. Town.).

Rare, Ibb, J. Saber, J. Hisn Madnan (Wussab), J. Al A'mal (Utuma), Kusma (J. Rayma).

*Peucedanum areysianum* Def. \* (4)

Jabal al Arays

*Peucedanum inaccessum* C. Townsend \* (8)

Very rare: J. An Nasira (Hajjah) , between Markah and AsSabah and between Markah and Maghrabah (J. Milhan), al Mahabisha (below Shamsan).

*Petroselinum crispum* (Mill.) A.W.Hill. بقدونس @

Cultivated.

*Pimpinella anisum* L. (3) اليانسون

Cultivated.

Pimpinella etbaica Schweinf. (3)

J. Shamsan (Aden)

Pimpinella menechensis Schweinf. ex Wolff. \* (8)

J. Saber, J. Habashi (Taiz), Ibb, J. Ta'kar, NW of Al Mahwit, J. Shibam above Manakha, J. Annasira (Hajjah) , N of Nadia (J. Rayma), J. Razih.

Pimpinella woodii C.Townse. \* (8)

Near Al Jabin: J. Ba'adan (Ibb)

Pituranthos tortuosus Benth. & Hook. (3)

Hadhramaut .

Pycnocyclo glauca L. @

J. Saber, Dhamar, Hajjah , Shaharah, Shibam.

Rughidia cordata (Balf.f.) M.F.Watson & E.L.Barclay \* (2)

(syn. *Peucedanum cordatum* Balf.f.) (6)

Soqotra.

Rughidia milleri M.F.Watson & E.L.Barclay \* (2)

Soqotra

Sanicula elata Buch.- Ham. ex D.Don. (8)

Rare, High altitude: J. Ba'adan, Ibb, Manakha, J.Rayma.

Torilis arvensis (Huds.)Link. (8)

High altitude mountain: J. Saber, Kawkaban.

Trachyspermum ammi (L.) Sprague. (3) الخلة الهندية

(syn. *T. copticum* (L.)Link).

Introduced

Trachyspermum pimpinelloides (Balf.f.) H.Wolff (2)

(syn. *Carum calcicolum* Balf.f., *C. pimpinelloides* Balf.f., *C. kuriense* Vierh, *C. kuriense* Vi erh. var. *trichocarpum* (Vierh.)Townsend, *C. trichocarpum* Vierh  
*Trachyspermum calcicola* (Balf.f.) Wolff, *T. trichocarpum* (Vierh.) H. Wolff)  
Soqotra, Abdul Kuri, Samha.

## APOCYNACEAE (ASCLEPIADACEAE)

CHECKED BY Darrel Plowes, Mutare, Zimbabwe

Acokanthera schimperi (A.DC.) Schweinf. تمج، إرميخ، حرق ، حشرف @

(syn. *A. deflersii* Schweinf., *Carissa schimperi* DC.).

Taiz, Ibb, J. Sawraq, W. Mouna, H'adiyyah, W. Anna (Al U'deyn), Utumah, Al Dalil, Al Dhalaa, J. Arays (Abyen), Al Mahara, Soqotra.

عدن، تبيح، منكرة النعم، دبيب الضبع، جعكان، جبن، @. حبكة، بجهة عصفید، زهرة الربيع

(syn. *A. arabicum* Balf.f., *A. micranthum* Stapf.).

Widespread: Tihama, W. Rima, Tihama foothills, Taiz, Ibb, Sumara, Dhamar, Mukayras, Adhale', Hadhramaut, Huf al Mahara.

subsp. *sokotranum* (Vierh.)Lav. @ \*

(syn. *A. multiflorum* Klotz. , *A. sokotranum* Vierh.).

Soqotra.

Angolluma araysiana (Lav. & Bilaidi) Plowes (in Excelsa 16: 115 (1993) \*

(syn. *Orbea araysiana* (Lavr. & Bilaidi) Bruyns (in Aloe 37(4): 73 (2000).

*Stultitia araysiana* Lavr. & Bilaidi (3,4) (in Cact. Succ. J. (U.S.) 43; 207 (1971)

J. al Arays, Hadhramaut

Angolluma chrysostephana (Deflers) Plowes (in Excelsa 16: 118 (1993) \*

(syn., *Caralluma chrysostephana* (Defl.)Berg. ) (3,8); *Orbea chrysostephana* (Deflers) Bruyns (in Aloe 37 (4): 74 (2001)

- Rare: J. Ras, Abyen, N of Ashuraija, As-Sariya, at the south foot of Jabal Al-Arays, and harra (lava-fields) of Al-Arqub
- Angolluma commutata (Berger) Plowes (in *Excelsa* 16: 115 (1993))  
(syn. *Caralluma commutata* A.Berger (in *Stap. U. Klein.* 105 (1910); *Orbea commutata* (A.Berger) Bruyns (in *Aloe* 37(4): 74, 2000))  
Manakha
- Angolluma deflersiana (Lavr.) Plowes (in *Excelsa* 16: 106 (1993)) \* جهدم كلاب  
(syn. *Caralluma deflersiana* Lavr. (in *J. S.Afr. Bot.* 29:103 (1963); *Orbea deflersiana* (Lavr.) Bruyns (in *Aloe* 37: 74, 2001))  
Taiz, Lahj, J. Milhan, Tihama foothills, Adhale, al Hus'ein, Qa'tabah, Lawdar.
- Angolluma luntii (N. E. Br.) Plowes (in *Excelsa* 16: 118 (1993)) \*\*  
(syn. *Caralluma luntii* N.E.Br. , *Orbea luntii* (N.E. Brown) Bruyns (in *Aloe* 37(4): 75, 2000))  
Rare : Near Dobaibah (Hadhramaut).
- Angolluma eremastrum (O.Schwartz) Plowes كسمع\*\* (in *Excelsa* 16: 118 (1993))  
(Syn. *Angolluma wissmannii* (O. Schwartz) Plowes, (in *Excelsa* 16: 118 (1993))  
*Caralluma eremastrum* O. Schwartz (in *Fl. Trop. Arab.*:194(1939); *Orbea wissmannii* var. *eremastrum* (O. Schwartz) Bruyns (in *Aloe* 37(4): 76, 2000),  
*Pachycymbium eremastrum* (O.Schwartz) M.G. Gilbert, (in *Bradleya* 8: 24 (1990)) *Caralluma wissmannii* O.Schwartz (in *Fl. Trop. Arab.* 194 (1939) ; *C. meintjesiana* Lavr. (in *J. S. Afr. Bot.* 28:209 (1962); *Orbea wissmannii* (O. Schwartz) Bruyns (in *Aloe* 37(4):76 (2001)).  
Taiz-Ar rahida, Al Qaeedah, J. Bura', Hajjah, Bayt Al Komani, Haraz, Jiblah, J. Raymah, Mafhaq, J. Shibam-J. Dhulwa, Jiblah, Manakha, Kaukaban, E of Kuhlan towards Amran, Hajjah, Above Ad Dalil, between Ibb and J. Sumara
- Asialluma plicatiloba (Lavr.) Plowes  
(syn. *Caralluma tuberculata* N.E.Br. ( in *Gard. Chron.* 12 : 370 ( 1892))  
*Caralluma plicatiloba* Lavr, *Borealluma tuberculata* (N.E.Br.) Plowes (in *Haseltonia* 3: 63 (1995))  
High altitude areas, high plateau: Amran, Saada, Sanaa-marib road, Bayt Al Komani, Damt, al Baydha, al Baydha, Mukeyras.
- Blyttia spiralis (Forssk.) D.V.Field & J.R.I.Wood. (3,8)  
Tihama, Tihama foothills, Al Mafraq, Lahj, al Maraqisha (Abyen).
- Calotropis procera (Ait.) Ait.f. @ عشر، عشار  
Throughout the country, Soqotra.
- Caralluma subulata (Forssk.) Decne. (in *Ann. Sci. Nat. ser.2*, 9: 267 (1838))  
Tihama, Taiz, Lahj, Hadhramaut.
- Carissa spinarum L. @ عرم، عنتور، لوض (in *Willdenowia* 32: 239-269, 2002)  
(syn. *Carissa edulis* (Forssk.) Vahl.)  
Taiz, J. Bura', al Qaeda, Ibb, As Sayani, Dhisufal, Mutheikhira, An Najd al Ahmer, Al U'deyn, J. Sumara, Abdul Kuri, Al Mahara: Al Mahra: Coastal mountains between Al Faydami and Hawf and uppermost plateau of Jabal Chatan N of the village Con.  
var. *tomentosa* Stapf. عرم (8)
- Manakha.
- Catharanthus roseus Don. (3,8) وبنكة  
(syn. *Vicna rosea* L.)  
Introduced: Ornamental .
- Caudanthera sinaica (Decaisne) Plowes (in *Haseltonia* 3: 58 1995)

(syn. *Caralluma sinaica* (Decne.) Benth. & Hook. f (in Gen. Pl. 2: 782 (1876);  
*Caralluma maris-mortui* Zohary, *C. sinaica* var. *baradii* Lavr. & Newton, (in  
*Cact. Succ. J. (U.S.)* 51: 236 (1979).

Al Barh: 50 km W of Taiz.

*Ceropegia affinis* Vatke, (in Linnaeae 40: 218 (1876).

(syn. *Ceropegia angusta* (N. E. Br.), *Ceropegia atacorensis* (A. Chev.)  
Soqotra

*Ceropegia arabica* H.Huber. \*\* (8) **بَكِيرَةُ غَنْمِيٍّ**

var. *abbreviata* Bruyns. \*\* (in Mem. Soc. Brot. 12: 138(1957)

Rare: above Al H'adiyyah and Bani Dawa'n (J. Rayma), Suq Ar Ribat.

var. *arabica*. \*\* @

Widespread: An Nashama-Al Barakani (Taiz), al Qaeedah-al Sayani, Damt, W.  
Hijan (Haraz), near U'kaybir (J. Milhan), Maghrabah (W. Yur), Mafhaq, between  
Khaywan and Al Harf, wadi La'ah.

var. *superba* (Field & Collen.) Bruyns \*\* (8)

(syn. *C. superba* Field & Collen.).

Al Misrakh (Taiz), W of Al Mahwit, Manakha.

*Ceropegia aristolochioides* Decne subsp. *deflersiana* Bruyns \*\* (8)

Taiz-Addimna, Al Hawban (Taiz), Tha'bat (J. Saber), Dhi sufal, Wadi Addur (Al  
U'deyn), Wadi Liyah (Khawlan Ashsham), J. Rayma, between Zulmah and Ra'isi  
(J. Hubaysh), between A'lujah and Kusmah (Rayma), Khawlan Ash Sham, above  
Addalil, Ibb-Al U'deyn road.

*Ceropegia bulbosa* Roxb. **جزر الرعيان، روب (حوف)** (in Pl. Cor. 1: 11. (1795)

(syn. *C. vignaldiana* A. Rich.).

Rare: Taiz-Ibb road, Al Hoban, al Qaeedah-Dhi Assufal, Ba'adan, Al U'deyn, al  
Mahwit, J. Rayma, N of Manakha, Al Mahara: Huf, Shahrut.

*Ceropegia foliosa* Bruyns \* @ **فَهَانٌ**

Rare: N of Ibb, Dhi Sufal, W. Addur (Al U'deyn), Ba'adan, J. MAbyen (Hajjah)

*Ceropegia rupicola* Defl. \* **خطام الجمل، بَكِيرَةُ بَقْرِيٍّ** (8)

var. *rupicola*. \* (in Voy. Yemen : 167 (1889)

J. Saber, Hayfan, J. Ghayami, Hajdah (west Taiz), J. Ayfu, N of al Qa'idah, Ibb –  
Al U'deyn, J. Hubeish (NW Ibb), near Dan (Wussab al Ali), J. Masar (W of  
Manakha), A'ttarah and Manakha (Haraz), NW of al Mahwit, J. Rayma, J.  
Milhan, Wadi Al Ahjar (W of Sanaa), Damt, W. Hadud (near Manakha), near  
Zulma, J. Al Arays (Abyen).

var. *stictantha* N.Taylor. \* (8)

Rare: Al Qaeedah

*Ceropegia sepium* Deflers. \* (8)

Rare: J. Sumara, W. Mazeb near Manakha, J. Ba'adan, N of Ibb, Al Jirjur (SE Al  
H'adiyyah), J. Shibam (Haraz), J. Rayma,

*Ceropegia somalensis* Chiov. (8)

Between Khamis bani Saad and Manakha, East of Bajil.

*Ceropegia subaphylla* K. Schum. (in Willdenowia 32: 239-269, 2002)

(syn. *Ceropegia botrys* K. Schum., *C. mansouriana* Chaudh. & Lav.). (8)

Al Mafraq (W of Taiz), Tihama foothills: At Tur basin (Hajjah), Hadhramaut.

*Ceropegia tihamana* Chaudh. & Lav. \*\* (in Notes RBG Edinb. 42(2):316 (1985)

Mawzaa near al Makha, Soqotra.

*Ceropegia variegata* (Forssk.) Decne. @ **خطام الجمل دراعة الكلب**

(syn. *C. tubulifera* Deflers, *C. deveccchii* Chiov., *C. Devecchii* var. *Adelaidae*

- Bally, C. variegata var. cornigera Huber).*  
Widespread. Taiz, Abs, E. of Bajel, Al Khalifa and Suq Al Khamis (Tihama), S of Al Barh, Sharab, al Misrakh, At Turba (Taiz), Lahj. W. Harad and Walajah (J. Milhan), J. Ar Ras, Bayt Al Komani, Sayun, Lawder, Lahj, Adhale'.
- Ceropegia yemenensis* Meve & Mang. \* (in *Bot. Jour. of the Linn. Society Vol.137 (1)* 99-105  
Dhamar, 20 km E and below of Ad Dann, Wussab al' Ali.  
*Cibirhiza dhofarensis* C. Bruyns \*\* (in *Willdenowia 32: 239-269, 2002*)  
Huf: Al Mahara.
- Crenulluma kalmbacheriana* (Lav.) Plowes (in *Haseltonia 3: 67 (1995)* \*)  
(syn. *Caralluma adenensis* (Defl.) Berg. (in *Stap. u. Klein: 79 (1910)*); *C. kalmbacheriana* Lavr. (in *Cact. Succ. J. (U.S.)37:10 (1995)*), *Desmidorchis adenensis* (Defl.) Meve & Liede (in *Pl. Syst. Evol. 234: 202 (2002)*).  
J. al Arays, N of Ashuraija, Hadhramaut
- Crenulluma arabica* (N.E.Br.) Plowes (in *Haseltonia 3: 66 (1995)*)  
(syn. *Caralluma arabica* N.E.Br. (in *Kew Bull.1895: 318 (1895)*)  
Southwest escarpment, west of Taiz (e.g. Hajdah, Mafraq al Makha, and Maqbanah), Hadhramaut, al Mahara.
- Crenulluma awdeliana* (Defl.) Plowes (in *Haseltonia 3: 66 (1995)* \*\*)  
(syn. *Caralluma awdeliana* (Defl.) Berger. (in *Stapel.u. Klein.: 81 (1910)*);  
*Boucerosia awdeliana* Defl. (in *Bull. Soc. Bot. Fr.43: 116 (1896)*); *Desmidorchis awdelianus* (Defl.) Meve & Liede (in *Pl. Syst. Evol. 234: 202 (2002)*).  
Marib, Lowder-al Mukalla, Shabwa, Damt.
- Crenulluma rauhii* (Lavr.) Plowes (in *Haseltonia 3: 67 (1995)*)  
(syn. *Caralluma rauhii* Lavranos (in *Cact. Succ. J. (U.S.) 37:106 (1965)*)  
Hadhramaut : 3 km E Jidma on road from Al Mukalla to Wadi Daw'an
- Crenulluma dolichocarpa* (Schwartz) Plowes \* (in *Haseltonia 3: 67 (1995)*)  
(syn. *Caralluma dolichocarpa* Schwartz. (in *Mitt. Inst. Allg. Bot. Hamburg 10: 194 (1939)*)  
Wadi Himm, Mukalla, Hadhramaut
- Crenulluma flava* (N.E. Br.) Plowes \*\* (in *Haseltonia 3: 67 (1995)*)  
(syn. *Caralluma flava* N.E.Br. ( in *Kew Bull.1894: 335(1894)*)  
Wadi Hadiea (Hadhramaut), Al Mahara, .
- Crenulluma lavrani* (Rauh & Wertel) Plowes \* (in *Haseltonia 3: 67 (1995)*)  
(syn. *Caralluma lavrani* Rauth et Westel (in *Kakt. u.a. Sukk. 4: 62 (1965)*)  
*Desmidorchis lavrani* (Rauh & Wertel) Meve & Liede (in *Pl. Syst. Evol. 234: 202 (2002)*)  
Shabwa, Lawdar-al Mukalla \*\*
- Crenulluma petraea* (Lav.) Plowes (in *Haseltonia 3: 67 (1995)*)  
(syn. *Caralluma petraea* Lav. (in *Cact. Succ. J. (U.S.) 55 : 23-24 (1983)*)  
Dhamar, Sanaa-Marib road.
- Cryptolepis arbuscula* (Radcl.-Sm.) ventner \* (2 @)  
(syn. *Mitolepis arbuscula* A.R.Smith.  
Soqotra.
- Cryptolepis intricata* (Balf.f.) Ventner \* (2 @)  
(syn. *Mitolepis intricata* Balf.f.)  
Soqotra.
- Cryptolepis macrophylla* (Radcl.-Sm.) ventner \* (@  
(syn. *Curroria macrophylla* A.R.Smith.)

- Soqatra, Abdul Kuri.
- Cryptolepis orbicularis Chiov. (2)  
Soqatra.
- Cryptolepis socotrana (Balf.f.) Ventner \* (2)  
(syn. *Socotranthus socotranus* )Balf.) Kuntze  
Soqatra
- Cryptolepis volubilis (Balf.f.) Schwartz \*\* (2)  
(syn. *Curroria decidua* Planch. ex Benth, var. *volubilis* (Balf.f.) Bullock  
Soqatra
- Cryptolepis yemenensis Venter & R.L.Verh. \* (in Willdenowia 32: 239-269, 2002)  
J. Gedu: Shabwa, Hadhramout: Track from Al Mukalla to Bayn al Jibal and track  
out of Wadi Dowan 1 km S of Al Khuraybah to Huwayrah, Al-Mahra: Jabal  
Sharwayn 10 kmWof Qeshn, Fartak Mts, mountain ridge along the W coast and  
Jabal Faydami, 15 kmWof Al Fatk, southern flank.
- Cryptolluma edulis (Edgew.) Plowes (in Haseltonia 3:57 (1995)  
(syn. *Caralluma edulis* (Edgw.)Benth. (in Gen. Pl.2: 782. 1876), *C. vittata*  
N.E.Br. (in Fl. Trop. Afr. 4(1): 483 (1903); *Boucerosia edulis* Edgw, (in J. Linn.  
Soc. 6: 205 (1862)  
Rare: Majz.
- Cylindrilluma solenophora (Lav.) Plowes) (in Haseltonia 3: 63 1995) \*  
(syn. *Caralluma solenophora* Lavr. ( in J. S. Afr. Bot. 29: 107 (1963);  
*Monolluma solenophora* (Lavranos) Meve & Liede (Pl. Syst. Evol. 234: 203  
(2002).  
Lawdar, Mukeyras
- Cynanchum gerardii (Harv.) Liede (2)  
Soqatra
- Cynanchum hastifolium N.E.Br. (8)  
Rare, Mafhaq.
- Cynanchum tetapterum Turcz. (R.A.Dyer) (8)  
(syn. *C. sarcostemmatoides* K.Schum.).  
Taiz, J. Sawraq, wadi Addur, J. Rayma, Madinat Ashsharq, J. Bura', Haraz.
- Cryptostegia grandiflora (Roxb. ex R. Br.) R. Br.  
Introduced as ornamental
- Desmidorchis penicillata (Deflers) Plowes (in Haseltonia 3: 58 (1995)  
غل، خرير، ميس (syn. *Caralluma penicillata* (Defl.)N.E.Br.  
Widespread: Tihama, Taiz, Radaa, Damt,al Baydha, Mutheikhira, Al Qafr,  
Dhamar, Abyen, Hadhramaut.
- Desmidorchis retrospiciens Ehrenb. (in Abth. Königl. Acad. Wiss. Berlin 15: 30 (1832)  
(syn. *Caralluma acutangula* (Decne.) N.E.Br. ( in Gard. Chron 12: 369 (1892);  
*C. russeliana* (Courb. ex Brongn.) Cuf. (in Enum. Pl. Aeth.: 30 (1969); *C. retrospiciens* (Ehrenb.) N.E.Br. (in Fl. Trop. Afr. 4(1):480 (1903); *C. hirtiflora* N.E.Br.; *Desmidorchis acutangula* -Decne. (in Ann. Sc. Nat. Ser.2 (9): 265(1838 ).  
Taiz, Tihama, Hunesh island, Harf Sufyan, Taiz-Aden road ,W. Habab.
- Dregea abyssinica (Hochst.) K.Schum (8)  
(syn. *Marsdenia abyssinica* (Hochst.)Schlecht.).  
Rare: Al U'deyn, J.Rayma.
- Dregea schimperi (Decne. ex DC) Bullock. (8)  
(syn. *Marsdenia schimperi* Decne.).

- Al Qaeedah, Ibb, Addalil, Damt, east Madina Ashsharq, J. Dhawran, J.Al Arays (Abyen).
- Duvalia anemoniflora (Delf.) R.A.Dyer & Lavr. ? \* (in Flow.Pl.Afr. 44:t.1734 (1976) (*syn. Caralluma anemoniflora (Defl.) Berg, Stapelia anemoniflora Deflers*).  
J. al Arays.
- Duvalia somalensis Lav. (in Cact. Succ. J. (U.S.) 43(2): 65 (1971) (8)  
(*syn. Duvalia sulcata subsp. somalensis (Lav.) Meve* (in *The Genus Duvalia* (1997))  
Al Mafraq (W. of Taiz), Ta'izz - Hodeida road ?  
Duvalia sulcata N.E.Br. (in Kew Bull.1910 : 193 (1910)  
subsp. seminuda Lav. ( in Cact. Succ. J. (U.S.) 39: 5 (1967)  
T'or Al Baha  
subsp. sulcata  
Tihama foothills: Attur, Taiz-Ad Dimna road, Adhale', Qa'tabah, Juban.  
Duvalia velutina Lavr. ( in Cact. Succ. J.(U.S.) 55: 24 (1983)  
Taiz, Tihama.  
Duvaliandra dioscoridis (Lav.) Gilbert (in Cact. Succ. J. Gt. Brit. 42: 101 (1980) \* (2)  
(*syn. Caralluma dioscoridis Lavr.* (in *Hook. Ic. Pl.* 37: sub t. 3687 (1972).  
Soqotra
- Echidnopsis bentii N.E.Br. ex Hook.f. \* (in Bot.Mag.127: t.7760 (1901)  
Soqotra.
- Echidnopsis globosa Thulin & Hjertson \* (in Nord. J. Bot. 15(3): 261—262 (1995)  
Al Mukalla-Sayun road (Hadhramaut), N Fartak Mts, track between Haswayn and Ghaydah, pass (Al Mahara).
- Echidnopsis inconspicua Bruyns (in Edinb. J. Bot. 61(1): 9 (2004)\*  
Soqotra
- Echidnopsis insularis Lavr. (in Cact. Succ. J. (U.S.) 42: 36 (1970) \* طبأش (2,6)  
Soqotra
- Echidnopsis milleri Lavr. (in Cact. Succ. J. (U.S.) 65: 295 (1993) \* (in Cac. & Suc. J. (US) 65(6): 293-295 (1993)  
Soqotra.
- Echidnopsis scutellata (Defl.) Berger. (in Stap.u.Klein. 26 (1910)  
Tihama foothills e.g. Al Mishrafa, al Mahwit, Bagel, Around Manakha, W. Shares (Hajjah).
- Echidnopsis seibanica Lavr. \* (in J. S. Afr. Bot. 30: 88(1964)  
Kor Seiban in the eastern plateau of Hadhramaut .
- Echidnopsis socotrana Lavr. \* (in Cact. & Succ. J. (U.S.) 65(6): 293-2295 (1993)  
Soqotra.
- Echidnopsis squamulata (Decne.) Bally. (in Kakt. u. a. Sukk. 14: 173 (1963)\*\*، اصابع  
الحربيوة، محجوش الجدة  
(*syn. Ceropogia squamulata Decne.* (in *Ann. Sc. Nat. Ser. 2, 9: 263 t.9B (1838).*  
al Ahkum, al Rahida, J. Habashi, Sharaab (Taiz), Al U'deyn, J. Ras, Adhale' .
- Echidnopsis yemenensis Plowes (in Haseltonia 1: 71 (1993)  
Tihama foothills e.g. Al Mishrafa, al Mahwit, Bagel, Around Manakha, W. Shares (Hajjah).
- Ectadiopsis brevifolia Balf.f. \* (2,6)  
Soqotra.
- Edithcolea yemenensis Plowes \*  
near Mukalla.

Edithcolea maculata Plowes \*

Tor al Baha

Edithcolea sordida N.E. Br. \* (in Balf. f. Nat. Hist. Sokotra: 486 (1903)

Soqotra.

Glossonema boveanum (Decne.) Decne subsp. nubicum (Decne) Bullock. (2,8)

(*syn. G. nubicum Decne*)

Rare, Tihama foothills, al Maraqisha, Safer-Al Ghaydha (al Mahara), Soqotra.

Glossonema revoili Franch. (2)

Soqotra, Abdul Kuri.

Glossonema varians (Stocks) Benth. ex Hook. @ **نقيلون (حوف)، كابيش**

(*syn. G. arabica Deflers, G. edule N.E.Br.*).

Al Barakani, Radaa, Yeslih pass, W. Dhahr, Aden, al Shahr, Adhale', Yafea,  
Hadramaut , Huf (Al Mahara)

Gomphocarpus fruticosus (L.) R.Br. & Ait.f. @ **سبيع، سبيعة**

J. Saber, J. Habashi, Ibb, Dhisufal, Yarim, Assayani, Ibb-Al U'deyn road, S of  
Jiblah, Ashshawaet', Mutheikhira, Baa'dan, Qa' Jahran, Adhale', Yafea, Shibam,  
Haraz, Al Mahara.

Gomphocarpus sinaicus Boiss. @ **سبيع، سبيعة**

High altitude areas: J. Saber (Taiz), Yerim, Dhamar, Sanaa, Hajjah .

Gymnema sylvestre (Retz.) R.Br. ex Schult. (8)

Rare: Above Suq As Sabt (J. Bura').

Huernia arabica N.E. Br. ( in *Bull. Misc. Inform.*, Kew **1895**: 265 (1895) **جهنم ناس.**

J. Bura', Ibb, J. Milhan, Haraz, al Mahwit, Taiz, Al U'deyn, Adhale', Rayma.

Huernia baradii Plowes sp. nov. in press

An Najd Al Ahmar

Huernia hadhramautica Lavr. \* (in J. S. Afr. Bot. 29: 99 (1963) OK

Mola Matr (Hadramaut) (why is this in blue?)

Huernia laevis Wood. (in Kew Bull. 39: 128 (1984) OK

Rare: Khawlan, J. Marran, Al Ahjur.

Huernia lodarensis Lav. \* (in J. S. Afr. Bot. 30: 87 (1964)

Aden, Lawdar, Addalil, Wadi Dhahr

Huernia marnieriana Lav. \* ( in J. S. Afr. Bot. 29: 97 (1963)

Aden, Jabel Al Arays, Lawdar, Wadi Salul (Audhale'), near Mukeyras, Mola Matr  
(Hadhamaut)

Huernia mccoyi Plowes (in Cact. Succ. J. (U.S.) 75: 81—83 (2003).

Jabal Raymah

Huernia rosea Newton & Lavranos. \* (in Cact. & Succ. J. (U.S.) 65(6): 279 (1993) **ظفر الضرورة**

Suq al Khamis on Sanaa-al Hudaydah road, w of Taiz: near Al Mafhaq, Ad

Dimna, 58 km W Sana'a, near Ad Dalil, N Ibb,

Huernia rubra Plowes \* (in Asklepios 64: 20 (1995)

N of Rahida (SE of Taiz)

Huernia yemenensis Plowes \* sp. nov. in press (@) **شروع، جمل**

As Seiyani at base of Najd Al Ahmar Pass (30 km N Taiz); 10 km N Ibb; Qaida;  
base of Sumara Pass N of Dalil

Kanahia laniflora (Forssk.) R.Br. **كنج**

Taiz, Tihama foothills, al Kod, Sanaa, medium altitude mountains, Gheil Omar  
(Hadhamaut).

Leptadenia arborea (Forssk.) Schweinf. @ **لوا**

(*syn. L. heterophylla (Del.)Decne, Cynanchum arboreum Forssk..*).

- Tihama foothills, Taiz, Lahj, Aden, Adhale', Al Husha, Hadhramaut.  
*Leptadenia pyrotechnica* (Forssk.) Decne. مرخ  
Coastal areas, western low altitude area, and deserts.
- Marsdenia robusta* Balf.f. \* (2)  
Soqotra  
**Monolluma cicatricosa** (Defl.) Plowes (Haseltonia 3:65 (1995)\*\* مغزة  
(syn. *Caralluma cicatricosa* (Defl.) N.E.Br. (in Gard. Chron. ser.3, 12: 369 (1892)  
Taiz, near Maaber, J. Milhan, Qa'tabah, Damt, Juban, Al Hussein, Al Husha, wadi Annah, Wadi Al-Hadud (Manakha), Bayt Al Komani, J. al Arays.  
**Monolluma quadrangula** (Forssk.) Plowes (Haseltonia 3:65 (1995) \*\* @ مغزة، فرع،  
شاردر، خدمي، مرعى  
(syn. *Caralluma quadrangula* (Forssk.) N.E.Br. , *Stapelia quadrangula* Forssk.,  
*Desmidorchis quadrangula* (Forssk.) M.G.Gilbert,)  
Widespread: Taiz, Dhamar, Hajjah , Sanaa, J. al Arays, Huf, Sa'dah, Amran, Al U'deyn, Al Qafr, Assayani, Hadhramaut.
- Nerium oleander** L. دفلة  
Introduced; gardens.
- Odontanthera radians** (Forssk.) Field (8)  
(syn. *Steinheilia radians* (Forssk.) Decne.).  
Tihama e.g. Hays & Bayt al Faqih, Ras Emran Island (Aden), west of Taiz, al Mafraq, al Marawiah, Bajil, Abyen (near J. Al Arays).
- Orbea nardii** Raffaelli, Mosti & Tardelli,  
(syn. *Orbea wissmannii* var. *parviloba* Bruyns (in Aloe 37(4): 76, 2000)  
J. Rayma
- Pentatropis nivalis** (Gmel.) Field & Wood. (8) شنطب  
(syn. *Asclepias forskalei* Roem. & Schult., *P. spinalis* (Forssk.) Decne.).  
Taiz, Maqbanah, Tihama, J. Bura', J. Shamsan, Abyen, Lahj , Damt, Marib, Hadhramaut .
- Pergularia daemia** (Forssk.) Chiov. دامية، غلقة @  
(syn. *Daemia angolensis* Decne, *P. extensa* (Jacq.) N.E.Br., *P. glabra* Forrsk.).  
Taiz, al Dhalaa, Lahj , Ibb, Yafea, Wadi Dahr, al Baydah, Soqotra.
- Pergularia tomentosa** L. غلقة @  
Taiz, al Dhalaa, Abyen, Yafea, Lahj , Hadhramaut , Sa'dah, Marib, Soqotra.
- Periploca aphylla** Decne. مجش @  
Taiz, Damt, Harf Sufyan.
- Periploca somalensis** Browicz (in Willdenowia 32: 239-269, 2002)  
(syn. *Periploca brevicoronata* Goyder & Boulos. (in Kew Bull. Vol.46(1)134: 1990)  
Between Iryan and Rihab, Kor Seiban: Hadhramaut.
- Periploca visciformis** (Vatke) K.Schum. (8)  
Western mountains, Taiz, J. Sawraq, Sa'dah, Shabwa, Hadhramaut, Soqotra.
- Plumeria acuminata** Ait. (8) ياسمين هندي  
Introduced; gardens.
- Rhazya stricta** Decne. (1,3,8) حرمـل  
Marib , Hadhramaut , Shabwa, al Mahara.
- Rhytidocaulon ciliatum** Hanacek & Ricanek (in Asklepios 80: 19 (2000).  
Al Barh to Mafraq al Hodeida road junction; Taiz-Turbah road
- Rhytidocaulon fulleri** Lavr. & Mortimer  
Ra's Huweira (Hadhramaut)

Rhytidocaulon macrolobum Lavr.

subsp. *macrolobum* \*\* (in Cact. & Succ. J. (U.S.) 39: 3 (1967)

Rare: Al Barh, Taiz-Addiman, & W. Adhabab (Taiz), Damt, Wadi Dhahr, Lawdar.

subsp. *minimum* Meve & Collenette (in Edinb. J. Bot. 56(1): 79-84 (1999)

Huwayran, Hagdah

Rhytidocaulon *mccoyi* Lavr. & Mies \* (in Cact. & Succ. J. (U.S.) 73:299-303 (2001)

Mola Matr, SE of Ra's Huweira (Hadhramaut)

Rhytidocaulon *sheilae* DV Field (Kew Bull.36(1): 51-53 (1981)

15 km NE Taiz; Rahida; Mola Matr (Hadramaut)

Rhytidocaulon *splendidum* McCoy \* (in Cact Succ J (US) 75:154–157 (2003)

Tor al Baha, Wadi Ma'adin (NW of Aden)

Rhytidocaulon *tortum* (N.E.Br.) M.G. Gilbert (in Cact. & Succ. J.(U.S.) 71(2): 81-85 (1990)

(syn. *Caralluma torta* N.E.Br. (Bull. Misc. Inform., Kew 1901: 142 (1901).

Hadhramaut, Lawder, Hayd al-Arqub

Sanguilluma *socotrana* (Balf. f.) Plowes @ حرمهم جرابق مش

(syn., *Caralluma socotrana* (Balf.f.) N.E.Br., *C. rosengrenii* Vierh., *Monolluma socotrana* (Balf. f.) Meve & Liede, *Boucerosia socotrana* Balf.f.).

Soqotra.

Sarcostemma *arabicum* Bruyns & Forster. @ مرويد، الـب، ريدة

Al Barh, Shibam, J. Bura', Sumara.

Sarcostemma *areysianum* Bruyns \* (South African Journal of Botany 77 (2011) 801–804

Jabal Al Arays , Al Audhali Plateau, above Wadi Araf and east of Al Mukalla (Hadhramaut).

Sarcostemma *forskalianum* Schult. \*\* (in Syst. Veg. 6: 117(1820).

Western medium Altitude Mountains.

Sarcostemma *socotranum* Lav. \* (2)

Soqotra

Sarcostemma *vanlessenii* Lavr. @ رضع

(syn. *S. subterranea* Adams & Holland)

High altitude: Dhamar, Russaba, Sanaa, J. Rayma, Manakha, Mukayras, S of al Madhan (Hadhramaut ).

Sarcostemma *viminale* (L.) R.Br. subsp. *stipitaceum* (Forssk.)Meve & Liede ( in Bot. J.

Lin. Soc. 120:32 (1995) @ مرود، الـب، رضة، رفع

(syn. *S. stipitaceum* (Forssk.)Schult.)

Widespread:Tihama, Tihama foothills, Taiz, Al Barh, Hagda, Shara'b, J. Habashi, Mawiya, Al Rahida, Al Hujeriyah, Dhisufal, Assayani, Addalil, Al U'deyn, Qa'taba, Al Qafr, Lahj, Radaa, Damt, al Dhalaa, Al Husha, Jihaf, Al Hussein, Damt, Juban, Abyen, Hadhramaut, Soqotra.

Secamone *cuneifolia* Bruyns \* (6)

Soqotra

Secamone *socotrana* Balf.f. \* (2,6)

(syn. *S. socotrana* var. *glauca* A.R. Smith., *S. socotrana* var. *socotrana* Balf.f.).

Soqotra

Socotrella *dolichocnema* Bruyns & A.G.Miller (in Novon 12: 330(2002) \* (2)

Soqotra

Strobopetalum *benti* N.E.Br. (3)

(syn. *S. carnosum* N.E.Br.)

- Jia’ar (Abyan)  
Sulcolluma foulcheri-delbosci (Lavranos) Plowes \* (in Haseltonia 3: 62 (1995)  
(syn. *Caralluma foulcheri-delbosci* Lavr. (in Journ. S. Afr. Bot. 30. 21., 1964)  
Kor Seiban, Mola Matr, Hadhramaut  
var. greenbergiana Lavr. (in Cact. Succ. J. (U.S.) 39:6 (1967)
- Mukeiras  
Sulcolluma hexagona (Lav.) Plowes, \*\*(in Haseltonia 3: 62 (1995)  
(syn. *Caralluma hexagona* Lav. (in Cact. & Succ. J. (US) 51 : 236 (1979)  
*Caralluma foulcheri-delbosci* Lavr. var. greenbergiana Lavr. *Monolluma hexagona* (Lavranos) Meve & Liede (in Pl. Syst. Evol. 234: 203 (2002)  
Al Ma’adan (Audhali Plateau), Rahida, Ad Dimnah,  
var. septentrionalis Lavr. & Newton. \* (in Cact. & Succ. J. (U.S.) 51: 233 (1979)  
Wadi Dhahr (N of Sana'a), Sana'a-Marib road, N of Raydah, Radaa, Nahim.
- Sulcolluma shadhbana (Lavr.) Plowes (in Haseltonia 3: 62 (1995)  
(syn. *Caralluma shadhbana* Lavranos (in Fl. Pl. Afr. 44: t.1743 (1977)  
Wadi Shadhb W of Manakha
- Telosma africana (N.E.Br.) N.E.Br. (8)  
(syn. *Pergularia africana* N.E.Br.)  
Wadi Adhabab (S of Taiz).
- Thevetia peruviana (Pers.) K.Schum. (1,3,8)  
(syn. *T. neriifolia* A. Juss. Ex Steud.)  
Introduced; gardens.
- Tylophoropsis heterophylla (A.Rich.)N.E.Br. (8)  
(syn. *T. yemensis* (Deflers)N.E.Br.)  
High mountains: J. Saber, Ibb, J. Alloz, J. Shibam, J. Maswer, al Boun.
- Vincetoxicum linifolium Balf.f. \* (أقيبن)(2)  
(syn. *Cynanchum linifolium* (Balf.f.)Bullock. (6)  
Soqotra
- ARACEAE**
- Arisaema bottae Schott. (8) دخاف  
J. Saber, Dhi Assufal, Utuma, J. Milhan, J. Maswer.
- Arisaema flavum (Forssk.) Schott. (8) دخاف  
J. Saber, Assayani, W of Jibla, WE of Kitab, E of Yari, Adhale', Yafea.
- Colocasia esculenta (L.)Schott. @ (كركم، كرن، كركر، كريرة، هريرة، قرقيس)
- (syn. *C. antiquorum* Schott.)  
Low & medium altitude mountains, Soqotra.
- Remusatia vivipara (Roxb.) Scott. (2)  
(syn. *Arum viviparum* Roxb.)  
NE of Hawf, Near Yemen/Oman border (Al Mahara), Soqotra
- Sauromatum venosum (Ait.)Kunth. (8)  
Rare : W. Addur (Al U'deyn), Al H'adiyyah.
- ARALIACEAE**
- Cussonia holstii Harms ex Engl. (8) خوبن  
High altitude areas: Al U'deyn, J. Saber, J. Milhan, J. Ba'adan, Ibb, Haraz.
- ARECACEAE (PALMAE)**
- Areca catechu L. (3) فوفل  
Cultivated in Hadhramaut .
- Borassus aethiopum Mart. (2) جوز الهند

(*syn. B. flabelliformis L.*)

Cultivated: Aden , Hadhramaut, Soqotra

Cocos nucifera L. @ نارجيل

Cultivated

Hyphaene thebaica (Del.) Mart. @ دوم، بهش، طاري، صم

(*syn. H. guineense Schum. & Thonn. Corypha thebaica L.*)

Coastal areas, Shabwa

Livistonia carinensis (Chiov.)Dransfield & N.Uhl. (3) صم، انتوج

(*syn. Wissmannia carinensis (Chiov.).Burret.*)

Endangered. W. Hager: Hadhramaut, Wadi Al-Himae: Shabwa

Nannorrhops ritchieana (Griffith)Ait. @ طاري صغير

Al Ghaydha-Tarim road, Between al Mahar and Hadhramaut

Phoenix caespitosa Chiov. @ ابر، شجى، شطب

(*syn. P. arabica Buttett.*)

On dry vallies such as Al Hujeriyah, J. Bura' , Assayani, W of Jiblah, J. Rayma, al Hujariyah, Damt, Wadi Al-Himae: Shabwa, al Hus'ein.

Phoenix dactylifera L. @ نخيل

Coastal areas, medium altitude mountains, eastern mountains, Hadhramaut,

Soqotra

Phoenix reclinata Jacq. (5) شجى، شطب

(*syn. P. abyssinica Drude*)

Tihama foothills.

Remusatia vivipara (Roxb.)Schott. (ref. Thulin et al, in press)

Al Mahara

Washingtonia filifera (Linden ex Andre) H. Wendl. @ نخيل كاذب

(*syn. Pritchardia filifera Linden ex Andre*)

Introduced as ornamental: e.g. Taiz, Aden.

## ARISTOLOCHIACEAE

Aristolochia bracteolate Lam. @ لوعية، لاعية، قرفة، غاغة

(*syn. A. bracteata Retz.*)

Coastal areas, Tihama foothills, Taiz, Adhale' , Yafaa, Abyen, Lahj, Hadhramaut

Aristolochia rigida Duch. (3) شجرة النباب، لاعية

Hadhramaut .

## ASPARAGACEAE

Asparagus africanus Lam. @ مصهد، مصهوب

(*syn. A. mitis A. Rich., A. sidamensis Cufod.*)

Western mountains and high plateau, Taiz, Soqotra, Abdul Kuri, Samha.

Asparagus falcatus L. (8)

At Turbah, Al H'adiyyah, Al U'deyn, J. Raymah, J. Bura' , J. Milhan.

Asparagus officinalis L. (8)

Cultivated.

Asparagus racemosus Willd. (8)

(*syn. A. petitianus A. Rich.*)

J. Bura' .

Asparagus virgatus Baker. (8)

J. Milhan.

## ASPHODELACEAE

Asphodelus fistulosus L.

(*A. tenuifolius Baker., A. fistulosus var. tenuifolius (Cav.)Baker.*) (8)

Yesleh, J. Sumara, Dhawran, Shiharah, Khamer, Raydah, al Bon, Abyen,  
Hadhramaut.

### ASPLENIACEAE

*Asplenium adiantum-nigrum* L. (7)

Aden, J. Hisn madram, Wusab Al Ali, Manakha, J. Annabi Shua'ib, .

*Asplenium aethiopicum* (Burm.f.) Bech. @

(*syn. A. filare* (Forssk.) Alston, *A. praemorsum* Swartz).

J. Saber, S of Taiz, SE of Manakha, W. Bana, Qa Al Haql, near Al Mahwit,  
Hajjah , Amaran, J. Ta'aker above Jiblah, Wusab, Ibb, Hagher (Soqotra).

*Asplenium protensum* Schrad. (7)

Very rare: Western mountains e.g. J. Milhan.

*Asplenium rutifolium* (Berg.)Kunze. var. *bipinnatum* (Forssk.)Schelpe. (7)

Very rare: Western mountains.

*Asplenium schweinfurthii* Baker \* @

Soqotra

*Asplenium trichomanes* L. (7)

Taiz, Ibb, Wadi Nahemi Attara, Manakha, Soqotra.

*Asplenium varians* Hook. & Grev. subsp. *fimbriatum* (Kunze)Sche. (7)

Very rare: J. Rayma, Al H'adiyyah.

*Asplenium viride* (Burm.) Bech. (5) {doubtful record} ?

Shibam.

*Ceterach cordatum* (Thunb.) Desv. (in Englera 28: 57-77, 2006)

(*syn. C. phillipsianum* Kum , *Asplenium phillipsianum* (Kumm.) Bir. ) (7)

Soqotra.

*Ceterach dalhousiae* (Hook.)C.Chr. (7)

(*syn. Asplenium dalhousiae* Hook.).

Rare: J. Milhan, J. Bura', al Muhwit, J. Habashi, Al H'adiyyah.

*Ceterach officinarum* DC. (7)

(*syn. Asplenium ceterach* L., *C. cordatum* auct.).

Al Qafr, High mountains & plateau areas.

### ASTERACEAE (COMPOSITAE)

*Achillea biebersteinii* Afan. @

Cultivated in Ibb

*Acanthospermum hispidum* DC. @

Introduced: Taiz, Soqotra, Al Mahara.

*Achyrocline glumacea* (DC.) Oliv. & Hiern. (8)

(*syn. Helichrysum glumaceum* DC., *Achyrocline luzuloides* Vatke).

High altitude areas: Dhamar, Hizyaz, Manakha, Russaba, NE Sanaa, near Ba'dan,

*Achyrocline schimperi* Sch. Bip. ex A.Rich. (8)

(*syn. Helichrysum schimperi* (Sch. Bip. ex A.Rich.)Moes.). (2)

High altitude areas: J. Alloz, Soqotra.

*Achyrocline stenoptera* (DC.) Hilliard & Burtt (8)

(*syn. Helichrysum stenopterum* DC.).

High altitude areas: J. Saber, J. Ba'adan, J. Manar, Wusab al Ali, J. Milhan.

*Adenostemma caffrum* DC. (8)

Dhisufal, Ba'adan, Al U'deyn, W. Bana, Manakha, Haraz, al Mahwit, al Ahjor.

*Ageratum conyzoides* L. @

Al Mishrafa, J. Rayma (Tiham foothills), Soqotra.

*Anthemis cotula* L. (5) ?

- (*syn.* *Maruta cotula* DC.)  
Qa Jahran, Dhamar, Bait al Alam, J. Al Mahdad, W of Amran, Hajjah .
- Anthemis tigrensis* J. Gay ex. A.Rich. (8) (in *Mitt. Bot. Munchen* 18:401-442 (1982).  
(*syn.* *A. yemensis* Podl., *A. abyssinica* var. *tigrensis* (J.Gay ex A.Rich.) Chiov.).  
Huth, Reydah, Hizyaz, Sanaban- Jabel Isbil road,(Dhamar), near Kitab, J. Annabi Shua'ib.
- Artemisia abyssinica* Sch. Bip. ex Oliv. & Hiern @ سويخ، ريحان، بعيثران  
J. Saber, J. Annabi Shua'ib, Shahara, J. Ta'aker, J. Hubaysh, Manakha, N of Dhamar, Yerim, Kitab.
- Artemisia arborescens* L (8) ريحان (8)  
Cultivated as a potherb
- Aspilia helianthoides* (Schum. & Thonn.) Oliv. & Hiern. subsp. *ciliata* (Schum.) Adams. (8)  
Tihama foothills, J. Habashi, Ibb.
- Aspilia kotschyi* (Sch. Bip. Ex Hochst.) Oliv. (8)  
Al U'deyn, al Makhadir, Rihab, Wussab, J. Bura', Haraz, al Muhwit.
- Atractylis carduus* (Forssk.) C.Chr. (8)  
(*syn.* *A. flava* Desf.).  
Sanaa, Bani Harith, Nihim.
- Atractylis kentrophylloides* (Bak.) F.G.Davis. \*\* (8)  
(*syn.* *A. yemensis* Podl. *Carduncellus kentrophylloides* Baker).  
Raydah, Hajjah , Radaa, J. Gedu (Shabwa), Hadhramaut .
- Baccharoides schimperi* (DC.) Isawumi et al., (in *Grana* 35:205–230, 1996)  
(*syn.* *Vernonia abyssinica* Sch. Bip., *Vernonia schimperi* DC.) @  
Westren mountains, Ba'adan, W of Al Mahwit.
- Bidens bipinnata* L. (8) شبيث  
Haraz, Ibb, Dhi Sufal, Al U'deyn, Ba'adan.
- Bidens biternata* (Lour.) Merr. & Sherff. @  
(*syn.* *B. abyssinica* Sch.-Bip.)  
Ibb, Dhamar, Hajjah, Lahj, Yafea, Soqotra.
- Bidens pilosa* L. @  
Dhamar, J. Saber, al Dhalaa, Al Qafer, Wadi Dhahr: Sanaa, Soqotra.
- Blainvillea acmella* (L.) Philipson (in *Englera* 28: 57-77, 2006)  
(*syn.* *B. dichotoma* (Murray) Luetzelb., *B. gayana* Cass. *B. Rhomoidea* Cass.) (8,2)  
Rihab, Wussab, Haraz, Soqotra.
- Blumea aurita* (L.f.) DC. (8)  
(*syn.* *Laggera aurita* (L.f.)DC.).  
Wussab Assafel, Jiar.
- Blumea bovei* (DC.) Vatke (8)  
(*syn.* *B. abyssinica* Sch.-Bip. ex A.Rich.).  
Sirwah, Damt, high plateau.
- Blumea lacera* (Burm.f.) DC. (8)  
Rare: Al Qaeedah, Al U'deyn, Ibb, Haraz, W. Addur.
- Calendula arvensis* L. @  
(*syn.* *C. aegyptiaca* Desf., *C. micrantha* Tineo et Guss., *C. parviflora* Raf. ).  
J. Saber, Taiz, Manakha, Shahara, Dhamar, Russaba, Qaa Jahran, Mukairas.
- Carthamus tinctorius* L. (8) قرططم  
Cultivated: Arhab, Thubhan (al Hujariya).
- Centaurea dhofarica* Baker \*\* (in *Willdenowia* 32 – 2002)  
Al Mahara: Coastal mountains between Al Faydami and Hawf.

- Centaurea pseudosinaica Czerep. subsp. niebuhrii Wagenitz. سنافه @  
Taiz, Dhamar, Hajjah, Saada, Dhamar, Yerim, Raydah, Yasleh: S. Sanaa.
- Centaurea schimperi DC. (8) سنافه  
Manakha, Haraz, E. of Radaa, W. Dhahr, Saada.
- Centaurea yemensis Wagenitz. \* (8)  
Between At Turba & Shergab, W. Aduf (Al Hujariya).
- Centaurothamnus maximus (Forssk.) Wagen. & Dittr. \*\* @ بياض، خمب، سنام، برود  
(syn. *C. maxima* Forssk.).  
J. Saber, Ibb, Sumara, Ba'adan, J. Ta'ker, Mashwara, Mutheikhira, Yerim,  
Adhale' Manakha, Shibam, W. Habab, Radaa, near Qashin, Al Mahara.
- Chrysanthellum americanum (L.) Vatke. (8)  
Al Rahidah & al Misrakh, W. Adhaba (Taiz), Al U'deyn.
- Chrysanthemum coronarium L. (8) أحوال  
Cultivated in gardens: Sanaa, Dhamar, Yerim, al Tawilah.
- Cichorium bottae Defl. \*\* @ مار  
Yerim, Dhamar, N. Sanaa, Shahara, Khawlan Ashsham.
- Cichorium endivia L. (8)  
Cultivated: Sanaa.
- Cineraria abyssinica Sch. Bip. ex A. Rich. @  
High mountains: J. Saber, J. Maswer, Manakha, SW Yerim, Kawkaban, J. Annabi  
Shua'ib.
- Cirsium vulgare (Savi.) Ten. (8)  
(syn. *C. lanceolatum* (L.) Scop.).  
High mountains areas: Ibb, al Qaeda, J. Shibam, Manakha, Yafaa, Abyen, Hajjah .
- Conyza aegyptiaca (L.) Ait. (8)  
Sanaa, Manakha, Hajjah .
- Conyza bonariensis (L.) Crong. @ سويف  
(syn. *Erigeron linifolius* Willd., *Erigeron bonariensis* L.).  
Hajjah , Dhamar, Muthaikhira, W. Dhahr.
- Conyza gouanii (L.) Willd. (8)  
Rare: Dhamar, Al Ahkub (S. Taiz), Muthaikhira, Wussab al Ali.
- Conyza hochstetteri Sch. Bip. ex A.Rich. @  
Widespread on the mountain areas, Soqotra.
- Conyza incana (Vahl)Willd. @ بياض  
Taiz, Jiblah, Dhamar, J. Milhan.
- Conyza pyrrhopappa Sch. Bip. ex A.Rich. subsp. Pyrrhopappa. @  
(syn. *Microglossa angolensis* Oliv. et Hiern, *Microglossa pyrrhopappa*  
Taiz, Ibb, Dhamar,
- Conyza steudelii Sch. Bip. ex A. Rich. (8)  
Rare: J. Milhan, J. Manar, Kawkaban.
- Conyza stricta Willd. (8)  
(syn. *C. triloba* Decne).  
Abyen, Sanaa, Dhamar, Haddah, S. Jiblah, Hajjah .
- Conyza tigrensis Sch. Bip ex Oliv. & Hiern. (8)  
Rare: High plateau.
- Conyza variegata Sch. Bip ex A. Rich. (8)  
High mountain areas: J. Saber, J. Maswer, J. Alloz.
- Cosmos bipinnata Cav. (8)  
(syn. *C. bipinnatus* Cav.)

- Cultivated in gardens: Sanaa.
- Crassocephalum crepidioides* (Benth.) S.Moore (8)  
(*syn. Gynura crepidioides* Benth.).  
Rare: Al U'deyn, Ibb, J. Bura', J. Milhan.
- Crepis ruepellii* Sch.Bip. مرار @  
(*syn. C. forskalii* Babe., *C. abyssinica* (Sch. Bip.) Schweinf. & Asch.).  
J. Saber, Yerim, J. Sumara, J. Ta'kar, Jibla, Shibam, Kawkaban, J. Razeh,  
Shahara, Khawlan, Hajjah , Manakha, J. Hisn, Lahj , A. Amran.
- Cyanthillium cinereum* (L.) H.Rob. (2)  
(*syn. Vernonia cinerea* (L.) Less. *Vernonia cinerea* (L.) Less. var. *parviflora*  
(Reinw.) DC. *Chrysocoma ovata* Forssk.). @ 8  
Tihama foothills, J. Bura', medium altitude mountains, Huf al Mahara, Soqotra?.
- Cynara cardunculus* L. (ref. Tadesse, M., 2004)  
(*syn. C. scolymus* L.) (8)  
Cultivated: Tihama foothills, Sanaa.
- Dendranthema indicum* (L.) Desmoul (8) الأقحوان  
(*syn. Chrysanthemum indicum* L.).  
Cultivated in gardens: Sanaa.
- Dichrocephala chrysanthemifolia* (Blume) DC. \*\* (8)  
(*syn. D. chrysanthemifolia* var. *chrysanthemifolia* (Blume) DC.)  
High mountains areas: J. Saber, Hajjah , Raydah, al Mahwit, Soqotra.
- Dichrocephala integrifolia* (L.f.) O.Kuntze. (8)  
(*syn. D. latifolia* DC.).  
J. Rayma, Manakha, al Mahwit.
- Dicoma cana* Balf.f. \* (2,6)  
Soqotra
- Dicoma schimperi* (DC) Baill. ex O. Hoffm. (ref. Tadesse, 2004) @  
(*syn. Hochstetteria schimperi* DC)  
Hadramaut, Al Mahara
- Dicoma tomentosa* Cass. (8)  
Rare: W. Ayn Ali (Hajjah ), Soqotra.
- Distephanus qazmi* N.Kilian & A.G.Mill \* (2) Willdenowia 30: 83-91. 2000. غريد  
Soqotra
- Echinops spinosissimus* Turra. شوك بورة، جرداد @  
(*syn. E. spinosus* L., *E. boranensis* Lanza, *E. viscosus* (DC.)).  
Taiz, Shibam, Turra., al Dalaa, Harib, al Jawf, Lahj .
- Eclipta prostrata* (L.) L. @  
(*syn. E. alba* (L.) Hassk.).  
Tihama, Aden, Taiz, Al Qafr, Hajjah, Khamis Bani Sa'd, Firmihin, W Qalansia  
(Soqotra).
- Euryops arabicus* Steud. شجرة الكنس، صبر، حمية، اثرار، مسيران @  
(*syn. Jacobaeastrum arabicum* (Steud.) Kuntze, *E. hildebrandtii* Mattf., *E. socotranus* Balf.f., *E. pinnifolius* A. Rich., *Caraea pinifolia* Hochst. ex Steud.)  
J. Saber, at Turba, Aden, Dhamar, J. Azzan (Baa'dan), Khidar (Yasleh), west of  
Yarim, Hadramaut, Shabwa, Khawlan Ashsham, Soqotra.
- Felicia abyssinica* Sch. Bip. ex A.Rich. جشن  
subsp. *abyssinica*. (8)  
J. Saber, Sanaa, Dhamar, Ba'adan, Ibb, J. Ta'ker, Yarim, Hajjah , Rayda, Kuhlan  
Affar.

- subsp. dentata (8)  
(*syn. F. richardii* Vatke.).
- J. Saber, Dhamar, Hajjah , Sanaa, Shibam.
- Filago abyssinica Sch. Bip. ex A. Rich. (8)  
J. Ta'aker (Ibb).
- Filago prolifera Pomel. (8)  
J. Sumara, J. Shibam, W. Shalalah (Yerim), Amran.  
مخربة، صبر المار ، ورد المير ، بارة(1,8)
- Flaveria trinervia (Spreng.) Mohr. (1,8)  
(*syn. F. repanda* Lag.).  
Taiz, Ibb, Dhamar, Sanaa, Hajjah , Lodar, Lahj , Hadhramaut .
- Galinsoga parviflora Cav. (8)  
Introduced: Ibb, Haraz, Manakha, Abyen, Hagher (Soqotra).
- Geigeria alata (DC.) Oliv. & Hiern. (8)  
Rare: Al Jawf, Al Dhalaa, Hadhramaut .
- Gnaphalium polycaulon Pers. (8)  
Hajjah .
- Gnaphalium unionis Sch. Bip. ex Oliv. & Hiern. (8)  
J. Sumara, J. Manar, Dhamar, Qa Bakil, al Mahwit.
- Guizotia scabra (Vis.) Chiov. (8)  
بارۃ  
(*syn. G. schultzii* Hochst. ex Sch. Bip.).
- subsp. scabra  
Taiz, Jibla, Ibb, Haraz, Al U'deyn, Shibam.  
subsp. schimperi (Sch. Bip.) J.Baagoe.  
Ibb, Dhi Sufal, Sumara.
- دوار الشمس، عباد الشمس  
Helianthus annus L. Cultivated.
- Helichrysum aciculare Balfr.f. \* (2,6)  
Soqotra
- Helichrysum arachnoides Balf.f. \* (2,6)  
Soqotra, Samha.
- Helichrysum arwae J.R.I. Wood. \*  
High altitude mountains e.g. J. Ta'aker, J. Manar, Jibla.
- Helichrysum balfourii (Balf.f.) Vierh. \* @  
كیدینو  
(*syn. H. gracilipes* Oliver & Hiern var. *stoloniferum* Balf.f.)  
Soqotra.
- Helichrysum foetidum L. var. microcephalum A.Rich. (8)  
High altitude mountains e.g. J. Saber, Sumara, Ibb, E of Yerim, E of Kitab, W of  
Jiblah, J. Ta'ker, His'n Hab, Dhamar, al Hadah.
- Helichrysum forskahlii (J.F.Gmel.) Hillia. & Burtt. (8)  
al Mahwit
- Helichrysum gracilipes Oliv. & Hiern. (2,6)  
Soqotra
- Helichrysum nimmoanum Oliv. & Hiern \* (2,6)  
لبنون  
Hagher (Soqotra).
- Helichrysum nudifolium (L.) Less. (8)  
Ibb, Haraz, J. Ta'aker, Rayma.
- Helichrysum paulayanum Vierh. \* (2,6)  
(*syn. H. gracilipes* Oliver & Hiern var. *lanatum* Balf.f.)  
Soqotra

Helichrysum pumilum (Klatt.) Moes. @ ليفنة

(syn. *H. somalense* Bak. f.).

Sa'dah, al Hugariya. Yasleh, N. Sanaa, al Dhalaa, Yafea, Sanaa, Raydah, Dhamar, Hadhramaut .

Helichrysum rosulatum Oliv. & Hiern \* (2,6)

Soqotra

Helichrysum sphaerocephalum Balf.f. \* @ مالبونهن

(syn. *Helichrysum sphaerocephalum* var. *sarmentosum* Balf.f.)

Soqotra

Helichrysum suffruticosum Balf.f. \* @ سبنهم

Soqotra

Iphiona anthemidifolia (Bak.) A.Anderb. \* (1,3)

(syn. *Hirschia anthemidifolia* Bak)

Al Mukalla-Sayun road and Shibam (Hadhramaut ).

Iphiona scabra DC . (1) ضويقة

Aden, Abyen, al Dhalaa, al Maraqisha (Abyen), Hadhramaut, Al Mahara.

Iphiona senecionoides (Bak.) A. Anderb. \*\* (4)

(syn. *Grantia seneciooides* E..G.Baker)

Mukayras (Abyen), W Eydid (Hadhramaut).

Iphiona teretefolia A.Anderb. \* (3) No scientific names matching this name ??

Hadhramaut

Iphiona vierhapperi Schwartz. (3) No scientific names matching this name ??

(syn. *Grantia vierhapperi* Schatz)

Kleinia deflersii Defl. \* (in Kew Bull.39: 318 (1984)

(syn. *Kleinia obesa* (Deflers) P. Halliday, *Senecio deflersii* O. Schwarz).

V. rare: J. al Arays

Kleinia odora (Forssk.) A.Berger @ إنخر، خثعر، قهام، بخار

(syn. *Cacalia odora* Forssk. , *Kleinia polycotoma* Chiov. (Podlech 1982) ,

*Senecio odorus* (Forssk.) Schultz).

Widespread: Taiz, Ibb, Dhamar, SW Ma'bar, Sanaa, Huth, Manakha Lahj, Hajjah, al Dhalaa, Abyen, Hadhramaut, Al Mahara.

Kleinia pendula (Forssk.) Seh.Bip. S. (8) كعصن، كسمع الكلب، كسمع الحمار، أذان

(syn. *Cacalia pendula* Forssk., *Senecio pendulus* (Forssk.) Schultz-Bip.) .

Taiz, Shamir, Dhisufal, Damt, al Qae'dah, Hays, J. Jinan, Demt, al Husha, Hadhramaut, Al Mahara.

Kleinia saginata P. Halliday \*\* (in Willdenowia 32: 239-269, 2002)

Al Mahara: Fartak Mts, track between Haswayn and Ghaydah

Kleinia scottii (Balf.f.) P.Halliday \* @ علبيط

(syn. *Senecio scottii* Balf.f.)

Soqotra.

Kleinia semperviva (Forssk.) DC. @ طف الوق

(syn. *Senecio semperviva* (Forssk.)Sch.Bip.).

High altitude areas: J. Sawraq, J. Habashi, J. Rayma, J. Hissn Madan, Wussab al Ali, W. of Amran, Bayt Al Komani, J. Maswer. Dhamar, Yesleh, Manakha.

Kleinia squarrosa Cufod. (in Willdenowia 32: 239-269, 2002)

(syn. *Senecio polytomus* (Chiov) Jacobsen subsp. *squarrosus* (Cufod.) Rowley)

Shabwa, Hadhramaut, Al Mahara.

Lactuca inermis Forssk. @

(syn. *L. capensis* Thunb, *L. yemensis* Deflers).

- J. Saber, Sumara, Shibam, Hajjah, Yerim, SE Dhamar, Ibb, Saada, NW al Muhwit,  
Manakha, Qa Jahran, al Dhala, NE Amran.
- Lactuca sativa L. @ سلطة  
Cultivated.
- Lactuca serriola L. @  
Al Qaeeda, Madinat Ashsharq, W. Bana, Haraz, Lahj, Yafaa, Abyen.
- Lagascea mollis Cav. (8)  
Introduced: Western escarpment: al Mahabishah.
- Laggera alata (D.Don) Sch-Bip. ex Oliv. (8)  
Damar.
- Laggera crispata (Vahl) Hepper & Wood. (8)  
(syn. *L. pterodonata* (DC.) Sch. Bip. ex Oliv. & Hiern, *L. purpurascens* (A.Rich.) Sch.Bip, *Conyza crispata* Vahl, *Blumea crispata* (Vahl) Merxm.).  
High escarpment, W. Dhahr, Khamer, Baa'dan, Suhban.
- Laggera decurrens (Vahl) F.N.Hepper & Wood. @ شدق  
(syn. *Conyza arabica* Willd, *Blumea garieppina* DC.).  
Dhamar, Huth, Saada.
- Launaea almahrensis N.Kilian. \*\* (in ENGLERA 17, PP. 339, 1997)  
J. al Arays, Hadhramaut .
- Launaea angustifolia (Desf.) O.Kuntze. (3) {doubtful record} ?  
(syn. *Atalanthus angustifolius* (Desf.) Pomel, *Sonchus angustifolius* Desf.)  
Hadhramaut .
- Launaea brunneri (Webb) Amin ex Boulos (8)  
(syn. *L. chevalieri* O.Hoffm. & Muschl., *L. integrifolia* Hagerup, *Sonchus chevalieri* (O.Hoffm. & Muschl.) Dandy, *S. prenanthoides* Oliv. & Hiern., ).  
Harib.
- Launaea capitata (Spreng.) Dandy (8)  
(syn. *L. glomerata* (Jaub & Spach) Hook, *Sonchus mareoticus* Delile).  
Wadi Dahr, Bani Hushaysh, between Arrawdha and Bani Haradh, al Hudaydah,  
Hadhramaut, E of Modiah.
- Launaea castanosperma F.G.Davies. \*\* (in Kew Bull. 33:294, 1979)  
Hadhramaut : Upper Wadi Skoui, from Mukalla to Sayun, ascent on the Jol,  
roadsides, Al Mahara : Jabal Sharwayn, 10 km W of Qishn
- Launaea crassifolia (Balf.f.) C. Jeffrey. (2,3)  
(syn. *Lactuca crassifolia* Balf.f, *L. kossmatii* Vierh, *L. paulayana* Vierh, *L. salehensis* Vierh).  
W of al Mukalla (Hadhramaut ), Ras Fartak (Al Mahara), NE of Qalansiyah:  
Soqotra, Abdul Kuri.
- Launaea crepoides Balf.f. \* (2,6)  
Rare: Soqotra
- Launaea fragilis (Asso)Pau. subsp. asirensis N.Kilian. \*\* (in ENGLERA 17, PP. 339, 1997)  
(W. Dhahr) Sanaa, J. Shamsan (NE of Sanaa), Sanaa, J. Isbil, Mukeiras-al  
Baydhah road, Shelaan-Shibam.
- Launaea hafunensis Chiov. (2)  
(syn. *L. cufodontii* Lanza ).  
Hadhramaut, Al Mahara, Soqotra, Abdul Kuri.
- Launaea intybacea (Jacq.) Beauv. (2,8)

- (syn. *Lactuca arabica* Jaub. & Spach, *L. goraeensis* (Lam.)Schultz-Bip., *Sonchus goraeensis* Lam.).  
Tihama coastal area, Aden, Manakha, Hajjah, Lahj, al Mukalla, Sayoun, Yafea, low altitude mountains, Ataq-Nisab road, Soqotra.
- Launaea massauensis* (Fresen.) Sch. Bip. ex Kuntze. (1,8)  
(syn. *L. kuriensis* Vierh., *L. lactucoides* (T.Ander.)E.H.L.Krause.,  
*Brachyrhamphus lactucoides* T.Ander., *Heterachaena massaviensis* Fresen., )  
Taiz, Aden, Al U'deyn, NW of Ibb, al Dhala, Lahj, Hadhramaut, Yafaa, Abyen, J. Gedu (Shabwa), Soqotra.
- Launaea mucronata* (Forssk.) Muschl. (8)  
(syn. *L. resedifolia* subsp. *mucronata* (Forssk.)Maire, *Leontodon mucronatum* Forssk., *Zollikoferia mucronata* (Forssk.)Boiss).  
J. Shamsan NE. Sanaa, Waalan, Yaslih, Arhab, Bani Hushaysh, Khamer-Huth, Harib, Marib.
- Launaea nudicaulis* (L.) Hook.f. (8)  
(syn. *Lactuca nudicaulis* (L.)Murray, *Lomatolepis nudicaulis* (L.)Cass)  
Taiz, Manakha, al Bon, Sanaa, J. Isbil (Dhamar), J. Madram, al Kod, Hajjah , Amran, above Qashin (Al Mahara).
- Launaea petitiana* (A.Rich.) N.Kilian. (in ENGLERA 17, PP. 339, 1997)  
Taiz, SW of Sanaa.
- Launaea procumbens* (Roxb.) Ramayya & Rajgopal. ( in Kew Bull. 23: 465, 1969)  
(syn.*L. fallax* (Jaub. & Spach)Muschl., *Lactuca obtuse* (DC.)Mundhe & Almeida, *Prenanthes procumbens* Roxb, ).  
Abyen, N of Lahj, Yafaa, Adhale', W. al Jawf, Aden, N of Radaa, Hadhramaut .
- Launaea rhynchosarpa* (Balf.f.) B. Mies \* (6)  
(syn. *Lactuca rhynchososa* Balf.f.). (2)  
Soqotra, Abdul Kuri
- Launaea socotrana* N.Kilian \* (2)  
Soqotra
- Launaea spinosa* (Forssk.) Sch. Bip. ex Kuntze. (3) {doubtful record} ?  
(syn. *Atalanthus spinosus* (Forssk.)D.Don, *Prenanthes spinosa* Forssk.)  
Hadhramaut (e.g. above Qashin).
- Macowania ericifolia* (Forssk.) Burtt & Grau. @  
High altitude mountains: J. Saber (Taiz), J. Ta'ker (Ibb), Kawkaban, Haraz.
- Melanthera abyssinica* (Sch. Bip. ex A.Rich.) Oliv. & Hiern. (8)  
(syn. *Wurschmittia abyssinica* Sch. Bip. ex A.Rich.).  
Rare: Ibb, Al U'deyn.
- Onopordon arabicum* Podl. (in Mitt. Bot. Munchen 18:401-442 (1982) شوك النش.  
(syn. *O. carmanico* (Bornm.)Bornm.)  
High altitude mountains: J. Saber, Sanaa, Dhamar, Lahj, Yafaa, Abyen.
- Orbivestus cinerascens* (Sch.Bip.) H.Rob. (2)  
(syn. *Vernonia cinerascens* Sch. Bip., *V. luederitziana* O.Hoffm., *V. squarrosa* Dinter ex Merxm. *V. spathulata* Hochst.). (8)  
Tihama foothills, J. Bura', Radaa, Huth, Nihm, Manakha, Ras Fartak (Al Mahara), Soqotra.
- Osteospermum muricatum* E.Mey. (8)  
High altitude areas: Sanaa, Khawlan Ashsham, Amran, Rayda, Huth, Saada, Khamer.
- Osteospermum vaillantii* (Decne.) Norl. @ معنقة، زهرة الليل

- (*syn. Tripteris racemosa Balf.f, T. vaillantii Decne.*).  
Widespread: J. Saber, J. Sumara, Assayani, Mashwara, Jibla, ArRabadi, Dhisufal,  
Ashshawaet', Yarim, Al makhader, Dhamar, Hajjah, Kulan Affar, Sanaa,  
Manakha, Rayda, Soqotra.  
Parthenium hysterophorus L. (in Willdenowia 32: 239-269, 2002)  
Introduced: Al Mahara  
Pegolettia senegalensis Cass. (8)  
Taiz, Manakha, N. Sanaa, Lahj, Hadhramaut .  
Pentzia arabica Thulin \* (in Nor. J. Bot. 21(3): 249-252 (2000)  
Mola Matar (Hadhramaut)  
Perrollderia coronopifolia Cass. (3)  
Shabwa, Hadhramaut  
Phagnalon harazianum Deflers. \* (8)  
(*syn. Conyza tomentosa Schwar.* ).  
J. Saber, near At Turbah, Shibam, Haraz, al Mahwit, W of Amran, near  
Manakha, J. Annabi Shua'ib.  
Phagnalon reecta Qaiser & Lack. \* ( in Willdenowia 15: 3-22 (1985)  
Manakha, Shibam.  
Phagnalon schweinfurthii Sch. Bip. ex Schweinf.  
var. androssovii (B.Fedtsch.) Qaiser & Lack. ( in Willdenowia 15: 3-22,  
1985)  
(*syn. P. androssovii B.Fedtsch.*)  
J. Jihaf in Adhale'  
Phagnalon stenolepis Chiov. ( @ see also Qaiser, M. & Lack, W. , 1985)  
(*syn. P. scalarum Schweinf. ex Schwartz., P. scalarum Schweinf. ex Schwartz var.  
meridionale (Quezel)Wickens, P. scalarum Schweinf. ex Schwartz subsp.  
Glaucum Mire & Queze P. tibeticum Chevass. & Quezel, P. tibeticum Chevass.  
& Quezel subsp. Meridionale Quezel, l*)  
Al Hujariyah (Taiz), Sumara, Ba'adan, Sanaa, near Aden, Hajjah , Muthaikhira,  
Shibam, Yerim, Dhamar, Amran-Huth, al Ahjur.  
Phagnalon woodii Qaiser &Lack. \* ( in Willdenowia 15: 3-22 (1985)  
J. Saber, J. Annabi Shua'ib, Jiblah.  
Phagnalon yerrimense Qaiser & Lack. \* ( in Willdenowia 15: 3-22 (1985)  
SE of Yerim  
Picris scabra Forssk. \*\* @ مرار  
(*syn. Deckera scabra (Forssk.) Sch.*  
subsp. *abyssinica* (Sch. Bip.) M. Smalla  
(*syn. Picris abyssinica Sch.*)  
J. Saber, Negd al Ahmar pass (Ibb-Taiz), Ibb, Dhamar, S. Amran, Sanaa, al Boun.  
subsp. *scabra* \*  
High mountains above c. 2400 m in the Taiz-Yerim region  
Piloselloides hirsuta (Forssk.)C.Jeffrey (8)  
(*syn. Gerbera piloselloides (L.)Cass.*)  
At Turbah, J. Milhan, Sumara pass.  
Pluchea arabica (Boiss.) Qaiser & Lack. \*\* (3)  
(*syn. P. laxa E.G.Baker, P. multiflora Schwartz, Varthemia arabica Boiss.,  
Iphiona arabica (Boiss.) Benth., Phagnalon arabicum (Boiss.) Boiss.,*)  
Hadhramaut: wadi A'dem, Ghayl Ba Wazir, Sayhut – Qishn road, W of Qishn, S  
of Nishtun(Al Mahara).

Pluchea glutinosa Balf.f. \* (26,)

Soqotra.

Pluchea dioscorides (L.) DC. (8) عثرب

(syn. *Baccharis dioscoridis* L., *Conyza dioscoridis* (L.) Desf., *Conyza krausii* Sch. Bip. ex Walpers, *Conyza modatensis* Sch. Bip. *Conyza dmioscoridis* (L.) Desf. var. *arabica* Defl., *Pluchea krausii* (Sch. Bip.) Sch. Bip. ex Steetz., *Pluchea dioscoridis* var. *glabra* Oliver & Hiern, *Blumea baccharoides* Sch.).

Tihama, J. Bura', Taiz, Taiz -AtTurbah road, Hays- AlUdayn, Al Hodeidah-Sanaa road, W. Tuban, W. Dhahr (Sanaa), J. Habashi, Lahj , Saada, Abyen, Hadhramaut

Pluchea indica (L.) Less.

(syn. *Baccharis indica* L., *Conyza corymbosa* Roxb., *Eupatorium foliolosum* Wall., *Pluchea foliolosa* DC.)

subsp. subsp. indica

Hadhramaut: Al Mukalla-Aden road, Near al Mukalla, Wadi Adem NE of Ghayl Ba Wazir, Tarim, Al Mahara.

subsp yemenensis \* 3, @

E of Aden, Abyen, N of Lahej, Wadi Bana, E of Mudia, Zingibar, Lowder, E of Mudia, Wadi Hajar, W of Mukalla, N of Meifa,

Pluchea obovata Balf.f. \* @جهن

Soqotra

Pluchea sordida (Vatke) Oliv. & Hiern. (8)

(syn. *Laggera sordida* Vatke, *Pluchea bequaertii* Robyns Hithran (w of Taiz).

Prenanthes amabilis Balf.f. \* (26,)

Soqotra

Pseudognaphalium luteo-album (L.) Hillia. & Burtt. (8)

(syn. *Gnaphalium luteo-album* L.).

Taiz, high plateau, Amran.

Psiadia incana Oliver & Hiern (in Willdenowia 34: 159-182, 2004)

Hadhramout: S facing rocky slope above Wadi Shahora,

Psiadia punctulata (DC.) Vatke @فتح، قليلة

(syn. *Nidorella punctulata* Dc., *P. arabica* Jaub & Spach, *P. resiniflua* (Hochst. Steud. ec DC.).

Taiz, Sumara, Dhamar, Adhale', Hajjah, Ibb, Shabwa, Hadhramaut.

Psiadia schweinfurthii Balf.f. \* (26,)

Soqotra

Pulicaria argyrophylla Franchet subps argyrophylla Franch. (1)

(syn. *P. areysiana* Deflers, *P. leucophylla* E.G.Baker.).

Hadhramaut, al Mahara.

subsp. oligophylla (Gamal-Eldin) N. Kilian & P. Hein

(syn. *Pulicaria argyrophylla* var. *oligophylla* Gamal-Eldin

Sayun-Al Mukalla road (Hadhramaut)

Pulicaria aromatica (Balf.f.) King-Jones & N. Kilian \* (2)

(syn. *Pluchea aromatica* Balf.f. ) \* (6,)

Soqotra

Pulicaria cylindrica (Bak.) O. Schwartz. \*\* (3)

(syn. *Iphiona subulata* E.G.Baker)

Sayun, Al Mahara.

Pulicaria disocoridis R.Atkinson \* (2)

- Soqotra  
Pulicaria diversifolia Balf.f. \* (2,6)  
(*syn. P. shoabensis Vierh.*).  
Soqotra  
Pulicaria elegans Gamai-Eldin \* (2,6)  
Soqotra  
Pulicaria gamal-eldinae N. Kilian & P. Hein \* (in Willdenowia 29: 167-185. 1999)  
Al Mahra: Ras Fartak, Jabel Sharwayn, Huf.  
Pulicaria grandidentata Jaub. & Spach. \* (8)  
High mountain areas: J. Taakar, J. Shibam (Haraz)  
Pulicaria inuloides (Poir.)DC. (8)  
(*syn. P. arabica (L.)Cass. subsp. inuloides (Poir.) Maire*, Pulicaria longifolia Boiss.).  
Taiz, Ibb, Nihm, Hadhramaut, al Dhalaa, Hajjah, Sanaa, Haraz, Lahj .  
Pulicaria jaubertii Gamal-Eldin. خوعة، عنصيف، مونة، مشروم @  
(*syn. P. orientalis Jaub. & Spach.*).  
Widespread: Tihama, Tiham foothills Hagdah, Shara'b, Al Hujeriyah, Dhisufal, W of Yarim, Al Qafr, Assayani, Ashue'ib, Qa'taba, Damt, Al Ussein, Adhale', Al Husha, Dhamar, Abyen, Lahj, Lawdar, Marib, Hajjah, Amran  
Pulicaria lanata Gamal-Eldin. \* ريب @  
Soqotra  
Pulicaria lancifolia Schwartz. \* (4)  
Hadhramaut  
Pulicaria nivea Schwartz \* (4)  
J. Al Arays (Abyen), Hadhramaut  
Pulicaria nobilis Gamal-Eldin \*\* (in Willdenowia 32: 239-269, 2002)  
J. Fartak above Uteiq (Al Mahara)  
Pulicaria omanensis Gamal-Eldin \*\* (in Willdenowia 29: 167-185. 1999)  
N of Ras Sharma (Hadhramaut), between Jadib and Damqut and Fartak-Damqut road (Al Mahara)  
Pulicaria petiolaris Jaub. & Spach. (8)  
Taiz, Sanaa, Rayda, Di Assifal, W of Yarim, Ashawaet', Hajjah, Dhamar, Yasleh, Manakha, Lahj , Adhale' .  
Pulicaria rauhii Gamal-Eldin. \* (4)  
Hadhramaut  
Pulicaria schimperi DC. (3)  
(*syn. P. ehrenbergiana Schult. Bip., P. rueppelii Schul-Bip.*)  
Zabid, Hadda (Sanaa), Yafea, Lahj, J. Al Arays, Hajjah, al Mahwit, Hadhramaut.  
Pulicaria somaliensis O. Hoffm. زار @  
(*syn. P. adenensis Schweinf., P. glutinosa Jaub. & Spach. (3) ).*  
Taiz ( al Hujariyah, Bani Omar & al Barh), Aden, Khawlan Ashsham, Shabwa, Hadramout.  
Pulicaria stephanocarpa Balf.f. \* طباطب  
Soqotra, Abdul Kuri, Samha.  
Pulicaria undulata (L.) C.A.Mey. جنجاث، منيح، سكب، شوبيلة، سعف @  
(*syn. P. crispa (Forssk.)Benth. & Hook., Francoeria crispa (Forssk.)Cass.*).  
Widespread: Taiz, Ibb, Dhamar, Amran, Hajjah, Hadhramaut, Lodar (Lahj ), Sanaa, Abyen, Qa'tabah, Demt, Juban, Adhale', Shabwa, Al Mahara. .  
Pulicaria vieraefolia Balf.f. \* (2,6) طباطب

- Soqotra  
Reichardia tingitana (L.) Roth. **لبن، خصار البتوول، مرار**  
var. *arabica* (Hochst. & Steud.) Asch. & Schweinf. @  
J. Saber, Dhamar.  
var. *subintegra* Boiss. (3)  
Yafaa, Abyen, Lahj, Yafea, Adhale', al Boun, Soqotra.  
Sclerocarpus africanus Jacq. ex Murr. (8)  
Tihama foothills, Al U'deyn, Wussab, Huf (Al Mahara).  
Scorzonera tortuosissima Boiss. (5)  
NE Dhamar.  
Scorzonera musilii Velen. \*\* (8)  
(*syn. S. yemensis* Podl.). (in Mitt. Bot. Munchen 18:401-442 (1982).  
Sanaa, Arhab-Amran road, near Rayda, Sanaa-al Hudayda, Wadi Dhahr, al  
Boun, Hajjah, Yasleh, Majz, Harib.  
Senecio asirensis Boulos & Wood. \*\* (in Kew Bull. Vol. 38(3)491(1983)  
J. Razeh and J. Marran (Khawlan Ashsham).  
Senecio glaucus L. (8)  
(*syn. S. desfontainei* Druce).  
W. Addur.  
Senecio hadiensis Forssk. @ **حضرابه**  
(*syn. Senecio petitianus* A. Rich., *Senecio parkeri* Baker )  
J. Saber, Ibb, Dhi Sufal, Assayani, S'uhban, Ibb-Al U'deyn road, Mashwara,  
Jibla, Ashshawaet', E of Kitab, Yerim, Manakha, Haraz, J. Sumara, Al H'adiyyah.  
Senecio haraziansis Defl. \* (8)  
Haraz, J. Milahan, Maswer, Hajjah , Ibb, J. Shibam, J. Razeh, Manakha, J.  
Marran, Kuhlan.  
Senecio lyratus Forssk. (8)  
(*syn. Cineraria schimperi* Sch. Bip, *S. lyratipartitus* A.Rich., *S. auriculatus* Vahl.).  
Ibb, w of Jibla, Annajd Al Ahmer, E of Yarim, al Mahabisha, Thisufal.  
Senecio schimperi Sch. Bip. ex. A.Rich. (8)  
(*syn. S. biflorus* Vahl).  
Yerim, Ibb, Sa'dah, Khawlan, Dhamar, J. Shibam above Manakha, Hajjah , (Qarn  
Al Waal, Sanaa-Al Hudaydah, Manakha, Haraz.  
Senecio sumarae Defl. \*\* @  
Sumara, Ibb, J. Saber, J. Maswer, above w. Daud, s of J. Annabi Shua'yb, J.  
Ta'aker, sw of Sanaa, Wussab al Ali.  
Senecio vulgaris L. (8)  
J. Saber, Yerim, Sanaa, Bawan..  
Sericocarpus linifolius (L.) B.S.P. (in FNA Vol. 20 Page 101, 103)  
(*syn. Conyza linifolia* (Willd) Taeckh.) @  
Taiz, Abyen, Hajjah .  
Siegesbeckia orientalis L. @  
Al Misrakh & Adhabab (Taiz), Al U'deyn, Hajjah , w of Amran, J. Maswer,  
Soqotra.  
Solanecio angulatus (Vahl) C. jeffrey (ref. Tradesse, 2004) **حضرابة الجمل**  
(*syn. Senecio bojeri* DC., *S. subscandens* Hochst., *Cacalia angulata* Vahl.,  
Crassocephalum bojeri (DC.) Robyns). (8)  
Ibb, Jibla, W of Dhisufal.  
Sonchus asper (L.) Hill. (8)

- High mountains: J. Saber.
- Sonchus oleraceus* L. @ طلب  
Mawzaa, Taiz, Dhamar, Haddah, Yafaa, Abyen, Lahj , Marib, Hadhramaut ,  
Soqotra.
- Sonchus saudensis* Boulos. \*\* (8)  
J. Saber, Dhamar, Yerim, Wusab, Jabel Bura'.
- Tagetes erecta* L. (8) نرجس(8)  
Cultivated.
- Tagetes minuta* L. نرجس بري، شقر الحمير، جفيش، خزام @  
Introduced and Widespread: Taiz, Ibb, Dhisifal, Assayani, Kitab, Annajd Al  
Ahmer, Ba'dan, J. Sumara, Dhamar, Sanaa, Yerim, Hajjah , Amran, Sa'da, Lahj,  
Adhale', Juban, Damt, Qa'taba, Al Husha, Jihaf, Yafea, Hadhramaut .
- Tagetes patula* L. (8) نرجس (8)  
Cultivated.
- Tanacetum parthenium* (L.) Sch (8)  
(syn. *Chrysanthemum parthenium* (L.) Bernh.).  
Cultivated in gardens
- Taraxacum officinale* Weber s.l. (8)  
Introduced, naturalised in lawns, Sanaa.  
مقار، قمير ، بياض، اصراخ، عرعرة  
(syn. *T. abyssinicus* Schweinf & Asch.)  
Al Hujariyah and Naqil Ebil, Aba'r (Taiz), al Dhalaa, Jihaf (Adhale'), Khawlan, J.  
Bura', J. Al Arays (Abyen), Al U'deyn, J. Gedu (Shabwa), Hadhramaut.
- Tolpis altissima* (Balb.) Pers. (8)  
W. al Ahjor, al Mahwit.
- Tridax procumbens* L. ميال، حشيشة الراعي، مخربة @  
Introduced: Taiz, Al Hujeriya, J. Bura', Ibb, J. Sumara, Al Qae'ida, Al U'deyn, Al  
Qafr, Mutheikhira, Qa'taba, Al Husha, Hajjah , Manakha, Haraz.
- Urospermum picroides* (L.) Scop. ex Schmidt. (8)  
(syn. *Tragopogon picroides* L.)  
Tihama foothills, Amran, Shibam.
- Verbesina encelioides* (Cav.) A.Gray. @  
Introduced: Taiz, Sanaa, Hajjah .
- Vernonia amygdalina* Del. (8)  
(syn. *V. eritreana* Klatt, *V. adenosticta* Fenzl. ex Walp.)  
Rare: Al Qaeedah, Ibb.
- Vernonia arabica* F.G.Davia. @  
Al Qabettah (S. Taiz), Aden, Hadhramaut, Al Mahara .
- Vernonia areysiana* Defl. \* (4)  
J. al Arays, Hadhramaut
- Vernonia bottae* Jaub. & Spach. \* @  
Tha'bath (J. Saber), Dhubhan (At Turbah), South Mashwara, Shawaet, W of Jiblah,  
near Khalawah (J. Sawraq), J. Bura'.
- Vernonia cockburniana* Balf.f. \* @ جفه  
Soqotra
- Vernonia leopoldii* (Sch. Bip. Ex Walp) Vatke. (8)  
High altitude areas: Al Aeris (J. Saber), Ibb, Manakha, Haddah, J. Sumara.
- Vernonia spathulata* (Forssk.)Sch. Bip. @ كشحة  
(syn. *V. atriplicifolia* Jaub. & Spach).

- Taiz, Al H'adiyyah, Sanaa-Manakha road, W al Khassaf (Aden), Jihana, Lahj , Al U'deyn, Adhale', Hadhramaut, w of lawder, Huf (Al Mahara) .
- Vernonia unicata C.Jeffrey \* (2,6)  
Soqotra
- Volutarella dhofarica Wagenitz \*\* (ref. Thulin, M. et al in press)  
Huf al Mahara, Soqotra
- Volutaria abyssinica (Sch. Bip. ex A.Rich.) C.Jefrey ex Cuf.  
(syn. *Centaurea hochstetteri* (Buch.) Oliv. & Hiern.).  
Hajjah , al Mahabisha, Sa'dah.
- Volutaria albicaulis (Defl.) Wood. \*\* (8)  
(syn. *Centaurea albicaulis* (Defl.) Schwartz.).  
Ar Rabeis'ah (near At Turbah), Najd Dhamran, J. Eraf, Shibam, Reydah, Amran,  
Wadi Dahr, J. Al Arays (Abyen), Hadhramaut.
- Volutaria lippii Cass. (2)  
(syn. *Volutarella lippii* Cass.)  
Soqotra
- Volutaria socotrensis Wagenitz, \* (in Englera 28: 57-77, 2006)  
Socotra: Hamaderoh, limestone escarpment east of Homhil, 400 m,  
شوك تركي، حسك
- Xanthium spinosum L. @  
Introduced: Tihama foothills, Taiz, Ibb, Dhisufal, Damt, Dhamar, Mukairas,  
Yafaa..
- Xanthium strumarium L. @ حادي جب، لزيق، حودق  
(syn. *X. brasiliicum* Vellozo).  
Introduced: Tihama foothills, Taiz, Lahj, Al Azareq; Abyen, Ibb, Dhamar.
- AVICENNIACEAE**  
Avicennia marina (Forssk.) Vierh. شوري، شارة (8)  
(syn. *A. Officinalis* L.)  
Al Luhayya, Bir Ali, S. of Yakhtol, Al Mahara, Soqotra.
- BAISAMINACEAE**  
Impatiens balsamina L. @  
Huf (Al Mahara).
- BARBEYACEAE**  
Barbeya oleoides Schweinf. (8) كمب  
J. Saber, J. Bura', J. Milhan, Haraz, J. Rayma, al Mahwit, Khawlan.
- BALANITACEAE**  
Balanites aegyptiaca (L.) Del. (8) هلح، إهليج، صر  
Tihama plain, S. of Taiz, Shabwa, Hadhramaut .
- Balanites rotundifolia (Van Tiegh.) Blatter. (3) ?
- BASELLACEAE**  
Anredera cordifolia (Tenore) Van Steenis. (8)  
(syn. *Boussingaultia cordifolia* Tenore).  
Manakha, cultivated in Sanaa.
- Basella alba L.  
Cultivated.
- BEGONIACEAE**  
Begonia samhaensis M.Hughes & A.G. Mill. \* (2)  
Samha island
- Begonia socotrana Hook.f. \* @ سيربر  
Diksam & Hagher (Soqotra).

## **BERBERIDACEAE**

Berberis holstii Engler (7)

(*syn.B. forskaliana C.K. Schneid, B. petitiana C.K.Schneider*).

Shibam, J. Saber, J. Razeh, J. Alloz, S of Sanaa, Manakha.

## **BIGNONIACEAE**

Kigelia pinnata DC. (3) المشطورة أو أبو النجف

Introduced

Millingtonia hortensis L.f. (3)

Introduced, Aden

Rhigozum somaliense Hall.f. (8) صنص

Maqbara (W. of Taiz), Tihama foothills, southern Tihama, Wussab, NW of Rodoum; Shabwa.

Stereospermum kunthianum Cham. (8)

V. rare: J. Bura', W. Sukhnah.

Tecoma stans (L.) H.B.K. (8) تيكوما

Introduced. Taiz.

Jacaranda mimoseafolia D.Don. (8)

Introduced.

## **BOMBACEAE**

Adansonia digitata L. شجرة الغريب، شجرة المداع

Dubaa area (S. Taiz), Bani Dawaan (J. Raymah), W. Hajar (Adhale'), Hadhramout: At the village Ad Diz, c. 20 km E of Shehr.

Ceiba pentandra (L.) Gaertner. حرير، قطن، ديباج

Introduction: Tihama, Tihama foothills, Taiz, Adhale', Lahj, Al Udain, Hajjah.

## **BORAGINACEAE**

Alkanna orientalis (L.) Boiss. (8) ليد، حنة الضبع، سكب

Sanaa, Dhamar, Labus (Yafea), Yerim, Sanafan, Huth, Hajjah, Rayda.

Anchusa aegyptiaca (L.) DC. ?

Tihama, Tihama foothills.

Anchusa arvensis (L.) Bieb. subsp. orientalis (L.) Nordh. (8)

(*syn. Lycopsis orientalis L.*). (5)

High altitude areas e.g. Yerim, Qa Bakil, Dhamar.

Arnebia hispidissima (Lehm.) DC. @ كبة

Yerim, Dhawran, Sanaa, Hadhramaut, Soqotra.

Cordia africana Lam. طنب

(*syn. C. abyssinica R.Br.*).

Taiz, Ibb, Sumara, Dhamar, W. Habab (Madinat Ashasharq), Hajjah ah.

Cordia crenata Del. subsp. crenata (in Willdenowia 32: 239-269, 2002)

J. Bura'?, Al Mahara, Soqotra. Abyan: Jabal Arays

Cordia monoica Roxb. (in Willdenowia 32: 239-269, 2002) ، غرف، صبنصر، عزراط، عصرب

عملج

(*syn. C. ovalis R.Br. ex DC C. dioica Boj.*). (8)

J. Bura', J. Milhan, Haraz, J. Rayma, J. Tur, Al U'deyn, SE al Rahidah, J. al Arays, al Maraqisha, J. Gedu (Shabwa), Al Azareq, Adhale', Hammam Ali.

Cordia nevillii Alston (in Willdenowia 32: 239-269, 2002)

13 km N of Hemiar (Hadhramaut), Al Mahara: Jabal Faydami

Cordia obovata Balf.f. (2) ابطنة، ابطن

Soqotra

Cordia obtusa Balf.f. (2) ابطنة، ابطن

Soqotra.

Cordia quercifolia Klotsch. (8) غرف، سحل، عنب جهال

(syn. *C. sinensis* Lam. *C. gharaf* Ehrenb. ex Aschers., *C. rothii* Roem. & Schult.).

Yafrus, SE al Rahida, Zabid, , Surdud, Tihama foothills, Abyen, Sayhut-Qashin, Soqotra.

Cynoglossum bottae Deflers. \*\* (in Notes RBG Edinb. 41(3):473 (1984)

(syn. *Paracynoglossum bottae* (Defl.) R.Mill & AG.).

Utuma, Dhawran, NE of Dhamar, Hadda, Haraz, Saada-Khawlan, between Kawkaban and Shibam, W of Amran under Jabal Miswar., SW of Sanaa, J. Milhan, J. Razeh, J. Al Arays (Abyen),

Cynoglossum lanceolatum (Forssk.) R.Mill. (in Notes RBG Edinb. 41(3):474 (1984)

(syn. *Paracynoglossum lanceolatum* (Firssk.) R.Mill...).

J. Saber, At Turba, Ibb, J. Sumara, J. Hisn Madnan (Wusab), Al H'adiyyah (Rayma), Yafea, Sanaa, N. Dhamar, Dhi Assufal, J. Annabi Shua'ib, Shaharah, Manakha, J. Shibam, above Suddah (wadi Bana), Ibb-Al U'dayn road, Haraz, Raymah, N of Al Qa'ala, J. Razeh, Khawlan Ash Sham,

Cynoglossum sabirensense (R.Mill & A.G.Miller) Wood. \* (in Notes RBG Edinb.

41(3):476 (1984)

(syn. *Paracynoglossum sabirensense* R.Mill & A.G. Miller )

Rare: J. Saber, J. Manar (N of Ibb), Shirnama (SE Hajjah), J. Maswer.

Cynoglossum yemenense (R.Mill & A.G.Miller)Wood. \* (in Notes RBG Edinb.

41(3):480 (1984)

(syn. *Paracynoglossum yemenense* R.Mill & A.G.).

J. Saber, J. Mashwara and J. Manar (N of Ibb), J. Sumara, W of Yerim, Kusuma, Shibam, J. Annabi Shua'ib, Wussab, J. Hisn Madnan (Wusab).

Cystostemon heliocharis (S.Moore) A. G, Miller & Reidl.

(syn. *Vaupelia heliocharis* (S.Moore)Brand). (5)

Rare: Huth, Raydah.

Cystostemon kissenioides (Delf.) A.Miller & H.Riedl. \* (3)

(syn. *Vaupelia Kissenioides* (Dekl.)Brand).

J. al Arays, al Maraqisha, Hadhramaut.

Cystostemon socotranus Balf.f. \* (2,6)

Soqotra

Echiochilon arabicum (Schwar.) I.M.Johns. \*\* (3)

(syn. *Tetraedrocarpus arabicus* Schwar.).

S of Al Mukalla (Hadhramaut)

Echiochilon callianthum Lonn \*\*

Hadhramaut

Echiochilon longiflorum Benth. (3)

Aden: Al Kalo'a: , Hadhramaut: Wadi Skoui.

Echiochilon persicum (Burm.f.) I.M.Johnst. (2)

(syn. *Echiochilon strigosum* (Defl.)I.M.Johns. (3)

Hadhramaut , Soqotra

Echiochilon pulvinata A.G.Mill. & L.Urb. \* (2)

Soqotra

Echium rauwalfii Del. 8 لسان الثور

(syn. *E. longifolium* Delile, *E. sericeum* Vahl.).

Dhamar, Sanaa, Sumara near Addalil, Huth, near Madinat Ashsharq.

Ehretia cymosa Thonn. @ ورف، غرف

- (*syn. E. abyssinica R.Br.*).  
Taiz, Al Qa'idah, Ibb, Al Sayani, Al Dalil, Tihama foothills, western mountains.  
*Ehretia obtusifolia* Hochst. ex DC. @ مسوق  
(*syn. Ehretia obvata R. Br.*)  
Tihama foothills, SW of Taiz, J. Al Arays, Soqotra.  
*Gastrocotyle hispida* (Forssk.) C.B. Clarke (Podlech,D, 1982)  
Dhamar, Hizyaz.  
*Heliotropium adenense* Gurke. (3) ??  
Sayun – al Mukalla (Hadhramaut )  
*Heliotropium aegyptiacum* Lehm. (2,6)  
(*syn. Heliotropium cimaliense Vierh.*)  
Tihama, Soqotra..  
*Heliotropium arbainense* Fresen. (3)  
Arrayyan – Sayun ( Hadhramaut )  
*Heliotropium azzanum* O.Schwartz. \* (3)  
Aden, East Shuqra (Abyan), Lahj, Adhale' .  
*Heliotropium bacciferum* Forssk. (Podlech, D. 1982) رمam  
(*syn. H. undulatum Vahl*) (3)  
Tihama, Ataq (Shabwa), Hadhramaut, Hajjah, Sanaa, Rayda.  
*Heliotropium balfourii* Guercke \* @ مسوت، شويع، شوت  
(*syn. H. odorum Balf.f.*).  
Soqotra.  
*Heliotropium bottae* Deflers. \* (8) رمam  
Taiz, Lahj , al Baydha, Adhale' , al Maraqisha, Hadhramaut .  
*Heliotropium congestum* E.G.Baker. (3) ?  
Al Ghaydhah (al Mahara)  
*Heliotropium deflersii* Schwartz. \* (3)  
Gold Mor (Aden)  
*Heliotropium derafontense* Vierh. \* (2)  
Soqotra  
*Heliotropium dentatum* Balf.f. \* (2)  
Soqotra  
*Heliotropium digynum* (Forssk.) Asch. & Christ. (8)  
(*syn. H. luteum Poir.*).  
Aden, W. Bayhan, NW of Marib.  
*Heliotropium ellipticum* Ledeb. (3) {doubtfully record} ?  
(*syn. H. eichwaldii Steud.*)  
*Heliotropium europaeum* L. (8)  
Dhamar, Sanaa, Ibb, Lahj , Rada, Hizyaz (s of Sanaa), At Turbah, Haddah.  
*Heliotropium fartakense* Schwartz \*\* (4) رمam  
Rare: Hadhramaut, Abyen, Lahj, Ras Fartak (Al Mahara),  
*Heliotropium kuriense* Vierh. \* @ ططاب  
Abdul Kuri  
*Heliotropium lasiocarpum* Fischer & C.A.Meyer. (3) ?  
Taiz, Tihama, Bir Ahmed upstream of W. Tuban, Lahj, Hadhramaut .  
*Heliotropium lignosum* Vatke. (3) ? some data suggest that it is synonymous  
Al Mukalla-W. al Maqad, Ar Rayan-Sayun  
*Heliotropium longiflorum* (A.DC.) Steud. & Hochst. ex Bunge @  
شبرم، غريرة، ضدح، رفراق @ var. *longiflorum*

- Tihama & foothills, Abyen, al Maraqisha, Yafea, Hadhramaout.  
var. *lophocarpum* Jaub. & Spach \* (3)
- Hadhramaut, Al Mahara  
var. *stenophyllum* Schwart. (8)  
Taiz, Ibb, Sanaa, Dhamar. Hajjah , Aden, Lahj .
- Heliotropium makallense* Schart. \* (3)  
Hadhramaut
- Heliotropium nigricans* Balf.f. \* (2,6)  
Soqotra
- Heliotropium ophioglossum* Stocks ex Ait. (3)  
(*syn. H. vierhapperi* Schwartz)  
Aden, Hadhramaut , Soqotra.
- Heliotropium ovalifolium* Forssk. (8)  
Tihama foothills, Lahj , Adhale', Soqotra.
- Heliotropium pallens* Del. (8)  
Tihama.
- Heliotropium paradoxum* Vatke. (3) ?  
Aden, Hadhramaut
- Heliotropium paulayanum* Vierh. \* (2,6)  
Abdul Kuri
- Heliotropium personatum* Thulin (in Nord. J. Bot. 23:527-532, 2005)  
Shabwa near Mahfad
- Heliotropium pterocarpum* (DC.) Steud. & Hochst. ex Bunge. (8)  
Tihama, Lahj, Aden, Adhale' , al Kod, Hadhramaut .
- Heliotropium ramosissimum* (Lehm.)Sieb. ex DC. (8)  
(*syn.H. persicum* Boiss).  
Taiz, Marib, Dhamar, Russaba, Hadhramot.
- Heliotropium rariflorum* Stocks. (1,8)  
Aden, Adhale' , Yafea, Abyen, Lahj , eastern mountains, Soqotra.
- Heliotropium riebeckii* Schweinf. & Vierh. \* (2,6)  
Soqotra
- Heliotropium sessilistigma* Hutch. & E.A.Bruce. (8)  
Rare: Al Hujariyah, J. Bura' , Huth, al Mahabisha.
- Heliotropium shoabense* Vierh. \* (2,6)  
(*syn. H. derafontense* Vierh.). (6)  
Soqotra
- Heliotropium socotranum* Vierh. \* (2)  
Soqotra.
- Heliotropium steudneri* Vatke. (3)  
Hadhramaut
- Heliotropium strigosum* Willd. @  
var. *bicolor* (Hochst. & Steud.)O.Schwartz.  
Tihama foothills, Taiz, Musaymir (Lahj ), al Maraqisha (Abyen), Hadhramaut,  
Soqotra.  
var. *brevifolium* (Wall.)Clarke (3)  
Shabwa  
var. *cordofanum* (Hochst.)Schweinf. (8)  
Saada, Manakha, Shabwa.
- Heliotropium subspinosum* Thulin & A.G.Miller (in Nord. J. Bot. 23:527-532, 2005)

- Hadhramaut (E of Al Mukalla), Al Mahara (Raydat-Sayhut road, Sayhut-Al Qishin, Ras Fartak-Al Ghaydha)
- Heliotropium wagneri Vierh \* (2,6)  
Abdul Kuri, Samha.
- Heliotropium wissmannii Schwartz. \*\* (3)  
Hadhramaut
- Heliotropium zeylanicum (Burm.) Lam. (8)  
(*syn. H. subulatum (DC.) Martelli*).  
Tihama & foothills ,Lahj ,Adhale' , E of Manakha, Soqotra.
- Moltkiopsis ciliata (Forssk.) I.M.John. (3) ? {doubtfully record}  
Hadhramaut
- Myosotis abyssinica Boiss. & Reut. (8)  
High mountain areas: J. Ta'aker.
- Myosotis laxa Lehm. subsp. caespitosa (O.E.Schultz) Hyl. ex Nordl.. (8)  
Wadi Bana, Ibb, Qa Bosan.
- Nogalia drepanophylla (E.G.Baker) Verdc. \*\* (1)  
(*syn. Heliotropium drepanophylla. (Bak.) verdc., H. drepanophylla. (Bak.) verdc var. elongatum Schwartz*).  
N of Al Misna above Al Mukalla (Hadhramaut), Huf al Mahara.
- Ogastemma pusillum (Coss. & Durieu ex Bonnet & Barr.) Brum..(in www.theplantlist.org)  
(*syn. Megastoma pusillum Coss. & Durs.* (3)  
Hadhramaut
- Trichodesma africanum (L.) Lehm. var. africana (L.)Lehm. (3)  
Amran, S of Sa'dah, Rayda, Abyen, Yafea, Modiya.
- Trichodesma calathiforme Hochst. (3) ? {doubtfully record}  
Hadhramaut
- Trichodesma ehrenbergii Schweinf. (8)  
Hagdah (W of Taiz), Kulan, Hajjah , Shahara.
- Trichodesma hildebrandtii Gurke (ref. Thulin, M. et al in press)  
NE of Hawf (Al Mahara)
- Trichodesma laxiflorum Balf.f. \* @ (2)  
(*syn. Trichodesma atrichum Vierh.*)  
Soqotra
- Trichodesma microcalyx Balf.f. \* (2,6)  
Soqotra.
- Trichodesma scotti Balf.f. \* @ ترش  
Soqotra.
- Trichodesma trichodesmoides (Bunge) Gurke (8)  
(*syn. T. calathiforme Hochst.*).  
J. Saber, J. Habashi, At Turbah, J. Nuqum, Wadi Dhahr, Haraz, J. Gedu (Shabwa).
- Trichodesma zeylanicum (Burn.f.) R.Br. (8)  
Tihama, J. Bura'.
- Wellstedia socotrana Balf.f. \* (2,6)  
Soqotra.
- BRASSICACEAE (CRUCIFERAE)**
- Anastatica hierochuntica L. (7,8) جميس، طلق  
NE of Dhamar, Sanaa-Marib road.
- Arabis alpina L. (7,8)

- (*syn. A. caucasica Willd.*)  
Ibb, J. Annabi Shuaib, His'n Hab (Ba'adan), J. Maswer.  
*Brassica chinensis* L. @ كوبج صيني  
Cultivated, Sanaa.  
*Brassica juncea* (L.) Czern. (8)  
Rare: Sanaa.  
*Brassica napus* L. @ خردل  
Cultivated & as weed in Sanaa.  
*Brassica oleracea* L. @ كوبش، كرنب، ملفوف  
Cultivated  
*Brassica rapa* L. (7) الفت  
(*syn. B. campestris L.*).  
Cultivated in Jiblah & Sanaa  
*Brassica tournefortii* Gouan (7)  
Abyan  
*Capsella bursa-pastoris* (L.) Medie. @ شرابه الراعي  
Taiz, Qa Bakil, Soqotra.  
*Cardamine africana* L. (7)  
Rare: J. Rayma, al Jafariyah.  
*Cardaria draba* (L.) Desu. @ حلقم خارجي  
(*syn. Lepidium draba L.*).  
Dhamar, Manakha.  
*Diceratella incana* Balf.f. (7)  
(*syn. D. Sinuata (Franch.) Oliv.*)  
Soqotra.  
*Diplotaxis acris* (Forssk.) Boiss (7)  
(*syn. Malcolmia arabica Velen.*)  
Highlands  
*Diplotaxis erucoides* L.DC. @ خردل، حلقب  
Taiz, Dhamar, Maaber.  
*Diplotaxis harra* (Forssk.) Boiss. @ بقلة، خردل، خشين  
Taiz, Sanaa , Lawdar, Adhale' , Saada, Hadhramaut .  
*Diplotaxis kohlaanensis* A.G. Miller & J.Nyberg. \* (8)  
Highlands e.g. Kohlan  
*Diplotaxis tenuifolia* (L.) DC. (7,8)  
Kawkaban.  
*Eremobium aegyptiacum* (Spreng.) Schweinf. & Asch. ex Boiss. (7,8)  
(*syn. E. diffusum (Decne.) Botsch, E. lineare (Del.) Boiss, E. nefudicum (Velen.) B.L. Borrt & Rech., Malcolmia aegyptiaca Sprea., M. nefudica Velen.*)  
Rare: Marib, Saada.  
*Eruca sativa* Miller. @ جرجير  
(*syn. E. lativalvis Boiss, E. vesicaria (L.) subsp. sativa (Miller) Thell.*)  
Cultivated.  
*Erucastrum abyssinicum* (A.Rich.) O.E.Schulz. (8)  
Sanaa-Thula  
*Erucastrum arabicum* Fisch. & Mey. @ حلقم، عسب البس  
(*syn. Brassica arabica (Fish. & Meq.*)  
Taiz, Dhamar, Russabah, Hajjah , Hadhramaut .  
*Erucastrum meruense* Jonsell subsp. *yemenense* Jonsell. \* (7)

- Highlands
- Erucastrum rostratum* (Balf.f.) Gomez-Campo \* (2)  
(syn. *Hirchfeldia rostrata* (Balf.f.) O.Schulz, *Hirchfeldia rostrata* var. *rostrata*,  
*Brassica rostrata* Balf.f)  
Soqotra, Samha.
- Erucastrum woodiorum* Jonsell. \* (7)  
High lands cliffs
- Farsetia dhofarica* Jonsell & Miller. \*\* (in Symb. Bot. Upsal. 25(3): 98, 1986)  
Huf (Al Mahara), Hadhramaut .
- Farsetia inconspicua* A.G.Mill. \* (2)  
Soqotra
- Farsetia latifolia* Jonsell & Miller. \*\* (in Symb. Bot. Upsal. 25(3): 57, 1986)  
Al Mahara
- Farsetia linearis* Dene \*\* ((@, 8, 7) نش )  
(syn. *Cheiranthus linearis* Forssk., *F. arabica* Boulos).  
NE of Dhamar, Wadi Sirr (Bani Hushaysh), Majz, Marashi, Sanaa, Hajjah, Lahj,  
Shabwa, Hahramout.
- Farsetia longisiliqua* Decne. @ جرباء، مشهب  
Taiz, Dhamar, Jibla, Sanaa, Hajjah, Lahj, Abyen, Juban, Jihaf, Demt, al Hus'ein,  
al Husha, al Shue'ib, Qa'tabah, Hadhramaut, Soqotra.
- Farsetia socotrana* B.L.Burtt. \* (7)  
(syn. *F. prostrata* Balf.f.) (6)  
Soqotra
- Farsetia stylosa* R.Br. (7)  
(syn. *F. depressa* Kotschy, *F. hamiltonii* Royle, *F. prostrata* (Stew.)Hochst., *F. ramosissima* Hochst.Ex Fourn., *Mathiola prostrata* Hochst. & Steud. Ex Steud.).  
Tihama, Sanaa-Marib, al Makha, Radaa, Hadhramaut, Soqotra
- Hemicrambe fruticosa* (C.C.Towins.) Gomez-Campo \* (2)  
(syn. *Fabrisinapis fruticosus* C.C.Towns., *H. townsendii* Gomez-Campo)  
Soqotra
- Hirchfeldia incana* (L.) Lagr. (7,8)  
Maaber.
- Hirchfeldia townsendii* Gomez Campo. \* (2)  
Soqotra
- Lachnocapsa spathulata* Balf.f. \* (6,7)  
Soqotra.
- Lepidium armoracia* Fisch. & Meyer. (7)  
( syn. *L. armoracia* Fisch. & Meyer. subsp. *abyssinicum* (A.Rich.)Thell., *L. armoracia* Fisch. & Meyer. subsp. *intermedium* (A.Rich.)Thel. var. *alpigenum* (A.Rich.)Thell. *L. schweinfurthii* Thell.).  
Highlands: Sumara, J. Annabi Shua'ib, Manakha, Qa Jahran, Shihara.
- Lepidium bonariense* L. (7)  
Al Akahila (S. of Taiz).
- Lepidium latifolium* L. (7)  
Sanaa.
- Lepidium sativum* L. @ حب الرشاد  
Cultivated.in highlands
- Morettia parviflora* Boiss. (7)  
Marib, Radaa, Huth.

- Moricandia sinaica (Boiss.) Boiss. (7)  
Huth, Harf Sufyan, Dhawran.
- Nasturtium microphyllum Boenn. (7)  
(*syn. Rorippa microphylla (Boenn.) Hylander*).  
W. Bana, between Saddah & Annadirah
- Nesocrambe socotrana A.G.Mill.  
Soqotra
- Notoceras bicornis (Aiton f.) Amo. (7)  
(*syn. N. canariense R.Br.*).  
SE Raydah, Radaa.
- Raphanus raphanistrum L. (7)  
Rare: high mountain areas.
- Raphanus sativus L. @ بقل، فجل  
Cultivated.
- Rapistrum rugosum (L.) All. subsp. orientale (L.) Arcan. (7)  
(*syn. R. orientale (L.) Crantz.*)  
At Turbah, Sa'dah, Wussab al Ali, W. Dhahr
- Rorippa palustris (L.) Besser. (7)  
Al Muhwit, Wadi Bana.
- Savignya parviflora (Del.) Webb. (3) (Doubtful record) ?  
(*syn. S. aegyptiaca DC.*)
- Schouwia purpurea (Forssk.) Schweinf. @  
(*syn. S. arabica DC., S. schimperi Jaub. & Spach, S. thebaica Webb., Subularia purpurea Forssk.*).  
Coastal areas e.g. Zabid, West Taiz, Bani Shayba (S of Taiz), al Faydh (Abyen), Hadhramaut .
- Sisymbrium erysimoides Desf. (7)  
Al Hujariyah (Taiz), Mutheikhira, Ibb, Jibla, Yerim, Soqotra.
- Sisymbrium irio L. (8)  
(*syn. S. pinnatifidum Forssk.*)  
N. of Sanaa, Taiz, Shibam.
- Sisymbrium officinale (L.) Scop. (7)  
High altitude areas
- Sisymbrium orientale L. (7)  
Manakha, At Turbah, Dhamar, Haddah,
- Sterigmostemum sulphureum (Banks & Sol.) Bornm. Subsp. sulphureum (7)  
High mountains: Khidar.
- Zilla spinosa (L.) Pranti. (7)  
Al Mahara.
- BURSERACEAE**
- Boswellia ameero Balf.f. \* أمعيرو @  
Soqotra.
- Boswellia bullata Thulin & Gifri \* أمعيرو (in Cact. & Succ. J. 72(5): 265-277(2000)  
Soqotra
- Boswellia dioscorides Thulin & Gifri \* أمعيرو (in Cact. & Succ. J. 72(5): 265-277(2000)  
N. of Nogad plain, Firmihin (Soqotra).
- Boswellia elongata Balf.f. \* أمعيرو (2,6, Balf.f. 1988)  
Soqotra

Boswellia nana Hepper \* (صفها) (2,6)

Soqotra

Boswellia popoviana Hepper \* (صفها) (2,6)

Soqotra

Boswellia sacra Flueck. (3) (لبن، كندر، مغروت (حوف))

(syn. *B. undulato-crenata Engl.*)

Huf, Shabwa, Hadhramaut, Shuqra, Ashshehr, Mayfa, Hagr.

Boswellia socotrana Balf.f. \* (صمعنو، تيليو) (2,6, Balf.f. 1988)

(syn. *Lannea aspleniifolia* (Balf.f.) Engl, *Odina aspleniifolia* Balf.f.).

Soqotra

Commiphora africana (A.Rich.) Engl. (3) (بشام)

Al Maraqisha (Abyen), Sayhut-Al Mukalla(Al Maher)

Commiphora foliacea Sprague. (@) (بشام، عقوبة (حوف))

Al Maraqisha: 30 km N of Zingibar (Abyen), 89 km crossing near lawder towards Mahfis (Shabwa), Sayhut-Qishin road (Huf), Hadhramaut .

Commiphora gileadensis (L.) Christ. (@) (بشام، بلسم، شيفوف(حوف))

(syn. *C. opobalsamum* (Forssk.) Engl.).

Tihama foothills, Hagda: W. of Taiz, Zabid, S. of Hays, Al Kaseiba; Adimna, J. Bura', Al Husha, Tur, W. Yur, W. Rayn (Al Wazieya), Al Markaz (Mauza'), Adhale, ,Qaetabah, Hadhramaut, Shabwa, Huf.

Commiphora habessinica (O.Berg.) Engl. (8) (خشن، رشح)

Taiz, Assayani, Adhale', Bayt Adhaqah.

Commiphora kataf (Forssk.) Engl. (8) (قطف، قفل، بشام)

(syn. *Commiphora erythraea* (Ehrenb.) Engl, *Hemprichia erythraea* Ehrenb.)

Al Hujariya (Taiz), J. Bura', Bayt al Faqih, Qaetabah.

Commiphora kua (J.F.Royale) Vollesen. (1) (خشن، عوقر(حوف)، قفل، بشام)

(syn. *C. habessinica* (O.Berg) Engl. subsp. *habessinica* (O.Berg) Engl , C.

abyssinica (O.Berg) Engl., Balsamodendrum abyssinicum O.Berg, )

Shabwa, Hadhramaut, Soqotra, Huf..

Commiphora myrrha (Nees) Engl. (8) (مر، عوجة، قفل، سوب، رشح)

(syn. *C. molmol* (Engl.) Engl., *C. myrrha* (Nees) Engl. var. *molmol* Engl., *C. playfairii* (Oliv.) Engl. var. *benadirensis* Chiov., *Balsamodendron myrrha*. Nees.)

Taiz, Al Mafraq, Mor, Bagel, Hays, Wussab, Rihab, W. Yur, al Jauf, Aden, S of Zabid.

Commiphora ornifolia (Balf.f.) Gillett. \* (إكشة، إكشب) (2,6)

(syn. *Lannea ornifolia* (Balf.f.) Engl., *Odina ornifolia* Balf.f.) (Balf.f.1988)

Soqotra

Commiphora parvifolia (Balf.f.) Engl. \* (2,6) (لتهم، لقم)

(syn. *Commiphora parviflora* Jacq., *Balsamodendrom parvifolium* Balf.f.)

(Balf.f.1988)

Soqotra.

Commiphora planifrons (Balf.f.) Engl. \* (2,6)

(syn. *C. Planifrons* Schweinf., *Balsamodendron planifrons* Balf.f.) (Balf.f.1988)

Soqotra

Commiphora playfairii (Hook.f. ex Oliv.) Engl. (ref. Thulin, M. et al in press)

NE of Ar Rayan (Hadhramaut) .

Commiphora quadricincta Schweinf. ex Engl. (8)

V. rare: Tihama plain (Bagel, Suq al Jumaa).

Commiphora schimperi (Berg.) Engl. (8) خدش

Al Hujariyah, Ibb, Jiblah, J. Bura', Tihama foothills, al Rahida.

Commiphora socotrana (Balf.f.) Engl. \* @ لقهم

(syn. *C. socotrana* Balf.f., *Balsamodendron socotranum* Balf.f.). (Balf.f.1988)

Soqotra.

Commiphora wightii (Arnott) Bhandari. (2)

Huf: al Mahara.

## BUXACEAE

Buxanthus pedicellatus van Tiegh. مطهن، مفهن (2)

(syn. *Buxus hildebrandtii* Baill). (6, (Balf.f.1988)

Soqotra.

## CACTACEAE

Opuntia dillenii (Ker-Gawl.)Haw. @ تين، بلس، بلس تركي

(syn. *O. stricata* (Haw)Haw. var. *dillenii* (Ker-Gawl.)Haw.

Tihama, Tihama foothills, Taiz.

Opuntia ficus-indica (L.)Mill. @ تين شوكى، بلس

Widespread : Taiz, Hagda, Shara'b, al Qaeda, Ibb, J. Sumara, Dhisufal, Al

U'deyn, Qa'tabah, Jibla, Al Qafr, Assada, Kitab, Adhale', Jihaf, Al Husha,

Ashue'ib, Dhamar, Sanaa.

## CAMPANULACEAE

Campanula edulis Forssk. عنوق (8)

(syn. *C. rigidipila* Steud. & Hochst. ex A.Rich.).

Ibb, J. Saber, Sumara.

Campanula balfourii Wagner & Vierh. \* (2,6)

Soqotra

Campanula erinus L. (in Willdenowia 34: 159-182, 2004)

J. Al Arays (Abyen)

Wahlenbergia flexuosa (Hook. f. & Thomson) Thulin (in Willdenowia 34: 159-182,

2004)

Huf: Al Mahara.

Wahlenbergia hirsuta (Edgw.) Thyn. (8)

Rare: J. Ba'adan.

Wahlenbergia lobelioides A.DE. subsp. nutabunda (Guss.) Murb. (6)

(syn. *W. riparia* A.DC. ) (2)

Soqotra.

## CANNABACEAE

Cannabis sativa L. (7,8) حشيش، القنب الهندي

Cultivated: Ibb, Sa'dah, Sanaa, Taiz.

## CANNACEAE

Canna indica L. الموز الكاذب ، ورد الموز

(syn. *C. indica* Ker., *C. bidentata* Bertol.)

Cultivated as ornamental and naturalized in some areas: Taiz, Sanaa, J. Raymah, Hajjah .

## CAESALPINIACEAE

Bauhinia ellenbeckii Harms. (ref. Thulin, M. et al, 2001)

Mola Matar & Kor Seiban (Hadhramaut ).

Bauhinia tomentosa L. (8)

(syn. *B. inermis* Forssk.).

J. Milhan, J. Bura', J. Rayma, Haraz, Tihama foothills.

Caesalpinia bonduc (L.) Roxb. @ حوجم، كلب

(syn. *Bonduc minus Medik.*, *C. bonducella (L.) Fleming*, *C. crista Thunb.*,  
*Guilandina bonduc L.*)

Introduced: Taiz, Aden, Al U'deyn, Wussab, J. Raymah, Al H'adiyyah.

Caesalpinia decapetala (Roth.) Alston. @ كلب

(syn. *Biancaea scandens Tod.*, *C. benguetensis Elmer*, *C. ferox Hassk.*, *C. sepiaria Roxb.*, *Reichardia decapetala Roth*)

J. Saber, J. Sumara, Ibb.

Caesalpinia erianthera Choiv. var. pubescens Brenen . (3)

Hadarmout, J. Ged: Shabwa.

Caesalpinia gilliesii (Hook.) Dietr. @ كلب

(syn. *C. macrantha Delile*, *Erythrostemon gilliesii (Hook.) Link & al.*,  
*Poinciana gilliesii Hook.*)

Taiz, Sanaa.

Caesalpinia pulcherrima (L.) Sw. @

(syn. *Caesalpinia pulcherrima (L.) Sw. var. flava Bailey & Rehder*, *Poinciana bijuga Lour.*, *Poinciana elata Lour.*)

Introduced, Cultivated in gardens & streets in Taiz & Aden, W of Qashin (al Mahara).

Cassia fistula L. (8)

(Syn. *Cathartocarpus rhombifolius*, *C. fistuloides*, *C. fistula*, *C. excelsus*, *Cassia rhombifolia*, *C. fistuloides*, *C. excelsa Kunth*, *C. bonplandiana*, *Bactyriobium fistula*

Tihama foothills, J. Rayma, Wussab Assafel.

Ceratonia oreothauma Hillc. & al.. subsp. oreothauma ( in Kew Bull. 35: 261-71, 1980)

J. Ged (Shabwa), Mola Matter, N of Al Mukalla & Kor Seiban ( Hadhramaut )

Ceratonia siliqua L. @ قرانيط، خرنوب

Taiz, J. Bura', J. Milhan, Ibb, Sumara, Shibam, w of Qaetabah.

Chamaecrista absus (L.) Irwin & Barneby ( @, 8 )

(syn. *Cassia absus (L.) Irwin & barneby*).

Rare: Taiz, J. Bura', Al U'deyn, Soqotra.

Chamaecrista fallacina (Chiov.) Lock سمبر

(syn *Cassia fallacina Chiov.*, *C. pumila Lam. var. yemensis Deflers*).

J. Rayma, J. Bura', Haraz.

Chamaecrista mimosoides (L.) Greene

(syn. *Cassia angustissima Lam.* C. mimosoides L., *C. sensitiva Roxb.*)

Rare: Al Jaafariyah.

Chamaecrista nigricans (Vahl) Greene

'syn *Cassia nigricans Vahl*

Tihama, Wussab al Ali.

Chamaecrista pumila (Lam.) V. Singh – det. M. Thulin (in Englera 28: 57-77, 2006)

Wadi Ayhaft (Soqotra)

رف، رمف، عضد، عضنة، عضريق، حومرة عصب، حارير(حوف) @

(syn. *Poinciana elata L.*).

Taiz, Rada, Harib- Jubah, Abyen, J. Ged: Shabwa, Hadhramaut, Huf al Mahara,  
Wadi Naba' (Al Hada), wadi Shiras (Adhale'), J. Al Arayes (Abyen).

Delonix regia (Hook.) Raf. @ بنسيانة

(syn. *D. regia*. var. *flavida Stehle*, *D. regia*. var. *genuina Stehle*, *Poinciana regia Hook.*)

- Introduced; street trees & near houses e.g. Taiz, Al Udeyn.  
*Parkinsonia aculeata* L. @ سيبان  
(*syn. Parkinsonia thornberi M.E. Jones*)  
Introduced; Road sides, near houses and slopes e.g. Taiz, Aden.  
*Piliostigma thonningii* (Schum.)Milne-Redh-Rukab. حنة البقر (8)  
(*syn. Bauhinia thonningii Schum.*)  
Rare: J. Bura', J. Rayma.  
*Pterolobium stellatum* (Forssk.) Brenan @ كلب، كليلب، حرة  
(*syn. P. lacerans R.Br., Mimosa stellata Forssk.*).  
J. Bura', J. Saber, Ibb, J. Sumara, Ad Dalil, Al U'deyn, W of Dhisufal,  
Mutheikhira, Ba'dan..  
*Senna alexandrina* Miller (سنا، سنامكي) (in Kew Bull. 43: 333-342 (1988)  
(*syn. Cassia acutifolia Del., C. alexandrina (Garsault)Thell, C. angustifolia M.Vahl, C. senna L., Senna acutifolia (Del.)Batka, S. alexandrina Garsault, S. angustifolia*).  
Coastal areas  
*Senna auriculata* (L.)Roxb. عشرق (in Kew Bull. 43: 333-342 (1988)  
(*syn. Cassia auriculata L., Cassia densistipulata* Taub.  
Aden, Abyen.  
*Senna didymobotrya* (Fres.) Irwin & Barneby @  
(*syn. Cassia didymobotrya Fresen., C. nairobensis L.H. Bailey* )  
Introduced, planted on roadsides: Taiz.  
*Senna holosericea* (Fres.) Greuter (2) عشرق  
(*syn. Cassia holosericea Fres., S. ovalifolia Batka*). (8)  
Tihama and foothills, Lahj, Abyen, Adhale', Hadhramaut, Soqotra.  
*Senna hookeriana* Batka. @ عشرق  
(*syn.Cassia adenensis Benth., C. corneliana Vatke, C. somalensis Serrato*)  
Aden, Abyen.  
*Senna italicica* Mill. @ (in Kew Bull. 43: 333-342 (1988)  
(*syn. Cassia italicica (Mill.)Lam. ex Steud. , C. obovata Collad.*).  
subsp. *italicica* (8) عشرق  
Highlands e.g. Taiz  
subsp. *micrantha* (Brenan) Lock (8) عشرق  
Tihama and foothills, western mountains, Al U'deyn, Dhisufal, Damt, Al Husha,  
Addale', Jihaf, Al Azareq, Ashue'ib, Aden, Hadhramaut , Soqotra.  
*Senna multiglandulosa* (Jacq.) H.S. Irwin & Barneby (in New York Bot. Gard. 35: 1-918 (1982)  
(*syn. Adipera tomentosa* (L. f.) Britton & Rose' *Cassia albida* Ortega,  
*C. cana* Steud.,*C. lutescens* G. Don, *C. multiglandulosa* Jacq., *Cassia tomentosa* L. f.)  
Introduced , Cultivated as ornamental Sanaa, Dhamar.  
*Senna obtusifolia* (L.) Irwin & Barneby @ فريرو ، صريصحان، قنده  
(*syn. Cassia obtusifolia L., C. tora L. var. obtusifolia (L.) Haines*)  
Taiz, Addalil, Al U'deyn, Ibb, Soqotra.  
*Senna occidentalis* (L.) Link @ صنصل  
(*syn.Cassia occidentalis L.*).  
Taiz, Tihama foothills, medium altitude mountains, Assayani, Mutheikhira, Al Qafr, Lahj .  
*Senna socotrana* (Serrato) Lock \* @ طفهد، طفهر  
(*syn. Cassia socotrana Serrato*).

Soqotra.

*Senna siamea* (Lam.) H.S. Irwin & Barneby @  
(syn. *Cassia arborea* Macfad.' *C. florida* Vahl' *C. gigantea* DC.,  
*C. siamea* Lam.).

Area experimental farm: Taiz, Ibb

*Senna sophera* (L.) Roxb. @ (in New York Bot. Gard. 35: 1-918 (1982) صريصحان  
(syn. *Cassia sophera* L., *C. occidentalis* L. var. *glabra* DC, *C. canca* Cav, *C. torosa* Cav. .).

Tihama, Taiz, Al Azareq, J. Rayma, J. Marran, Soqotra.

*Tamarindus indica* L. @ حمر، تمر هندي، حوم  
(syn. *Tamarindus occidentalis* Gaertn., *T. officinalis* Hook., *T. umbrosa* Salisb.)  
Tihama foothills, Taiz, Hagda, Al U'deyn, Dhisufal, Al Qafr, al Mahara, Soqotra.

## CAPPARACEAE (CAPPARIDACEAE)

*Boscia angustifolia* A.Rich. ضاهي، ثوع، ثوء، خولانة @

Tihama foothills, Ibb, Huth near Al Qafla, Khawlan, Al U'deyn.

*Boscia arabica* Pestalozzi \*\* سرح، سمر (7)

Al Wazieia, Mauza', Wadi Rusyan, J. al Arays, Hadhramaut, Shabwa, al Mahara:  
Ras Fartak, from Ghaydah to Sarif spring and Hat, Hadhramaut: N of Ras  
Sharma.

*Cadaba baccarinii* Chiov. (in Willdenowia 32: 239-269, 2002)

Hadhramaut: Lower Wadi Hajar and from Al Mukalla to Bayn al Jibal, N of Ar  
Rayan, Al Mahara: S Fartak Mts, wadi above Kadifut.

*Cadaba farinosa* Forssk. عصال، سرح، قرة، حرطانة، جردم @

Taiz, Tihama, Abyen, Adhale', al Jawf, Soqotra, Hadharamout.

*Cadaba glandulosa* Forssk. قرمط، عشط، كرمت، عضة الذببين @

Tihama, Aden, al Maraqisha, Abyen.

*Cadaba heterotricha* Stocks ex Hook. أخن، خال @

Taiz (Shara'b, J. Habashi, Al Barh), Adhale', Harib, W of Qaetabah,  
Hadharamout.

*Cadaba insularis* A.G.Mill. \* (2)

Endangered: Soqotra

*Cadaba longifolia* R.Br. ex DC. سرح، قرمط @

Tihama foothills, Aden, Lahj, Abyen, Maqbanah, Soqotra.

*Cadaba mirabilis* Gilg. (7)

Southern mountains

*Cadaba rotundifolia* Forssk. قصب، خصلف @

Coastal areas : Tihama, Lahj , Abyen, Adhale', Aden, Lawdar, Soqotra.

*Capparis cartilaginea* Decne. رصف، لصف، لوصف، نصف، حصف، خصلف @

(syn. *C. galeata* Fres., *C. galeata* Fres. Var. *montana* Schweinf., *C. spinosa* L.  
var. *galeata* (Fresen.)Hook.f. & Thoms).

Taiz, Tihama foothills, NE Raydah, Adhale', Aden, Lahj , Abyen, Shabwa,  
Soqotra.

*Capparis decidua* (Forssk.)Edgew. سداد، سمرة (سقطرى) @

(syn. *C. aphylla* Roth., *Sodada deciduas* Forssk.)

Coastal areas, Soqotra.

*Capparis spinosa* L. var. *spinosa*. @

(syn. *C. aegyptia* Lam., *C. spinosa* L. var. *aegyptia* (Lam.)Boiss, *C. spinosa* L.  
var. *canescens* Coss., *C. leucophylla* DC.)

Tihama, Aden, Lahj , Marib, Huth, Hadhramaut .

Capparis tomentosa Lam. (8)

W. Assukhna al Hayma Addakhiliya.

Dipterygium glaucum Decne. @ عرقج، علقة، حلقة

(syn. *D. glaucum Decne. Var. macrocarpa Blatter, Cleome pallida Kotschy*)

Coastal areas, Lahj , Abyn, Hadhramaut .

Dhofaria macleishii A.G. Miller. \*\* (7)

NE of Huf (Al Mahara).

Maerua angolensis DC. @

subsp. *angolensis*.

Taiz, Kor Seiban: Hadhramaut, Shabwa.

var. *socotrana* (Schweinf. ex Balf.f) Kers \* (@, 2 إشجب)

(syn. *M. thomsonii T.Ander., M. socotrana (Schwein.) Gilg.*)

Soqotra.

Maerua crassifolia Forssk. @ مرع، سرح

(syn. *M. uniflora Vahl, M. arabica J.F.Gmel., Wiegmannia arabica*

(J.F.Gmel.)Hochst. & Steud. Ex Steud )

Tihama plain, Tihama foothills, Aden.

Maerua macrantha Gilg (in Willdenowia 34: 159-182, 2004)

Abyen: W of Al Mahwit, Shabwa: Lower Wadi Al-Himae,

Maerua oblongifolia (Forssk.)A.Rich. @ جزب

(syn. *Capparis mithridatica Forssk., C. oblongifolia Forssk., Niebuhria oblongifolia (Forssk.)DC.*)

Taiz, Radaa, Tihama plain, Tihama foothills.

Maerua triphylla A.Rich لزب، رويد

var. *johannis* (Volkens & Gilg)De Wolf. (7)

Rare: J. Bura' , J. Rayma.

var *calophylla* (Gilg)De Wolf. ( @, 7 )

Taiz, Assayani, Dhisufal.

## CARYOPHYLLACEAE (ILLECEBRACEAE)

Arenaria leptoclados (Reich) Guss. (8) (in Willdenowia 34: 159-182, 2004)

(syn. *A. foliacea Turrill.*) (2)

High wet escarpment, J. Eraf, Lahj, Abyen, Soqotra.

Arenaria serpyllifolia L. (3,5)

Wadi Shalalah.

Cerastium dichotomum L. subsp. *inflatum* (Link.)Cullen. ?

Yerim.

Cerastium glomeratum Thuill. (8)

Rare, J. Taakar, J. Manar.

Cerastium octandrum Hochst. Ex A.Rich. (8)

Rare : J. Ta'aker, j. Manar.

Cometes abyssinica (R.Br.) Wallich. @ عود حلبة

(syn. *C. abyssinica. subsp. suffruticosa Wagn. & Vierb.*).

Al Hujariyyah,Yafea, Abyen, Juban, Haddah, Dhamar, Amran, Aden, Hajjah, J.

Gedu (Shabwa), Hadhramaut, Soqotra.

Cometes surattensis L. (7)

Mountain plains.

Dianthus caryophyllus L. @ قرنفل

Cultivated.

Dianthus deserti Kotschy. \*\* (7,8)

- J. Um Layla & J. A'lab (Khawlan Ash Sham).  
*Dianthus longiglumis* Del. (7,8)  
Hajjah , J. Dhawran, Manakha, Haraz.  
*Dianthus uniflorus* Forssk. \* @ عود حلبية  
(syn. *D. pumilus* Vahl).  
J. Sumara, W of Sanaa, S of Dhisufal, Dhamat, Dhamar-Ibb, Ibb-Jiblah road,  
Yerim, Assadah.  
*Dianthus strictus* Banks & Soland. subsp. *sublaevis* D.F. Chamb. \*\* (7)  
Medium and high mountais  
*Gymnocarpos argenteus* Petruss. & Thulin. \* (7)  
Southern escarpment above 500m.  
*Gymnocarpos bracteatus* (Balf.f)Petruss & Thulin. \* (7)  
(syn. *Lochia bracteata* Balf.f.)  
Soqotra.  
*Gymnocarpos decandrus* Forssk. (7)  
(syn. *G. fruticosus* (Vahl)Pers, *Trianthema fruticosa* Vahl.)  
Low altitude mountains, Mayfa Hajr'-Al Mukalla road (Hadramaut) .  
*Gymnocarpos dhofarensis* Petruss & Thulin. \*\* (7)  
Al Mahara.  
*Gymnocarpos kuriensis* (A.R.Smith) Petruss & Thulin. \* @  
(syn. *Lochia bracteata* Balf.f. subsp. *abdulkuriana* Chaudhri, *L. bracteata* Balf.f.  
subsp. *bracteata*, *L. kuriensis* A.R.Smith.)  
Abdul Kuri, Soqotra.  
*Gymnocarpos maharanus* Petruss. & Thulin. \* (7)  
Al Mahara.  
*Gymnocarpos rotundifolius* Petruss & Thulin. \*\* (ref. Thulin, M. et al in press)  
W of Raydah (Hadramaut ).  
*Gypsophila montana* Balfour f. (7)  
(syn. *G. Montana* var. *Viscida* Balf.f., *G. Somalensis* Franch., *Saponaria montana*  
(Balf.f.)Bar.)  
Hadhamaut , Soqotra.  
*Gypsophila umbricola* (J.R.I.Wood) Clement. \*\* (4,7)  
(syn. *Saponaria umbricola* J.R.Wood). (8)  
Rare, below Jirjir (above Al H'adiyyah), between Markah and Sa'bah (J. Milhan),  
Bayt Bashari (al Mahwit), Shirnamah, J. Maswar, Shahara, Kuhlan.  
*Haya obovata* Balf.f. \* (7)  
Soqotra.  
*Herniaria maskatensis* Bornum. \*\* (7)  
Al Mahara  
*Minuartia filifolia* (Forssk.)Schweinf. ex Mattf. @  
(syn. *Arenaria filifolia* Forssk.).  
High lands: J. Saber, At Turba, Ibb. Yarim, Eryan, Mashwara, Ashshawaet',  
Mutheikhira, Kitab, J. Sumara, Dhamar, Hajjah .  
*Paronychia arabica* (L.)DC. (7)  
Coastal areas.  
*Paronychia chlrothyrsa* Murb. (7)  
High mountains & plains.  
*Pollichia campestris* Ait. @  
Dhamar, Russabah, Utuma, Kawkaban, al Mahwit, Hajjah , Rada'.

Polycarpea balfourii Briquet \* (7)  
(*syn. P. divaricata Balf.f.*).

Soqotra.

Polycarpea caespitosa Balf.f. \* (7)  
Soqotra.

Polycarpea corymbosa (L.) Lam. (7)  
Abdul Kuri.

Polycarpea hassalensis Chamb. \* (7)  
Soqotra.

Polycarpea haufensis A.G.Miller. \* (7)  
Southern coastal areas

Polycarpea hayoides Chamb. \* (7)  
Soqotra.

Polycarpea kuriensis Wagner. \* @  
Soqotra, Abdul Kuri, Samha.

Polycarpea linearifolia (DC.)DC. (5)  
Raydah.

Polycarpea paulayana Wagner. \* (7)  
Soqotra, Samha.

Polycarpea pulvinata M.G.Gilbert. (7)  
Al Mahara.

Polycarpea repens (Forssk.)Asch. & Schwein. (7,8)  
(*syn. P. fragilis Deli., Corrigiola repens Forssk.*)  
Sanaa, al Boun,

Polycarpea robbairea (Kuntza)Greenter & Burdet. (7)  
(*syn. Robbairea delileana Milne-Redhead.*)  
Low to highlands

Polycarpea sp. Nov. (M16012 Miller et al) @  
Soqotra

Polycarpea spicata Wight. & Arn. (2)  
var. *capillaris* Balf.f. \*  
Soqotra.

var. *spicata*. (7)

Coastal areas: al Salif, Soqotra.

Polycarpon tetraphyllum (L.) L. (7)  
High mountain areas.

Robbairea delileana Milne-Reth. (8)  
(*syn. Polycarpea prostrata (Del.)Decne.*)

High mountains e.g. Sa'dah, Haraz, SE Raydah..

Sclerocephalus arabicus Boiss. (Podlech, D. 1982)  
(*syn. Paronychia sclerocephala Decne.*)

Huth, Sanaa, Tarim-Thamuud road and Wadi Wahshah (Hadhramaut).

Silene apetata Willd. (2,6)  
Rare: Soqotra.

Silene burchellii Otth ex DC. (7,8)  
(*syn. S. chirensis A.Rich ,S. flammulifolia Steud. ex A.Rich., S. hochstetteri Rohrb, S. schweinfurthii Rohrb.*).

- High altitude areas e.g. Sanaa, J. Rayma, Sumara, J. Ta'aker, Bani Matar, Jibla, Shibam, Kawkaban, Saada, Khawlan, J. Shibam above Manakha, Bayt Shamran, J. Masar, Wusab, J. Al Arays: Abyen.
- Silene colorata Poiret subsp. olivieriana (Otth) Rohrb. (7)  
(*syn. S. olivieriana* Otth.)  
Low & Medium altitude mountains
- Silene gallica L. (7,8)  
Highlands.
- Silene macrosolen Steud. ex A.Rich. (7,8)  
High altitude areas e.g. J. Saber, Sanaa, near Ribat, Sumara, W. Bana, Qa' Al Haql, J. Annabi Shua'ib, Wusab al Ali, Shibam, Haraz.
- Silene yemensis Defl. (7,8)  
(*syn. S. engleri* Pax).  
High altitude areas e.g.. Sanaa, E of Al Mahwit, J. Rayma, Shahara, Dhawran, Shibam, Manakha.
- Spergula fallax (Lowe) Krause. @  
(*syn. S. flaccida* (Roxb.)Asch., *Spergularia fallax* Lowe).  
Hajjah , Manakha, Raydah, Firmihin (Soqotra).
- Spergularia bocconei (Scheele)Graebn. (7)  
Highlands.
- Spergularia marina (L.) Griseb. (7)  
(*syn. Arenaria rubra* L. var. *marina* L., *A. marina* (L.)Roth., *S. salina* J. & C. Presl., *S. marina* (L.)Griseb)  
Radaa, Dhamar.
- Spergularia rubra (L.)J. & C. Presl. (8) {doubtfully record} ?  
Rare: J. Sumara, Shibam.
- Sphaerocoma aucheri Boiss. (7)  
Southern coastal areas.
- Sphaerocoma hookeri T.Anderson @  
(*syn. Psyllothamnus beevori* Oliv.)  
Samha.
- Stellaria media (L.) Vill. (7,8)  
Rare, J.Saber, Haddah (Sanaa).
- Stellaria pallida (Dum.)Pire. (7,8).  
(*syn. S. media* L. *subsp. pallida* (Dumort.)Aschers &Beit.)  
J. Bura'
- Telephium sphaerospermum Boiss. (8)  
Raydah, Milah, Sanaban, Sanaa, al Bon, Bani Hushaysh, J. Al Arays, Hadhramaut..
- Vaccaria hispanica (Mill.) Rauschert (7)  
(*syn. Saponaria vaccaria* L., *V. pyramidata* Medik.). (8)  
Rare, Sanaa, Arhab.
- Xerotia arabica Oliver. \*\* (3,7)  
Hadhramaut, Shabwa.
- CASUARINACEAE**
- Casuarina cunninghamiana Miq. @  
Introduced; road sides & gardens.
- Casuarina equisetifolia L. @  
Introduced; road side & gardens.

Casuarina glauca Sieb. ex Speng. @  
Introduced; road side & gardens.

### CELASTRACEAE

Catha edulis Forssk. @ قات

Cultivated in many places.

Maytenus arbutifolia (Hochst. ex A.Rich.)Wilczek. (8)

(syn. *Gymnosporia arbutifolia* (Hochst.)Loes.).

Yerim.

Maytenus dhofarensis Sebsebe \*\* سربيت @

Huf, wadi Mougaib, Uteq NE of Al Ayn, NW of Damqut and SE Fartak (Al Mahara).

Maytenus forsskaoliana Sebsebe \* (8)

(syn. *Gymnosporia serrata* var. *pubescens* Schweinf.).

Central escarpment

Maytenus parviflora (Vahl.) Sebsebe. @ اثار، جروم

(syn. *Catha spinosa* Forssk.).

Low & medium altitude, Yafea.

Maytenus senegalensis (Lam.) Exell. @ ثرار، ديلاب عرم، عرم الشيطان،

(syn. *Gymnosporia senegalensis* (Lam.)Loes.).

Tihama foothills, southern Tihama, al Hujariyah (Taiz), J. Al Arays (Abyen), Khawlan Ashsham, Shabwa, Kor Seiban and Sayhut-Qashin (Hadhramaut).

Maytenus undata (Thinb.) Blakelock. (8)

Rare: J. Milhan.

### CERATOPHYLLACEAE

Ceratophyllum demersum L. var. demersum. (7,8)

Rare: In pools, Taiz (e.g. Bani Omar), Hays, J. Ashsharq, Amran, Wussab Assafel, Huth.

### CHENOPodiaceae

Anabasis ehrenbergii Schweinf. ex Boiss. (7)

(syn. *Anabasis setifera* Moq.)

Southern coastal area, Soqotra, Abdul Kuri, Hadhramaut

Arthrocnemum fruticosum (L.)Moq. (8)

(syn. *Salicornia fruticosa* L.).

al Mukha.

Arthrocnemum macrostachyum (Moric.) K.Koch. (7)

(syn. *A.. glaucum* Ung., *Salicornia glauca* Del., *S. macrostachyum* Moric.)

Coastal areas, Soqotra, Abdul Kuri.

Atriplex coriacea Forssk. (7)

(syn. *A. ocymifolium* Viv., *Obione coriacea* (Forssk.)Moq.)

Coastal areas

Atriplex farinosa Forssk. subsp. farinosa. (7)

Tihama: S. Medi, Soqotra.

Atriplex griffithii Moq. subsp. stocksii (Boiss.)Boulos. @ عفريو، عفيرة

Coastal areas, Soqotra, Abdul Kuri, Samha.

Atriplex halimus L. @

Introduced: Cultivated as windbreak: Dhamar

Atriplex leucoclada Boiss.

(syn. *Obione leucoclada* (Boiss)Ulbr.)

var. inamoena (Aellen)Zoh. (7)

(*syn. Atriplex inamoena Aellen*)

Southern coastal areas

var. *turcomania* (Moq.) Zohary (7)

(*syn. Atriplex lacinata L. var. turcomanica Moq.*, *A. leucoclada subsp. turcomanica (Moq.) Aeellen*)

Salty coastal plain, Taiz: al Hoban, Arhab, Sanaa, Radaa, Khamer.

*Atriplex nummalaria* Lindley. رغل، قطف @

Introduced: cultivated as forage & wind brakes e.g. Dhamar.

*Bassia muricata* (L.) Asch. (7)

(*syn. Echinopsilon muricatus (L.) Moq.*, *Kochia muricata (L.) Schrader*, *Salsola muricata L.*)

Bani al Hareth.

*Beta vulgaris* L. subsp. *maritima* (L.) Arcan. (7,8) بنجر

(*syn. B. maritime L.*).

Al Sayyani.

*Chenopodium album* L. ركب الجمل، ملح @

Taiz, Ibb, Dhamar, Sanaa.

*Chenopodium ambrosioides* L. سلى الدنيا، زربخ @

(*syn. Dysphania ambrosioides (Linnaeus)* Mosyakin & Clements, )

Taiz, Ibb.

*Chenopodium fasciculosum* Aellen var. *muraliforme* Aellen. (7,8)

Sumara, Wussab al Ali, Haraz, Shibam, J. Takar.

*Chenopodium murale* L. ملح، مليح @

Tihama foothills, Taiz, Sanaa, Ibb, Soqotra.

*Chenopodium opulifolium* Schrad. ex Koch & Ziz. @

Taiz, Ibb, Manakha, J. Bura', Khawlan.

*Chenopodium procerum* Hochst. ex Moq. (7,8)

J. Saber.

شقر الحمي، سبل الدم، رمرام @

(*syn. C. foetidum Schrader*, *Dysphania schraderiana (Roemer & Schultes)*

*Mosyakin & Clements, ).*

J. Saber, Taiz, Kuhlan Affar, Dhamar, Shibam, Lahj, Adhale' .

*Chenopodium vulvaria* L. (7,8)

Rare, Sanaa.

*Cornulaca amblyacantha* Bunge. (1,7)

Southern coastal areas, Shabwa, Asheher (e.g. Hadhramaut).

*Cornulaca ehrenbergii* Aschers. (3,7)

Southern coastal areas e.g. Hadhramaut, Soqotra..

*Cornulaca monacantha* Del. (7)

(*syn. C. arabica Botsch.*).

Southern coastal areas e.g. Mayfa' Hajar-Al Mukalla road (Hadhramaut) .

*Halopeplis perfoliata* (Forssk.) Bunge ex Asch. & Schweinf. سم الدجاج @

(*syn. Salicornia perfoliata Forssk.*)

Near the sea: Medi, Aden, Hadhramaut .

*Halothamnus bottae* Jaub. & Spack. @

(*syn. Caroxylon bottae (Jaub. & Spach) Moq.*, *Salsola bottae Jaub & Spach.*).

Coastal areas, J. Munif: S of Taiz, Sanaa, Sa'dah, Lahj, Huth, Marib, Harib, al Bon, Raydah, Hadhramaut .

*Lagenantha cycloptera* (Stapf) Gilbert & Friis. (7)

(syn. *Choriptera semhahensis* (Vierh.)Botsch, *Gyroptera cycloptera* (Stapf)  
Botsch, *Salsola cycloptera* Stapf., *S. semhahensis* Vierh., ).

Abdul Kuri, Samha.

Noaea mucronata (Forssk.)Aschers. & Schweinf. (5)

Bukta

Salsola cyclophylla Baker. (3) . { doubtful record} ?

Shabwa

Salsola imbricata Forssk. هرم، جزم، شريرة غسل، @

(syn. *Caroxylon imbricatum* (Forssk.)Moq., *Chenopodium haryosmon* Roemer & Schultes, *Salsola foetida* Del. Ex Spren., *S. foetida* Del. Ex Spren. Var. *gaeula* Maire., *S. baryosma* (Roem. & Schult.)Dandy).

Rare: Coastal areas, al Jawf, Hadhramaut .

Salsola rubescens Franch. (1)

(syn. *S. hadramautica* E.G.Baker, *S. leucophylla* E.G.Baker)

Shabwa

Salsola spinescens Mog. هرم، حمض، فدحدان، مليح @

(syn. *S. aethiopica* Botsch., *S. forskalii* Schwart.)

Coastal areas, Harib, Marib, Radaa, Shabwa, Soqotra.

Seidlitzia rosmarinus Bunge ex Boiss. (7)

(syn. *Suaeda rosamarinus* Ehrenb. Ex Boiss, *Salsola rosmarinis* (Bunge ex Buin)Solm.)

Abdul Kuri.

Sevada schimperi Moq. @

(syn. *Suaeda schimperi* (Moq.)Martell, *S. vermiculata* Forssk. Ex J.F.Gmelin var. *puberula* C.B.Clarke)

Al Mukalla, Soqotra, Samha.

Spinaica oleracea L. (7,8) سبانخ

Cultivated as spot herb.

Suaeda aegyptiaca (Hasselq.)Zoh. ثرمل، سويد، مالح، عض @

(syn. *Chenopodium aegypticum* Hassel., *S. baccata* Forssk., *S. hortensis* Forssk., *Schanginia aegyptica* (Hasselq.)Aell., *S. hortensis* (Forssk.)Moq.).

Coastal areas, Taiz, Al Qafr, Lahj , Abyen, Radaa, Sanaa, Arhab, Hadhramaut .

Suaeda monoica Forssk. ex J.F.Gmel. سويد، مالح، عصال، عصل، هطهم @

Coastal areas, al Jawf, Soqotra.

Suaeda moschata A.J.Scott. \*\* (ref. Thulin, M. et al im press)

Ras Fartak (al Mahara).

Suaeda vermiculata Forssk. دلاق، مليح، سويد، عض ، عصل @

(syn. *Salsola mollis* Desf. *Suaeda fruticosa* Forssk. ex J.F.Gmelin, *S. mollis* (Desf.)Del., *S. paulayana* Vierh., *S. volvensii* C.B.Clarke, *S. monodiana* Maire, *S. mesopotamica* Eig)

Coastal areas, Soqotra.

## CISTACEAE

Helianthemum argyraeum E.G.Baker. \*\* (3)

Hadhramaut, Al Mahar

Helianthemum citrinum Ghaz. \*\* (in Willdenowia 32: 239-269, 2002)

Fartak mountains: Al Mahara.

Helianthemum stipulatum (Forssk.) C. Chr. (in Nord. J. Bot. 22: 41-43, 2001)

Hadhramaut

## CLEOMACEAE

Cleome amblyocarpa Bair. & Murb. (7,8)  
Dhamar.

Cleome angustifolia Forssk. (7,8) سك المير  
(syn. *C. dlandra Borch.*).  
Taiz, North Tur al Baha, Aden.

Cleome austroarabica Chamb. & Lamond. subsp. austroarabica. \*\* (7)  
Al Mahara, Soqotra.

Cleome brachycarpa Vahl. ex DC. (7,8)  
(syn. *C. brachycarpa var. filicaulis Schweinf.*, *C. diversifolia Hochst. & Steud.*).  
Marib, Saada, Aden, Lahj , al Maraqisha, Hadhramaut, Soqotra, Abdul Kuri,

Cleome droserifolia Del. (@)  
(syn. *C. brachydenia O.Schwartz*)  
Hadhramaut, Al Mahara .

Cleome gynandra L (7) عنوس، عنوص  
(syn. *C. pentaphylla L.*, *Gynandropsis gynandra (L.) Briq.*, *G. pentaphylla (L.)DC.*, *Pedicellaria gynandra (L.)Schrank.*)  
Tihama, Aden, Taiz, Madinat Ashsharq, Marib, Soqotra.

Cleome hadramautica Thulin \* (in Nord. J. Bot. 22: 215-218 (2002)  
Between al Ahjar and Hainan (Hadhramaut), Habarut (al Mahara)

Cleome hanburyana Penzig. (7)  
(syn. *C. areysiana Defl.*, *C. deflersii Blatter*)  
Southern low altitude

Cleome macradenia Schweinf. \*\* (7)  
Aden, Hadhramaut

Cleome monophylla L. (7)  
V. rare: Ibb, J. Ashsharq.

Cleome omanensis (Chamberlain & Lamond) Thulin. \*\* (in Nord. J. Bot. 22: 215-218  
(2002)

(syn. *Cleome albescens Fran.* subsp. *omanensis Chamb. & Lanord.*)  
Southern low alti. Mountains, between Jadib and Damqut (AL Mahara), Sayhut-Qishin road.

Cleome paradoxa R.Sr. ex DC. (1,7,8)  
(syn. *C. brachystyla Defl.*)  
Aden, Dunafa Island, Abyen, N of Tor Al Baha, Harib, Al Barh-Al Mafraq (w of  
Taiz).

Cleome polytricha Franch. (7)  
Southern low alti. mountains

Cleome pruinosa T.Anders. \*\* (3,7)  
Hadhramaut , Aden

Cleome ramosissima Webb ex Parl. (7)  
(syn. *C. schweinfurthii Gilg*, *C. enneme Schw. ined.* ). (3,8)

High escarpment e.g. At Turba, Assayani, Dhisufal, Ashshawaet‘, Sanaa, Amran,  
Hajjah , SE of Manakha, S of Ibb, Wadi Bana, Dhamar, Shalalah.

Cleome scaposa DC. (7,8)  
(syn. *C. papillosa Steud.*)  
Tihama and foothills, Bajel, J. Bura’ , Aden, Lahj, Adhale’ , Hadhramaut, Soqotra.  
Cleome socotrana Balf. f. \* @  
Soqotra.

Cleome tenella Linn. (6,7)

Soqotra,  
Cleome viscosa Linn. (6,7,8)  
Taiz, Tihama, Adhale', Soqotra.

### COLCHICACEAE

Gloriosa revoilii (Franch.) J.C.Manning & Vinn., (in Taxon 56: 178 (2007).  
(syn. *Littonia obscura* E.G.Baker., *L. minor* Defl, *L. hardeggeri* Beck, *L. revoilii* Franch.,) (8,3).  
Hayfan (al Hujariyah).

Iphigenia olivieri Engl. (in Willdenowia 32: 239-269, 2002)  
(syn. *I. somaliensis* Baker)

J. Al Arays (Abyen)  
Iphigenia socotrana Thulin \* (2)

Soqotra  
**COMBRETACEAE**

Anogeissus bentii E.G.Baker. \* @مشط  
Wadi Al-Himae, Wadi Daua'n, Wadi Adem (Hadhramaut ), wadi jardan, Wadi Hawl, near Assuweih village and near Al Matrah village (Shabwa), Al Mahara.

Anogeissus dhofarica A.J.Scott. \*\* @مشط  
Wadi Mougaib, NW of Damqut, Ras Fartak & Huf (al Mahara).

Combretum aculeatum Vent. @ ?  
J. Bura'.

Combretum molle R.Br. ex D. Don. @ ضروب، عصم، عسم، دميت، ضاروب  
(syn. *C. trichninthum* Fresen., *C. lepidotum* A.Rich.).  
Taiz, Western mountains, J. Bura', W. Mouna (W. of Dhamar), Adhale', Shabwa e.g. J. Gedu, Habarun, Wadi At Tawila..

Conocarpus lancifolius Engl. @ غلب، عربط، دمس  
Cultivated : Aden, Al Hudaydah, al Makha, Zabid, Surdud, and wild in Hadhramaut

Terminalia brownii Fresen. @ ثعب، قوع، قع  
S of Taiz, Shara'b, Al U'deyn, W of Dhisufal, Mutheikhira,  
Terminalia catappa L. (3) بيدان، اللوز الهندي  
Cultivated: Tihama, Lahj, Aden, Hadhramaut, Soqotra

### COMMELINACEAE

Aneilema aequinoctiale P.B.Kunth. (3) (doubtful record ) ?  
(syn. *Commelina aequinoctiale* P.Beauv.)

Aneilema forskalei Kunth. (or forskalii) (4,8)  
Taiz, Ibb, Al U'deyn, W. Assukhnah, J. Bura', Rayma.

Aneilema woodii R.B.Faden. \* (8)  
V. rare: J. Bura'

Commelina africana L var. africana (8)  
(syn. *C. edulis* A. Rich., *C. divaricata* Vahl, *C. Cordifolia* A. Rich.).

J. Saber (Taiz), Baa'dan, Sumara  
Commelina albescens Hassk. (8) ساق الغراب  
(syn. *C. mensensis* Schweinf.)  
Taiz, Tihama & foothills, Yafea, Saada, Huth, Radaa, Lahj, Hadharamut, Soqotra.

Commelina benghalensis L. (8)  
(syn. *C. canescens* Vahl, *C. pyrrhoblepharis* hassk., *C. uncata* C.B. Clarke)  
Tihama foothills, medium altitude mountains, Soqotra, Abdul Kuri.

Commelina diffusa Burm.f. (8)

- Taiz, Ibb.
- Commelina erecta L. (8)  
(*syn. C. corradii Chiov.*)  
Al U'deyn, Hajjah .
- Commelina forskalaei Vahl (or forskaolii) @ رضمة  
Widespread: Tihama, Western & southern mountains, Damt, Soqotra.
- Commelina imberbis Ehrenb. ex Hassk. (8)  
Widespread: Taiz, Ibb, al Muhwit.
- Commelina latifolia Hochst. ex A.Rich. (8)  
(*syn. C. Sagittifolia Hassk.*)  
Taiz, Ibb, J. Ashsharq, J. Rayma, J. Shibam (Haraz).
- Commelina subulata Roth. (8)  
(*syn. C. striata Hochst. ex A. Kunth*)  
Rare: J. Hubaysh, J. Shibam.
- Commelina ussilensis Schweinf. (3) ? { doubtful record}  
Haraz.
- Cyanotis cristata (L.) D. Don @  
(*syn. Commelina cristata L.*)  
Firmihin (Soqotra), Abdul Kuri.
- Cyanotis lanata Benth. (8)  
Al U'deyn, W. Assukhna.
- Cyanotis nyctitropa Defl. \*\* (8) مدى، قوا  
(*syn. Tillandsia decumbens Forssk.*).  
Taiz, J. Habashi, al Qaeedah, J. Bura', Ibb, Mutheikhira, Kuhlan Affar, Al Qafr,  
Baa'dan, W of Jibla, Assayani, Ashshue'ib, Qataba, Al Husha.
- Cyanotis polyyrrhiza Hochst. ex Hassk. (3,5)  
Jibla: Ibb.
- Cyanotis vaga (Lour.) Schultes (8)  
(*syn. C. barbata D.Don., C. parasitica Hassk., C. hirsuta C.A.Mey.*)  
Jibla, Ibb, Wussab al Ali, His'n Hab (Ba'adan), Utuma, J. Ashsharq.
- CONVOLVULACEAE**
- Convolvulus arabicus Hochst. (8) عليق  
(*syn. C. glomeratus Choisy*)  
Tihama & foothills, Bajel, N of Al Hudaydah, W of At Turba (Taiz), Aden, Lahj -  
Adhale' road, Lawdar (Abyen), Soqotra, w of Al Mukalla, N of Modia.
- Convolvulus arvensis L. @ عليق، سلاح  
Tihama foothills, Taiz, Ibb, Dhamar, Sanaa, Rada, Hajjah , Hadhramaut .
- Convolvulus fatimensis Kunze. (8) عليق  
Bani Hareth: NE Sanaa.
- Convolvulus farinosus L. (8)  
Rare: Utuma, J. Shibam, W. Dhahr.
- Convolvulus grantii Balf.f. \* @  
Abdul Kuri Island
- Convolvulus hildebrandtii Vatke. \* (2,6)  
(*syn. C. filipes Balf.f.*)  
Soqotra.
- Convolvulus hystrix Vahl. (8)  
Tihama plain, al Kod
- Convolvulus prostratus Forssk. (1,8)

- (*syn. C. microphyllus Sieb.*).  
Tihama plain, Al Mukalla-W. al Maqad road.
- Convolvulus rhynchospermus* Hochst. Ex Choisy. (2)  
(*syn. Convolvulus littoralis Vatke.* (3)  
Hadhramaut, Soqotra
- Convolvulus sagittatus* Thunb. (8)  
Rare: J. Ayfua, Sa'dah, Wussab al Ali, Shibam, Manakha, al Ahjur.
- Convolvulus sarmentosus* Balf.f. \* (2,6)  
Soqotra
- Convolvulus sericophyllos* T. Anderson. \* (3)  
Hadhramaut
- Convolvulus sicus L. subsp. agrestis* (Schweinf.) Verdc. (8)  
(*syn. C. agrestis Schweinf.*).  
J. Saber, Ibb, J Hisn, w of Manakha, Amran-Hajjah road, Al Mahara, Soqotra.
- Convolvulus thymoides* O. Schwartz. \* (8)  
J. Sumara, J. Maswer, J. Nu'man and J. Shibam (Haraz), J. Dhawran, near Yerim,  
Dhamar.
- Cressa cretica* L. (8) ملاح  
Tihama plain, Aden, Lahj, Hadhramaut, Soqotra.
- Dichondra repens* J.R. & G.Forst. (8)  
Dhisufal, al Udain, Soqotra.
- Evolvulus alsinoides* (L.)L. @  
(*syn.E. yemensis Deflers*).  
Taiz, Raydah, Wussab al Ali, Ibb, Sanaa, Soqotra.
- Falkia oblonga* Krausse. var. minor C.H.Wright. (8)  
Yerim, Qa Jahran, Wadi shalalah.
- Hewittia scandens* (Milne)Mabberley (8)  
(*syn.H. bicolor (Vahl)Wight & Arn, H. sublobata (L.f.)O.Kuntze,*).  
Rare: J. Bura', J. Milhan.
- Hildebrandtia africana* Vatke. subsp. *arabica* @ صهري، خيران  
Taiz, Madinat Ashsharq, Wussab, al Mishrafa, Qa'tabah, Dimt, Juban, Adhale, J.  
Al Arays (Abyen), J. Chattan (Huf).
- Ipomoea aquatica* Forssk. (8)  
Threatened: Wadi Zabid.
- Ipomoea batatas* (L.) Lam. (8) بطاطا حلوة  
Cultivated.
- Ipomoea cairica* (L.) Sweet (8)  
(*syn. I. palmata Forssk.*).  
Rare: J. Attur- Suq al Aman, Soqotra.
- Ipomoea carnea* Jacq. @  
Taiz, Tihama foothills.
- Ipomoea dichroa* Choisy (3,8)  
(*syn. I. arachnosperma Welw., I. Pilosa Sweet*).  
Rare: Al Misrakh, Al U'deyn, Rihab-Wussab.
- Ipomoea eriocarpa* R.Br. (3,8)  
(*syn. I. hispida (Vahl)Roem. & Schult.*).  
Tihama, low altitude mountains, Al U'deyn, Utuma, Tarim.
- Ipomoea ficiifolia* Lindl. (8)  
Rare: Al H'adiyyah, Sa'dah, J. Milhan, al Mahabisha, J. Al Arays (Abyen).

- Ipomoea kotschyana Hochst. ex Choisy (2)  
(syn. *I. laciniata* Balf.f.).  
Soqotra.
- Ipomoea nil (L.) Roth (8)  
(syn. *I. scabra* Forssk.).  
Introduced: Taiz, J. Bura', Aden, Lahj, Al U'deyn, Soqotra.
- Ipomoea obscura (L.) Ker-Gawl. (8)  
Tihama foothills and highlands, al Kod, Soqotra.
- Ipomoea pes-caprae (L.) R. Br. (8)  
(syn. *I. biloba* Forssk.).  
Tihama, Taiz (warazan), Ash shihr, Al Mukalla-W. al Maqad, Huf al Mahara,  
Soqotra.
- Ipomoea purpurea (L.) Roth. (8)  
Introduced: Taiz, Ibb, W. Bana, Sanaa, Hajjah ..
- Ipomoea sinensis (Descr.) Choisy.  
var. *blepharoscopala* (A.Rich.) Meeuse. (2)  
J. Saber, Soqotra.  
Subsp. *sinensis*. (8)  
Rare: W. of Al U'deyn.
- Ipomoea triflora Forssk. (8)  
(syn. *I. gossypina* Defl.).  
Tihama foothills, Wussab Assafel, J. Rayma, Haraz.
- Ipomoea turbinata Lag. (in Willdenowia 32: 239-269, 2002)  
(syn. *I. Muricata* (L.) Jacq.  
Al Mahara: Coastal mountains, below Shah'rut.
- Ipomoea verticillata Forssk. (8)  
Rare: W. Mour.
- Merremia hadramautica (Baker) R.R.Mill \* مطّك، متّك، متّك (3)  
Hadhramaut
- Metaporana obtusa (Balf.f.) Staples \* (2)  
(syn. *Porana obtusa* Balf.f.)  
Soqotra
- Seddera arabica (Forssk.) Choisy. @ سدرة، فدوة  
(syn. *S. bottae* Jaub. & Spach, *S. somalensis* (Vatke) Hall.f.).  
Taiz, Tihama foothills, medium altitude mountains, Ibb, Adhale', Hadhramaut .
- Seddera fastigiata (Balf.f.) Verdc. \* (2,6)  
(syn. *Breweria fastigiata* Balf.f., *Convolvulus fastigiata* (Balf.f.) Verdc., *C. socotranus* Verdc.).  
Soqotra
- Seddera glomerata (Balf.f.) Schwartz. (2)  
(syn. *Bonamia glomerata* (Balf.f.) Verdc., *Breweria glomerata* Balf.f.)  
Hadharamaut, Soqotra.
- Seddera intermedia Hochst. & Steud. (3)  
Lawdar (Abyen), Yafea.
- Seddera hadramautica R.R. Mill ined. ??  
Hadhramaut
- Seddera latifolia Hochst. & Steud. (2,8)  
(syn. *Breweria latifolia* Benth. & Hook., *S. spinescens* Peter)

- Tihama foothills, Maqbana (W. of Taiz), Madinat Ashsharq, Radaa, Nihim, Abyen, Adhale', Hadhramaut, Soqotra.
- Seddera pedunculata (Balf.f.) Verdcourt. \* (2)  
(syn. *Breweria pedunculata* Balf.f.) (Balf.f., 1988)  
Soqotra.
- Seddera secundiflora Jaub. & Spach (8)  
(syn. *S. hallieri* Engl. & Pilg.).  
Highland areas.
- Seddera semhahensis R.R.Mill. \* @  
Samha island
- Seddera spinosa (Vierh.) Verdc. \* @  
(syn. *Bonamia spinosa* Vierh., *Convolvulus spinosa* Vierh., *C. Kossmatii* Vierh.)  
Abdul Kuri Island.
- Seddera virgata (Hochst. & Steud.) Varke. (1,8)  
Maqbana (W. of Taiz), Tihama & foothills, Aden, Lahj, Abyen.
- Stictocardia macalusoi (Mattei) Verdcourt. (3)  
(syn. *S. tiliaefolia* (Choisy) Hallier.).  
Introduced : Cultivated. as ornamental
- CRASSULACEAE**
- Aeonium leucoblepharum Webb ex A. Rich. (7,8)  
(syn. *Aeonium chrysanthum* (Birtn) Berger, *Sempervium chrysanthum* Britten)  
At Turbah, Al U'deyn, His'n Hab (Ba'adan), Ibb, Sumara, Khidar.
- Cotyledon barbeyi Baker. (7,8) خدار، نقلق، ضبع  
At Turba, Al Husha, Ashue'ib, Dimg, Ibb, Sumara, Dhamar, J. Bura', al Qaeedah, Khidar, Qa Bakil.
- Crassula alata (Viv.) Berger.  
subsp. pharnaceoides (Fisch. & Meyer) Wick. & Bywe. (in Kew Bull. 36: 633 (1980)  
(syn. *C. pharnaceoides* Fischer & C. Meyer, *Tillaea pharnaceoides* Steud.).  
Highlands, Soqotra.
- Crassula alba Forssk. @ أصبع حريوه لسان الكبش  
(syn. *C. abyssinica* A. Rich.)  
High altitude mountains: Dhamar, Ibb, Yerim, Haddah.
- Crassula alsinoides (Hook.f.) Engl. (7,8)  
(syn. *C. pellucida* L. subsp. *alsinoides* (Hook.f.) Tolken, *Tillaea alsinoides* Hook.f.).  
J. Rayma.
- Crassula granvikii Mildbr. (7)  
(syn. *Bulliarda abyssinica* A. Rich., *C. abyssinica* A. Rich., *C. hedbergii* Wickens & Bywater. (8)).  
Rare: high altitude mountains e.g. Kawkaban, J. Sumara, J. Manar.
- Crassula schimperi Fisch. & Mey.  
subsp. phyturus (Mildbr.) Ros. (6,7)  
(syn. *Tillaea pentandra* Royle) (Balf.f., 1988)  
Soqotra.  
subsp. schimperi (7,8)  
(syn. *C. pentandra* (Edgew.) Schoenl., *Tillaea pentandra* Edgw.).  
J. Saber, J. Habashi, Yerim-Ad Dalil, Utuma, J. Allowz, Shibam.
- Kalanchoe alternans (Vahl.) Pers. \*\* @

(syn. *Cotyledon alternans* Vahl., *C. orbiculata* Forssk., *K. rosulata* E.Raadts,  
*Verea alternanas* (Vahl.) Sprenger.).

At Turba, centerla escarpment, Dhamar, Khawlan Ashsham, Mukayra.

*Kalanchoe bentii* C.H.Wright subsp. *bentii* \* (7)

(syn. *K. deflersii* Gagnep., *K. teretifolia* Defl.).

Southern low & medium altitude mountains, Hadhramaut, J. Gedu (Shabwa).

*Kalanchoe citrina* Schweinf. (7,8)

Rare: Haraz, al Hayma al Kharijiya.

*Kalanchoe deficiens* (Forssk.) Asch. & Schaeinf.

(syn. *Cotyledon deficiens* Forssk., *C. nudicaulis* Vahl., *K. aegyptiaca* (Lam.) DC.,  
*K. glaucescens* Brit. var. *deficiens* (Forssk.) Senni.).

var. *deficiens* \* (7) @

J . Bayhan (At Turba), J. Ghayami (Al Hujariyah), Al Qae'dah, J. Habashi, Mirkiz  
As Salam, between Al Hawban and Naqil Al Ibil, near Khalawah (J. Sawraq),  
between Rada' and Juben.

var. *glabra* Raatts. \* @

(syn. *K. glaucescens* Britten subsp. *arabica* Cuf.)

Shara'b Assalam, Khawlan, At Tur (SW Hajjah).

*Kalanchoe farinacea* Balf.f. \* (@, 2,6) بجلون، بجلون

Soqotra

*Kalanchoe lanceolata* (Forssk.) Pers. @ أذن

(syn. *K. glandulosa* A. Rich, *Cotyledon lanceolata* Forssk., *Verea lanceolata*  
(Forssk.) Sprengel)

Widespread: Taiz, J. Sawraq, Wadi Benna, Qa Bakil.

*Kalanchoe robusta* Balf.f. \* (2)

(syn. *K. abrupta* Balf.f.) (6, Balf.f., 1988)

Soqotra

*Kalanchoe rotundifolia* (Haw.) Haw. @

Soqotra.

*Kalanchoe yemensis* (Deflers) Schweinf. \* (7,8) باكودر

(syn. *K. brachycalyx* A.Rich. var. *yemensis* Defl.)

Sharaab, J. Habashi, J. Sumara, Al U'deyn, E of Ibb, Assayani, Taiz-AdDimna  
road, W. Bana, W. Dhahr, Maaber, Qaa Bakil, N of Ibb, Juben, Dimt, Qa'tabah,  
Al Husha, Sanaa, Waalan.

*Sedum hispanicum* L. (7,8)

V. rare: Ibb, W. Bana (J. Ta'aker, J. Manar).

*Umbilicus horizontalis* (Guss.) DC. (2)

var. *horizontalis* (7)

Soqotra.

var. *intermedius* (Boiss.) Chanm. (7)

(syn. *Umbilicus intermedius* Boiss.) (8)

Rare: J. Sumara, W. Bana, J. Maswer.

## CUCURBITACEAE

*Bryonia cretica* L. (3) ??

Taiz, Tihama foothills.

*Citrullus colocynthis* (L.) Schrad. @ حنظل، حدق، علقم

Coastal areas, western mountains, Lahj , Abyen, Marib, Shabwa, Hadhramaut ,  
Soqotra.

*Citrullus lanatus* (Thunb.) Mastsum & Naka. (8)

- (*syn. C. vulgaris Schrad.*).  
Tihama, Radaa, Sanaa, al Boun, Soqotra.  
*Coccinia grandis* (L.) Voigt. (1,8)  
(*syn. C. moghadd (Gmel.) Scheinf., C. inedulii Forssk.*).  
Tihama, Western mountains e.g. Taiz, Assayani, Al U'deyn, Adhale', Lahj .  
*Corallocarpus glomeruliflorus* Schweinf. (3) مدركة  
Al Burayqa (Aden), Hadhramaut, Shabwa.  
*Corallocarpus epigaeus* (Rottl.) C.B.CI, (*Biologiske skrifter, Volume 54*)  
NE of Hawf (Al Mahara)  
*Corallocarpus schimperi* (Naud) J.D.Hook. (1,8)  
(*syn. C. erostris (Schweinf.) J.D.Hook.*)  
Tihama & foothills (Bagel, al Marawiah, al Khalifa, J. Bura', Aden, Huf (Al  
Mahar).  
*Ctenolepis cerasiformis* (Stocks) Hook.f. (8) حميم  
(*syn. Blastania fimbriostipula (Fenzl.) Kotschy & Peyr.*)  
Tihama and foothills, Arramadah and Annashama (Taiz), J. Eraf.  
*Cucumis canoxyi* Thulin & Gifri. \* (in Nord. J. Bot. 14(3): 315-317, 1994)  
Hadhramaut: Al Mukalla, NW Ghayl Bawazir, Ash shihr-Sayun road, SE Tarim, above  
Wadi Adem .  
*Cucumis dipsaceus* Ehrenb. (2,6)  
Soqotra  
*Cucumis ficifolius* A. Rich. (2,6)  
(*syn. C. ficifolius A.Rich. var. naudin*)  
Soqotra  
*Cucumis figarei* Del. ex Naud. @  
(*syn. C. ficifolius A.Rich. var. ficifolius Naud., C. pustulatus (Vaud.) Hook.*).  
Taiz, Al U'deyn, Ibb.  
*Cucumis melo* L. subsp. *agrestis* (Naud.) Greben.). @ بطيخ  
Cultivated, Tihama, west Taiz.  
*Cucumis metuliferus* E.Mey. ex Naud. @  
Taiz, J. Bura', Al U'deyn, Ibb.  
*Cucumis prophetarum* L. حمك الحمير، حيحب (سقطرى)، هرثب (عبد الكوري)  
subsp. *dissectum* (Naud.) Jeffr. @  
Taiz, Sanaa, Dhamar, Tihama, Soqotra.  
هرثب (عبد الكوري) (1,8)  
Manakha, Aden, Lahj , Hadhramaut, Abdul Kuri Island, Samha.  
*Cucumis sativus* L. @ خيار  
Cultivated, as wild NE of Hawf (al Mahara)  
*Cucurbita pepo* L. @ كوسة  
Cultivated  
*Cucurbita maxima* Duchesne. @ قرع، يقطين ، دبة  
Cultivated  
*Cucurbita moschata* (Duchesne) Duchesne. @ قرع، اليقطين (القرع العسلی )  
Cultivated  
*Dendrosicyos socotrana* Balf.f. \* (2,6) فمحين  
Soqotra, Samha.  
*Diplocyclos palmatus* (L.) C.Jeffrey (ref. Thulin., et al, 2001)  
NE Hawf (Al Mahara)  
*Eureiandra balfourii* Cogn. \* (2,6)

- Soqotra
- Kedrostis foetidissima (Jacq.) Cogn. @  
Widespread.
- Kedrostis gijef (J.f.Gmel.) C.Jeffrey. (8)  
(syn. *Corallocarpus gijef* (Forssk.) *Hook.f.*, *C. parvifolius* Cogn.).  
Tihama foothills, W. Eydid.
- Kedrostis hirtella (Naud.) Cogn. (8)  
Tihama: al Manssura, Bayt al Faqih.
- Kedrostis leloja (Forssk.) Jeffry. (8)  
Alluhayya (Tihama).
- Lagenaria siceraria (Mol.) Standl. @ دبة  
(syn. *L. vulgaris* (L.) Ser.).  
Cultivated
- Luffa acutangula (L.) Roxb. @  
(syn. *L. forsskalii* Schweinf.).  
Hagdah (w of Taiz), Wussab Assafel, Tihama.
- Luffa cylindrica (L.) M.J.Roem. (8) ليفه  
(syn. *L. aegyptiaca* Mill.).  
Cultivated: Tihama foothills, Zabid, west of Taiz.
- Momordica balsamina L. @ جمجمة  
Tihama foothills, Taiz, Al Qafr, Lahj, Soqotra.
- Momordica charantia L. @  
Taiz-Hagda, Aden, Soqotra.
- Zehneria anomala C. Jeffrey. (1,8)  
Widespread: Tihama and Foothills, southern and eastern mountains, Abyen.
- Zehneria scabra (L.) Sond. @  
(syn. *Melothria tomentosa* Cogn., *M. punctata* (Thunb.) Cogn.)  
subsp. *argyrea* (A.Zimm.) Jeffrey. (8)  
Tihama, Bait al Faqih.  
subsp. *scabra*. (8)  
J. Saber, Sharab, Khawlan, Adhale', J. Alloz.
- CUPRESSACEAE**
- Cupressus sempervirens L. var.*horizontalis* سرو افقي  
Introduced: Cultivated as an ornamental.
- Cupressus sempervirens L. var. *pyramidalis* سرو عمودي  
Introduced: Cultivated as an ornamental.
- Juniperus procera Hochst. ex. Endel. @ عرعر، فروش  
Taiz (J. Saber, J. Eraf, Hayfan, Thujan Al Qabet'a, Same', J.Sawraq), W of Sanaa  
(J. al Lowz), Saada, J. Gedu (Shabwa)..
- Thuja orientalis L. @  
Introduced: Cultivated as an ornamental.
- CUSCUTACEAE**
- Cuscuta campestris Yunker.  
Shibam (Hadhramaut )
- Cuscuta chinensis Lam. (2,6)  
Soqotra.
- Cuscuta planiflora Ten. @  
Widespread in the medium and high mountain areas: Taiz, Adhabab, Warazan, J.  
Saber, Bani Matar, W of Sanaa, Soqotra, Abdul Kuri Island.

## CYCLOCHEILACEAE

Asepalum eriantherum (Vatke) Marais. (3)

(*syn. Cyclocheilon eriantherum (Vatke) Engl.*)

Cyclocheilon somalense Oliv. (ref. Thulin., et al, 2001)

Jol (Hadramaut), Below Shah'rut (Al Mahara).

## CYMODOCEACEAE

Cymodocea rotundata Aschers. & Schweinf. (8)

Al Hudayda, al Mukha, Soqotra.

Cymodocea serrulata (R.Br.) Aschers. & Magn. (8)

Al Hudayda, al Makha, Soqotra.

Halodule uninervis (Forssk.) Aschers. (8)

(*syn. Dplanthera uninervis (Forssk.) Williams, Zostera uninervis Forssk.*)

Al Hudayda, al Makha, al Khawkhwa, Soqotra.

Syringodium isoetifolium (Aschers.) Dandy. (8)

(*syn. Cymodocea isoetifolia Aschers.*).

Al Hudayda, al Makha, Soqotra.

Thalassodendron ciliatum (Forssk.) den Hartog (8)

(*syn. Cymodocea ciliata (Forssk.) Ehrenb.*)

Al Hudayda, Al Makha, Hunaish Island, Soqotra

## CYPERACEAE

Abildgaardia ovata (Burm.f.) Kral (in Flora of Ethiopia & Eritrea, vol. 6, p. 208, 1997)

(*syn. F. monostachyous Vahl, F. ovata (Burm.f.) Kern, Carex ovata Burm.f.*).

Highlands: At Turbah, Rujum.

Bulbostylis atrosanguinea (Boeck.) C.B.Cl. (8)

Above Al H'adiyyah.

Bulbostylis barbata (Rottb.) C.B.Clarke (2)

Soqotra

Bulbostylis hispidula (Vahl) R.Haines (2)

(*syn. Fimbristylis hispidula (Vahl) Kunth*)

Soqora

Bulbostylis humilis Kunth (8)

(*syn. B. striatella C.B.Cl.*)

Rare: J. Ta'aker, J. Manar.

Carex brunnea Thunb. var. arabica Hooper. \* (8)

Rare: Madahit (At Turbah), J. Saber, Dhisufal, J. Shibam (Haraz), J. Kaburah

(near Al H'adiyyah, Rayma).

Carex distans L. var. sinaica (Nees) Boeck. (8)

Yerim, Dhamar, Haraz, J. Ba'adan.

Carex negrii Chiov. (8)

Rare: J. Sumara.

Carex stenophylla Wahl. (8)

Widespread in highlands.

Cladium mariscus R.Br. @ عورف

Wadi Darho ( Soqotra).

Cyperus alopecuroides Rottb. (8)

Rare: W. Habab, J. Bura'.

Cyperus alternifolius Vahl subsp. flabelliformis Rottb. (8)

Taiz, Tihama foothills, J. Bura'.

Cyperus amabilis Vahl. (2)

- Soqotra.
- Cyperus articulatus L. (8)  
Taiz, Ussab Assafel, J. Bura', al Kadan.
- Cyperus blysmoides Hochst. ex C.B.Cl. (8)  
(syn. *C. bulbosus Vahl var. spicatus Boeck.*).  
Rare: Kitab, Russaba, J. NuqumJ. Ta'aker.
- Cyperus bulbosus Vahl @  
Bani Umar, Mafhaq, J. Milhan, Madinat Ashsharq, Dhamar, Yerim to Sanaa,  
Soqotra.
- Cyperus compressus L. (2)  
Soqotra
- Cyperus conglomeratus Rottb. @  
سعده، قرس (syn. *Cyperus amblyostachys Fenzl.*, *C. curvulus Boeck.*, *C. proteinolepis Bckir.*)  
Marib, Harib, Al Azizi Island, Aden, Hadhramaut , Kamaran island, Soqotra,  
Abdul Kuri Island.
- Cyperus cyperoides (L.) Kuntze (2)  
Soqotra
- Cyperus difformis L. (8)  
Rare: Suq Arrabua in Wussab Assafel, Soqotra.
- Cyperus dilatatus Schumach. & Thonn. (2)  
Soqotra
- Cyperus effusus Rottb. (8)  
(syn. *C. conglomeratus Rottb. var. effusus (Rottb.)Kuck.*). (3)  
Tihama, Hunesh island.
- Cyperus esculentus L. (8)  
Yerim.
- Cyperus fissus Steud. (8)  
Rare: Highland areas e.g. J. Saber, J. Ta'aker, near Sanaa.
- Cyperus fuscus L. (8)  
Rare: W. Assudan near al Qa'idah.
- Cyperus jeminicus Rottb. (8)  
(syn. *C. conglomeratus Rottb. var. muticulmis (Boeck.)Kuek.*). (3)  
Al H'adiyyah.
- Cyperus laevigatus L. (8) سعده  
(syn. *Juncellus laevigatus (L.)C.B.Cl.*). (5)  
Widespread: Coastal areas, Tihama foothills, Taiz, Dhisufal (Ibb), Hammam Ali,  
Hammam Damt, Marib, Wadi Rimaa mouth, Soqotra.
- Cyperus longus L. (8)  
Tihama foothills, Madinat Ashsharq, Soqotra.
- Cyperus nubicus C.B.Cl. @  
Taiz - Sharaab, At Turba, Adhabab, J. Milhan, W. Habab, Madinat Ashsharq-  
Hammam Ali.
- Cyperus niveus Retz. var. leucocephalus (Kunth) Fosberg in Kew Bull. 31: 835 (1977)  
(syn. *C. obtusiflorus Vahl.*) (8)  
Highlands.
- Cyperus nutans Vahl var. eleusinoides (Kunth)Haines. (8)  
(syn. *C. eleusinoides Kunth*).  
J. Ba'adan, W. addur, W. Habab, J. Rayma, Haraz, W. Assukhna.
- Cyperus rigidifolius Steud. (8)

- Highlands, e.g. ibb, Khawlan ashsham, Sanafan.
- Cyperus rotundus* L.  
Subsp. *rotundus*. بصلة، زيل المعizer، سعد @  
Taiz, Tihama, Aden, Dhamar, Bani Hushaysh, Sanaa, near al Mukalla, Soqotra.  
Subsp. *tuberosus* (Rottb.)C.B.Cl. (8)
- W. al Ayn near Hajjah .
- Cyperus rubicundus* Vahl @  
(*syn. C. teneriffae Poir.*). بصلة، سعد (3)  
Tihama foothills, J. Bura', Taiz, Shibam, Soqotra.
- Cyperus squarrosus* L. (2)  
(*syn. C. aristatus Rottb., Mariscus squarrosus (L.) C.B. Clarke*)  
Rare: Rihab, Wussab, W. Asskhnah, Soqotra.
- Cyperus stramineo-ferrugineus* Kuk. (2)  
(*syn. Mariscus stramineo-ferrugineus (Kuk.) Napper*)  
Soqotra
- Cyperus tenuiculmis* Boeck. (2)  
Soqotra
- Cyperus wissmannii* O. Schwartz. (8)  
Rare: Highlands e.g. At Turbah, Waalan, Dhawran, J. Ashsharq.
- Eleocharis caduca* (Del.) Schultes (2)  
Soqotra
- Eleocharis geniculata* (L.) Roem. & Schult. (1,8)  
(*syn. E. capitata R.Br., E. caribaea (Rottb.)Blake, Heleocharis capitata (L.)R.Br.*).  
Ttihama foothills, near Attirbah, Huth, Dhisufal: Ibb, Hadhramaut , Soqotra.
- Eleocharis palustris* (L.)Roem & Schult. (8) خراج  
Highlands e.g. Attawilah, J. Hubaysh.
- Fimbristylis complanata* (Retz.) Link. (8)  
Rare: Dhisufal: Ibb, Sa'dah, W. Bana, Soqotra.
- Fimbristylis cymosa* R. Br. (8)  
(*syn. F. obtusifolia Knuth., F. spathacea Roth.*).  
Tihama & foothills, J. Bura', At Turbah, Soqotra.
- Fimbristylis dichotoma* (L.) Vahl (8)  
(*syn. F. annua (All.) Roem. & Schult., F. diphylla Vahl, Scirpus dichotomus L.*)  
Rare: Dhisufal, J. Ba'adan, Soqotra.
- Fimbristylis ferruginea* L.)Vahl (2)  
Soqotra.
- Fimbristylis longiculmis* Steud. subsp. *sieberiana* (Kunth) Lye (in Flora of Ethiopia & Eritrea, vol. 6, p. 208, 1997)  
(*syn. F. sieberiana Kunth.*) (8)  
Rare: Tihama foothills, J. Bura', Sa'dah, Yerim-Radhmah.
- Fuirena ciliaris* (L.) Roxb. (2)  
(*syn. F. glomerata Lam.*)  
Soqotra.
- Fuirena felicis* Hooper. \* (8)  
Rare: Above Al A'duf (near At Turbah).
- Fuirena pubescens* (Poir..) Kunth. (8)  
(*syn. Carex pubescens Poir.*)  
Rare: al Ahjur.
- Isolepis setaceus* (L.) R.Br. (8)

- (*syn. Scirpus setaceus L.*).  
High plateau.  
*Kyllinga brevifolia* Rottb. @ 2  
Hajher (Soqotra).  
*Kyllinga chlorotropis* Steud. (8)  
(*syn. Cyperus chlorotropis (steud.) Mattf. & Kuk.*)  
Highlands: Ibb, J. Ashsharq.  
*Kyllinga microstyla* C.B. Clarke (2)  
(*syn. Cyperus microstylis (C.B.Clarke) Mattf. & Kuk.*)  
Soqotra  
*Kyllinga odorata* Vahl. (8)  
Rare: J. Milhan.  
*Mariscus amauropus* (Steud.) Cuf. (8)  
(*syn. Cyperus leptophyllum Hochst.* ).  
J. Bura', Haraz, Mafhaq, W. Asskhnah.  
*Mariscus cyperinus* Vahl. (8)  
V. rare: J. Shibam (Haraz), Al H'adiyyah.  
*Mariscus dubius* (Rottb.) Hutch. (8)  
J. Dhawran.  
*Mariscus plateilema* Steud. (8)  
Rare: J. Ta'aker  
*Mariscus schimperi* Hochst. (8)  
(*syn. Cyperus neo-schimperi Kuck.*).  
Rare: Highlands (e.g. J. Raymah, J. Shibam, J. Milhan).  
var. *viridis* (Schweinf.)C.B.Cl. (8)  
Western mountains, highlands.  
*Pycreus elegantulus* (Steud.) C.B.Cl. (8)  
(*syn. Cyperus elegantulus Steud.*).  
Highlands e.g. J. Saber.  
*Pycreus flavescens* (L.) P.Beauv. ex Reich. (8)  
Western mountains e.g. At Turbah, Hajjah .  
*Pycreus polystachyos* (Rottb.)P.Beauv. (8)  
(*syn. Cyperus polystachyos Rottb.*).  
Taiz, Haraz.  
*Pycreus pilus* (L.) Nees  
(*syn. Cyperus nitens Retz., C. pumilus L.*)  
Soqotra  
*Pycreus sanguinolentus* (Vahl) Nees. (8)  
Rare: At Turbah, Adhabab, Haraz, Rujum.  
*Rhynchospora corymbosus* (L.) Britt. (in Flora of Ethiopia & Eritrea, vol. 6, p. 208, 1997)  
(*syn. R. aurea Vahl, Scirpus corymbosus Heyne & Roth.*) (3)  
*Schoenoplectus inclinatus* (Del.) Lye (8) عزف  
(*syn. Scirpus inclinatus (Del.)Aschers. & Schweinf., S. brachceras A.Rich.*).  
Rare: Ibb, Dhamar, J. Shibam, al Mahwit.  
*Schoenoplectus lacustris* (L.) Palla (8)  
(*syn. Scirpus lacustris L.*).  
Highlands: Yerim, W. Waalan, Haddah, al Ahjur.  
*Schoenoplectus littoralis* (Schrad.)Palla (8)  
(*syn. Scirpus littoralis Schrad.*).

- Rare: Lagoons of Coastal areas.
- Schoenoplectus mucronatus* (L.)Palla. (8)  
Rare: between Rujum and Attawilah.
- Schoenoplectus proximus* (Steud.)Raynal. (8)  
Dhamar.
- Schoenoxiphium sparteum* (Wahl.)Kuek. (8)  
Dhisufal: Ibb, J. Ta'aker.
- Schoenus nigricans* L. (8)  
At Turbah, al Ahjur.
- Scirpoides holoschoenus* (L.)Sojak. (8)  
(*syn. Scirpus holoschoenus* L., *Holoschoenus vulgaris* Link.).  
Marib, Nihim, Dhi Naaim, Sa'dah-J. Manar.
- Scleria bulbifera* Hochst. ex A.Rich. (8)  
J. Zallamlam above J. Al H'adiyyah.
- DENNSTAEDIACEAE**  
*Pteridium aquilinum* (L.) Kuhn @  
Western mountains, Eskand Hagher (Soqotra).
- DIOSCOREACEAE**  
*Dioscorea lanata* Balf.f. \* (2)  
Soqotra
- DIPSACACEAE**  
*Pterocephalus frutescens* Hochst. ex A.Rich. var. *pumilus* (Def.)O. Schwart. @  
J. Bura', Lakamat Ashshawish (W of Dhamar), Kuhlan Affar, J. Sumara, al  
Mahwit, J. Maswer, W. of Sanaa, Hajjah .
- Pterocephalus pulverulentus* Boiss & Bal. ex Boiss. (8)  
V. rare: Sanaa-Waalan.
- Scabiosa columbaria* L. @  
Highlands: J. Saber (Taiz), Ibb, Dhi Sufal, J. Sumara, Yerim, Mashwara,  
Ashshawaet', Kitab, Al Makhader, Dhamar.
- DIRACHMACEAE**  
*Dirachma socotrana* Schweinf \* درخم (2,6)  
Soqotra
- DRACAENACEAE**  
*Dracaena cinnabari* Balf. \* عريب، امسيلة، دم الأخرين @  
Soqotra.  
*Dracaena serrulata* Baker. @ خوص، عراب، عيروب، كسل، كسار، فالقة الجوس  
J. Saber, Hajjah , Huth, al Mahabisha, al Hujariyah (Al Abus Al MAshawez  
village), Wadi Aleber, AlHamura, Alsufra, Between AlHussain & Alshuaib  
Shahara, J. Bura', Hadhramaut, Yafee, Yaher, al Mahara.
- Polianthes tuberosa* L. (8) سمبق، رنجز  
Cultivated: J. Bura', Suq al Qita between al Mahwit & Hufash.
- Sansevieria ehrenbergii* Schweinf. ex Bak. سنة، سانبي @  
Tihama foothills, Qaatabah, Taiz, Lahj , Dhisufal, Al U'deyn, Al Qae'da, Al Qafr,  
al Dhale', Jihaf, Al Azareq, Al Husha, Damt, Qae'taba, Al Azareq, Shabwa.
- Sansevieria forskaliana* (Schult.)f.)Hepper & Wood. هرق، سلحف، دنق @  
(*syn. S. abyssinica* N. E. Br, *S. guineensis* Willd.).  
Tihama foothills, Taiz , Al Hujeria, Jihaf, Al Azareq, Al Husha, Damt, Qae'taba,  
Al Azareq, Ibb, Al U'deyn.
- DRYOPTERIDACEAE**

Dryopteris inaequalis (Schlech.) O.Kuntze. (8)

Rare: J. Saber, J. Manar, al Muhwit, J. Raymah, J. Milhan.

Dryopteris schimperiana (A.Br.) C.Chr. (8)

(*syn. D. rigida Schwart.*).

Western mountains, Hagher (Soqotra).

Hypodematum crenatum (Forssk.) Kuhn (8)

(*syn. Nephrodium crenatum (Forssk.) Bak., Polypodium crenatum Forssk.*,

*Dryopteris crenata (Forssk.) Kuntze.*)

Hajjah, Jiblah, Soqotra, Utuma, Coastal mountains NW of Jadib (Al Mahara).

Polystichum fuscopaleaceum Alston. (8)

Rare: J. Maswer, Hagher (Soqotra).

Tectaria gemmifera (Fee) Alston. (8)

V. Rare: Al H'adiyyah, J. Milhan.

## EBENACEAE

Diospyros mespiliformis Hochst. ex DC. (8) بسas

Rare: Taiz, J. Raymah, J. Millhan, Al H'adiyyah, Khawlan Ashsham.

Euclea divinorum Hiern (2) @ كلا، كيلا

(*syn. Euclea balfourii Hiern, E. laurina Hiern*)

Soqotra

Euclea racemosa Murr. subsp. schimperi (A.DC.) F.White. (8) بسا، كليت

(*syn. E. kellau Hochst., E. forskalii Schweinf.*).

Tihama foothills, J. Eraf, J. Bura', J. Milhan, J. Rayma, Khawlan Ashsham, S.

Madinat Ashsharq, J. Fartak and Huf (Al Mahara).

## ELAEAGNACEAE

Elaeagnus angustifolia L. (8) زيزفون

Introduced: Cultivated as an ornamental in J. Saber

## EPHEDRACEAE (GNETACEAE)

Ephedra foeminea Forssk. (7)

(*syn. E. campylopoda C. A. Mey.*).

J. Eraf..

Ephedra foliata Boiss. ex C. A. Mey. (7)

(*syn. E. ciliata C.A.Mey, E. peduncularis Boiss.*).

Aden, Soqotra, Track from Al Mukalla to Bayn al Jibal (Hadhramaut), J. Gedu:

Shabwa, Plateau around the settlement Sarif (Al Mahara).

Ephedra milleri Freitag & Mairer-Stolte. \*\* (7)

Aden, Hadhramaut, al Mahara.

Ephedra pachyclada Boiss. subsp. sinaica (H.Riedl) Freitag & Maier-Stolte. (7)

(*syn. E. sinaica H. Riedl*)

High altitude mountains e.g. Yasleh pass.

## EQUISETACEAE

Equisetum ramosissimum Desf. (7)

Tihama foothills, Taiz.

## ERICACEAE

Erica arborea L. (8)

High altitude mountains: J. Saber, Ibb, J. Sumara, J. Maswer, J. Rayma, J. Milhan.

## ERYTHROXYLACEAE

Erythroxylon socotranum Thulin \* (2)

Soqotra

## EUPHORBIACEAE

Acalypha ciliata Forssk. (8)

Tihama foothills and low escarpment.

Acalypha crenata A.Rich. (8)

Rare: J. Milhan.

Acalypha fruticosa Forssk. عنشط، ذفران، شجرة الرويعة، خمير ، قصلة.

var. fruticosa @

Tihama foothills, western mountains, Taiz, Lahj, Lawdar, Yafea, Hadhramaut

var. villosa Pax ex Hutch.J. (8)

J. Bura', Al H'adiyyah, J. Milhan.

Acalypha indica R. @

Tihama foothills, low escarpment, Taiz, Lahj , Abyen, al Mahara, Soqotra.

Acalypha lanceolata Willd. (8)

(syn. *A. glomerata Hutch.*).

J. Bura', J. Milhan, Haraz, J. Raymah.

Acalypha racemosa Baill. (8)

(syn. *A. paniculata Miq.*).

Taiz, J. Raymah, Hajjah , Haraz,

Andrachne aspera Spreng. إقليت، عشرة @

Taiz to Hagdah, Tihama foothils, Dhamar, J. Milhan, S. Amran.

var. glandulosa Hochst. (8)

Sanaa, Waalan.

Andrachne schweinfurthii (Bafl.f.) Radcl.-Sm. \* (2)

var. papillosa A.r.Smith (2)

Soqotra.

var. *schweinfurthii* (2)

Soqotra.

Andrachne telephiooides L. (8)

W. of Sanaa, J. Allowz, Abdul Kuri Island.

Bridelia scleroneura Muell.-Arg. (8)

(syn. *B. tomentosa Blume* var. *glabrata Schweinf.*).

V.Rare: Tihama foothills e.g. J. Milhan, J. Bura', J. Rayma.

Cephalocroton socotranus Balf.f. \* @ طان، درخم

(syn. *Cephalocrotonopsis. soqotranus* (Balf.f.)Pax.).

Soqotra.

Chrozophora oblongifolia (Del.)Juss @ تون، ام النار، شجرة جهنم

(syn. *C. obliqua (Vahl.)Juss* ex Spreng, *C. tinctoria (L.) Raf.*). (6)

Widespread: Tihama, Taiz, Marib, Harib, Sa'dah, Huth, Lahj , Abyen, Hadhramaut, Soqotra.

Clutia lanceolata Forssk. (8) سعورة

(syn. *C. myricoides Jaub. & Spach*).

Dhisufal: Ibb, Assayani, Mashwara, Jibla, Ashawaet', Adhale'.

Clutia richardiana Mull. Arg. (8)

(syn. *C. jaubertiana Muell.-Arg.*).

High plateau.

Croton confertus Baker. \*\* @ حور

Al Mahara: Ras Fartak, Huf, between Jabid & Damqut, wadi Mougaib (NW of Damqut) and Uteq (NE of Al Ayn)

Croton lobatus L. (8)

Tihama foothills, Taiz, Ibb, Abyen, Lahj .

Croton macrostachyus Hochst. ex Del. (8) خضررين، كف البس، خثا

J. Bura', J. Metha (Hadhramaut).

Croton sarcocarpus Balf.f. \* (2)

Soqotra

Croton socotranus Balf.f.\* @ مترب

(syn. *C. pachyclados* A.R. Smith, *Croton socotranus* var. *pachyclados* (Radcl.-Sm.) Radcl.-Sm.)

Saoqtra.

Croton sulcifructus Balf.f. \* (2) مترب

(syn. *C. elaeagnoides* Balf.f.)

Soqotra.

Dalechampia parvifolia Lam. @

(syn. *Dalechampia scandens* L. var. *cordofana* (Hochst.) Miell. (8)

Tihama foothills, Taiz, Manakha, Huf (Al Mahara).

Erythrococca abyssinica Pax. (8)

At Turbah, Jiblah, J. Milhan, Shaharah.

Euphorbia abdelkuri Balf.f. \* @ فرجل

Abdul Kuri island.

Euphorbia acalyphoides Hochst. ex Boiss.

(syn. *Euphorbia fodhliana* Defl.) (3)

Hadhramaut

Euphorbia agowensis Hochst. ex Boiss. (8)

Haraz.

Euphorbia ammak Forssk. \*\* @ عمق، ديوول

At Turba, J. Saber, J. Habashi (Taiz), al Qaadah, Ibb, Dhawran, Ad Dalil, N of Al Qa'ida, An Najd Al Ahmer, As Sayani, Ibb, J. Sumara, Jiblah, J. Ta'aker, Dhisufal, Damt, Jihaf, Al Husha.

Euphorbia applanata Thulin & Gifrii. \* (in Nord. J. Bot. 15 (2):193-195 (1995)

Mola Matar (Hadhramaut).

Euphorbia arabica Hochst. & Steud. ex Boiss. (1,8)

(syn. *E. seclusa* N.E.Br. (1)

Tihama foothills, Aden, Khamis Bani Saad, Madinat, Abyen, Ashsharq, Rihab-Wussab al Ali, Hadhramaut .

Euphorbia arbuscula Balf.f.\* @ امطها

Soqotra, Abdul Kuri Island, Samha

Euphorbia balsamifera Ait. @ (1,8) شرفث، دنيا، دني، سابر، تشقق

(syn. *E. balsamifera* Ait. subsp. *adenensis* (Defl.) Bally )

Aden, Juban, Huth, Lawder, N. of al Baydha, Arhab, Juban, Abyen, Yafea, Huth, Sa'dah, Huf, Ras Huweira, Hadhramaut, Abdul Kuri.

Euphorbia bottae Boiss. in DC. Prodr. 15: 95 (1862)

Western and southern highlands and the northern plateau.

Euphorbia cactus Ehrenb. @ اكرث، كرث، صال، عمق، عشق

Taiz, Al Hawban, Shara'b, As Sayani, Al Qa'eda, Al Qafr, Dhisufal, Ad Dalil, Mutheikhira, ADhale', Al Hus'ein, Jihaf, Al Husha.

var. *tortirama* Rauh & Lavr. \* @ اكرث، كرث، صال

Taiz, Assayani, Al Qa'eda.

Euphorbia chamaesyce Linn. (6)

Soqotra

Euphorbia cuneata Vahl. @ خسل، شنساب، كلبان، دميع، يكا، رشح

- Taiz, Aden, Tihama foothills, Kuhlan, S. of Hajjah , Lahj , Abyen, Al U'deyn,  
Damt, Radaa, Madinat Ashsharq, Shabwa.
- Euphorbia cyathophora Murr. (8)  
Introduced : Taiz.
- Euphorbia dhofarensis S.Carter  
Al Mahara
- Euphorbia fractiflexa S.Carter & Wood. \*\* (in Kew Bulletin vol 37(1): 73-76 (1982)  
Haradh, Suq Al Khamis and Abs (Tihama), Wadi Liyah, Tihama foothills, Tor Al  
Baha.,
- Euphorbia fruticosa Forssk. \* @ شور، شون الذئب  
(*syn. E. officinalis Forssk.*).  
Between An Nashama and Al barakani Al (S of Taiz), High altitude mountains:,  
Hajjah , Kuhlan, Khamer-Huth.
- Euphorbia granulata Forssk. @ قيل  
Taiz, Tihama, Aden, Adhale' , Lahj , Shabwa, Abyen, Marib, Hadhramaut, Abdul  
Kuri, Samha. .  
var. glabrata (Gay)Boiss. (8)
- Tihama
- Euphorbia greuteri Kilian & Hein, \* (in Willdenowia 36: 441-446, 2006).  
J. Al Arays.
- Euphorbia hadramautica E.G.Baker. @ كرتيب (حوف)  
Hadhramaut, Huf al Mahara, Soqatra, Samha..
- Euphorbia hajhirensis A.R.Smith. \* (2,6)  
Soqatra
- Euphorbia hamaderoensis A.G. Mill. \* (2)  
Abdul Kuri Island
- Euphorbia helioscopia L. @  
High altitude mountains.
- Euphorbia heterophylla L. (8)  
(*syn. E. geniculata Ortega, E. prunifolia Jacq.*).  
Rare: Introduced in al Mishrafa, Madinat Ashsharq.
- Euphorbia hirta L. @ قات الراعي، لبنة  
Tihama, Taiz, Tihama foothills, western mountains.
- Euphorbia inaequilatera Sond. @ لبنان، لبنة  
(*syn. E. sanguinea Hochst. & Steud. ex Boiss., E. polycnemoides Hochst ex  
Boiss.?*).  
Taiz, Sanaa, Dhamar, Yarim-Al Makhader road, Wadi Dhahr, Jiblah, al Baydha,  
Abdul Kuri Island.
- Euphorbia inarticulata Schweinf. \*\* @ قصاص، صباب، كلح، محاط  
Widespread: Tihama foothills, western mountains, Taiz, Shara'b, Al Hoban,  
Lahj, Abyen, Kuhlan Affar, Radaa, Huth, Damt, Qa'tabah, Adhale', Al Husha,  
Guban, Dhisufal, Al Qae'da, Assayani, Al U'deyn, Al Qafr, Mutheikhira.
- Euphorbia indica Lamk. (1,8)  
(*syn. E. rosea Retzius*) (6)  
Tihama, Aden, Soqatra.
- Euphorbia kischenensis Vierh. \* (2,6)  
Soqatra
- Euphorbia kuriensis Vierh. \* (2,6)  
Abdul Kuri Island

- Euphorbia larica Boiss. (3)  
Qishin, Shabwa, Ataq-Nuqba, Hadhramaut
- Euphorbia leptoclada Balf.f. \* (2,6)  
Soqotra
- Euphorbia longetuberculosa Hochst. (in DC Prodr.15, 95 (1862)  
Alarqub – Modia area.
- Euphorbia meuleniana O. Schwartz. \* (@ 4)  
Hadhramaut .
- Euphorbia noxia Pax. (1)  
Hadhramaut
- Euphorbia nubica N.E.Br. (2,6)  
Dhamar, Soqotra.
- Euphorbia obcordata Balf.f. \* (2,6)  
Soqotra
- Euphorbia orbiculifolia S. Carter \*\* (in Willdenowia 32: 239-269, 2002)  
Al Mahara: Al-Fatk track, hills forming the eastern delimitation of the coastal flat  
W of Damqau
- Euphorbia parciramulosa Schweinf. \*\* @ سحب، نصم ، ديلول  
N. of Taiz, Al Qa'idadah, As Sayani, Dhisufal, Mutheikhira, Maytem, S'uhban, Ibb,  
W. of Dhamar, Damt, J. Asharq, Haraz.
- Euphorbia peplus L. (8)  
Wadi Shalalah, Haddah.
- Euphorbia prostrata Ait. (8)  
Introduced: Tihama, al Hujariyah, Mishrafa, J. Milhan.
- Euphorbia pseudoholstii Pax. (8)  
Rare: J. Bura'
- Euphorbia pulcherrima Willd. (8)  
Introduced: Cultivated as ornamental: Taiz.
- Euphorbia qarad Defl. \*\* @ هدل، قصاص  
Southern Tihama, Al Qala' village Bani Omar (S of Taiz), Bir Al Ahmer  
(Mawza'), Wadi Allassbah (W of Taiz), Tor al Baha.
- Euphorbia quaitensis S.Carter \* ( in Candollea 43(2): 594 (1988)  
Between al Mukalla & Sayun, north Ashshahr: Hadhramaut
- Euphorbia retusa Forssk.  
(syn. *E. kahiresis* Raeusch and *E. cornuta* Pers)  
Shabawa and Hadhramaut
- Euphorbia riebeckii Pax. (3)  
Near Bir Ali (Hadhramaut )
- Euphorbia rubriseminalis S.Carter. \* ( in Candollea 43(2): 595 (1988)  
Ataq-Nuqba , S of Sayun (Hadhramaut ), Um Arradhma plateau and wadi  
Daroon (Shabwa), Hat (Al Mahara).
- Euphorbia schimperi Presl. @ دهن، دهن، جعدن، عشيق  
(syn. *E. bottae* Boiss., *Euphorbia oblanceolata* Balf.)  
Taiz, Sumara, W. Dhamar, Yaslih, Assayani, Raydah, Wussab al Ali, Rayma,  
Haraz, Demt, Juban, al Husa, Ashue'ib, Soqotra, Abdul Kuri Island, Samha.
- Euphorbia schimperiana Scheele. @ سبيسان شونذب، رميد  
(syn. *E. petitiana* A. Rich. *E. yemenica* Boiss.).  
Taiz, Ibb, Dhamar, Sanaa, Lawdar, Hajjah , Sanafan.
- Euphorbia schweinfurthii Balf.f. \* (2,6)

- Soqotra  
Euphorbia scondifolia Jacq. (8)  
N of Bayt al Faqih (Tihama).  
Euphorbia seibanic Lavr. & Gifri. \* (in Cact. & Suuc. J. (UD) vol. 71(1): 135 (1999)  
Rare: Hadhramaut Jol  
Euphorbia serpens Kunth. لبنة  
Abyen.  
Euphorbia smithii S. Carter. \*\* @ حبوك  
Huf, Uteq NE of Al Ayn, wadi Mougaib and NW of Damqut (Al Mahara).  
Euphorbia socotrana Balf.f. \* @ دوکش، مارة  
Soqotra  
subsp. purpurea N. Kilian & P. Hein, \* (in Englera 28: 57-77, 2006)  
Western Hagher Mts,  
Euphorbia sp. aff. aegyptiaca Boiss. (8)  
J. Rayma, Wussab al Ali.  
Euphorbia sp. aff. fruticosa Forssk. جميس، فه، وک (8)  
Taiz. Annagd al Ahmer-Jibla, Baa'dan, S'uhban,, Annagd al Ahmer –J. Ta'kar,  
Al Akama (E of Ibb), Ba'adan, Wussab al Ali, J. Dhawran, Haddah, Khamer, al  
Mahwit, Shahara, Khawlan Ashsham.  
Euphorbia sp. aff. schimperi \*\* (8)  
Damt, Khawlan Ashsham.  
Euphorbia spiralis Balf.f. \* (2,6)  
(syn. *E. septemsulcata* Vierh.). (6)  
Soqotra  
Euphorbia systyla Edgeworth. (1, @)  
Gold Mor and Dunafa Island (Aden), .  
Euphorbia triaculeata Forssk. @ علبة، صياب  
Coastal areas.  
Euphorbia uzmuk S.Carter & J.R.I.Wood. \* @ ( عزمق، عزمط ) ( in Kew Bulletin vol 37(1):  
73-76 (1982)  
Hagdah, Maqbanah and Hidhran ( W of Taiz), Wusab As Safel: Al Mishrafa, Al  
Masbah and near suq Ar Rabu', Al Hujariya: An Nashama, Bani Assurur, As  
Safiah, Al Batheijah and Bani Umar, E of Ibb.  
Flueggea leucopyrus Willd. @ انف، عدف، عنف  
(syn. *Securinega leucopyrus* (Willd.)Muell.-Arg.).  
Soqotra.  
Flueggea virosa (Roxb. ex Willd.) Voight. @ نهف، شجرة الذيبين، حنة الجمل، حنة الفيل، كشح، بجع، كومبير (حوف)  
(syn. *F. microcarpa* Blume, *Securinega virosa* (Willd.)Pax & Hoff., *F. senensis* Klotzsch)  
West of Taiz, J. Bura', w. Anna (Al U'deyn), Mutheikhira, Al Qafr, Shaharah, al  
Mahara, Hadhramaut, Soqotra.  
Jatropha curcus L. @ شرب، شربة الفيل  
Tihama, Tiham foothills and Western mountains.  
Jatropha dhofarica R.Sm. \*\* @ زبروت  
Al Mahara: Huf, wadi Mougaib, NW of Damqut and Uteq NE of Al Ayn.  
Jatropha glauca Vahl.  
(syn. *J. lobata* (Forssk.)Muell. Arg.)  
subsp. glauca (Vahl.)Pop. (8)

- Tihama, W. Shares.
- Jatropha pelargoniifolia Courb. @ دمبع، عب، عبع  
(syn. *J. villosa* (Forssk.) Muell.-Arg., *J. glandulosa* Vahl).  
Tihama, al Hujariyah, Harb, Jubah, Abyen, Lahj, Marib, Hadhramaut, al Mahara.  
var. *glabra* Muell-Arg. (8)
- Jatropha spinosa (Forssk.) Vahl @ ابكي، بكي، دمع، دماع  
W. of Taiz, Tihama & foothills, Abyen, Shabwa, Hadhramaut, Al Mahara .
- Jatropha unicostata Balf. \* @ سبرة  
Soqotra
- Jatropha variegata (Forssk.) Vahl. \* @ ابكي، بكي ، درد  
Al Hujaria, J. Habashi, Adhabab, J. Sawraq, Wadi As Sukhna, Al U'deyn, Rihab,  
Wussab, Shares, Kuhlan, Ad Dale', Jihaf, Damt, Al Husha.
- Meineckia filipes (Balf.f.) G.L.Webster. \* @  
(syn. *phyllanthus filipes* Balf.f.).  
Firmihin (Soqotra).
- Meineckia phyllanthoides Baill. (8)  
(syn. *Securinega phyllanthoides* Muell. Arg.).  
Rare: J. Bura', J. Milhan, J. Rayma, Haraz.
- Micrococca mercurialis (L.) Benth. (8)  
Tihama & foothills.
- Phyllanthus amarus Schum. & Thonn. (8)  
Tihama foothills.
- Phyllanthus fraternus Webster. (1,8)  
(syn. *P. niruri* L.)  
Tihama & foothills, Aden, Lahj , al Kod.
- Phyllanthus hodjelensis Schweinf. \* (8)  
Very rare: Hujaylah, J. Milhan.
- Phyllanthus maderaspatensis L. @  
Taiz, Saada, Radaa, Western mountains, Adhale', Hadhramaut, Soqotra.
- Phyllanthus ovalifolius Forssk. (8)  
(syn. *P. lalambensis* Schweinf., *P. quineensis* Pax).  
J. Rayma, J. Milhan, al Mahabisha.
- Phyllanthus rotundifolius Klein ex Willd. @ حومر  
Tihama foothills, Taiz, Al U'deyn, Soqotra.
- Phyllanthus tenellus Muell Arg. var. *arabicus* Muell. \* (8)  
Taiz, Al Ja'fariyah (J. Raymah), Rijaf, Mirzin and Tuba' (J. Bura'), Between  
Habash and As Sa'bah (J. Milhan).
- Ricinus communis L. @ تبنشع، خروع، جارا
- Widespread: Tihama, Tihama foothills, Taiz, Al Barh, Hagda, Shara'b, J. Saber,  
Al Hujeriyah, Ibb, Dhisufal, Assayani, Yarim, J, Sumara, Al U'deyn, Al Qae'ida,  
Annagd Al Ahmer, Al Qafr, Dhamar, Sanaa, Hajjah, Lahj , Adhale', Damt,  
Qa'taba, Al Husha, Jihaf, Al Azareq, Al Hussein, al Mahara, Hadhramaout,  
Soqotra.
- Tragia balfouriana Gillett. \* @ سافاجة  
(syn. *T. dioica* Balf.f.)  
Soqotra
- Tragia pungens (Forssk.) Muell. Arg. @ حرقة  
(syn. *T. arabica* (Baill. ex Muell.-Arg., Prain, *T. maamarensis* Baill.).  
Taiz, Assayani, Dhisufal, Ashshawaet', E of Yarim, Dhamar, Huth, Lahj.

## FABACEAE (PAPILIONOIDEAE)

Abrus bottae Defl. \*\* @ تتواب، متن، عسب، خر عج

Al Hujarriyah, Al Akhlud, Maqbanah and W. Adhuraybat, Shara'b, Al Mukaer, Al Mishqib, Jaher (W of Taiz), Wadi Yadem and J. Adh Dhae'if (Bani Umar), J. Sharafayn (NW Hajjah), Wadi As Sukhnah, Al A'shshah (W of Huth), J. Bura', J. Milhan, Taiz, Musaymir (Lahj).

Abrus precatorius L.

subsp. *africanus* Verdc. @ بلاع، عسب

J. Rayma, J. Bura', J. Milhan, Haraz., Al U'deyn, J. Marran, Ashsheykh Uthman, Dar Saad.

subsp. *precatorius*. ( ref. Al Gifri, A. in Candollea 47: 215-217 (1992)

Dar Sad, al kamisri garden (Aden).

Alhagi graecorum Boiss. (1, @) أبو شوكة، وضعة، عاقول (syn. *A. maurorum* Medik.).

Abyen, Lahj , Shabwa, Hadhramaut .

Alysicarpus monilifer (L.) DC. (2)

(syn. *A. glumaceus* A.G. Mill.). (@ , 8) نصهن (سقطرى)

Tihama, Tihama foothills, J. Rayma, medium altitude mountains, Soqotra.

Alysicarpus vaginalis (L.) DC. (@, 8)

Tihama foothills, Al H'adiyyah, J. Bura', J. Milhan, Hajjah , Soqotra.

Anagyris foetida L. (8) خلية

Rare: highlands e.g. J. Saber, J. Ba'adan, J. Nuqum, Sanaa, J. Annabi Shua'ib.

Arachis hypogea L. (8) فول سوداني، حب العزيز

Cultivated in Al U'deyn, J. Milhan.

Argyrolobium arabicum (Decne.) Jaub. & Spach. (8)

(syn. *A. abyssinicum* Jaub. & Spach.).

Al Muhwit, J. Sanafan, Sanaa, Nihim, J. Mirran, SE Raydah.

Argyrolobium confertum Polhill. (8)

Highlands e.g. Kuhlan, Huth, Khamer, Dhawran, Kawkaban, Shibam.

Argyrolobium roseum (Camb.)Jaub. & Sp. (1) { doubtful record} ?

Aden, Hadhramaut .

Argyrolobium rupestre (E. Mey.) Walp. subsp. *remotum* (A.Rich.) Pol. (8)

(syn. *A. virgatum* Bak.).

J. Ashsharq, Dhisufal, Jiblah: Ibb.

Argyrolobium uniflorum Jaub & Spach (ref. The herbarium of al Kod) { doubtful record} ?

Ar Rayyan-Sayun road (Hadhramaut )

Astragalus atropilosulus (Hochst.) Bunge. (8)

(syn. *A. abyssinicus* Steud.).

subsp. *burkeanus* (Harv.)Gillett.

Widespread in highlands e.g. Jiblah, Khawlan Ashsham, J. Ta'aker, Sanaa-Marib,

E of Sanaa, J. Shibam SE of Manakha, J. Haraz, , Manakha, Hajjah .

Astragalus hauarensis Boiss. (2))

Soqotra

Astragalus sieberi DC. (8)

Bani al Hareth, Below Saada, Bani Hushaysh.

Astragalus sparsus Del. ex Decne. (8)

Sanaa, Khawlan Ashsham.

Astragalus tribuloides Del. (8)

Highlands e.g. J. Annabi Shua'ib, Khawlan Ashsham.

*Astragalus vogelii* (Webb) Bornm. subsp *fatimensis* Maire.

(syn. *A. fatimensis* Hochst. ex Chiov, *A. arabicus* Ehren. Ex. Bung).

Taiz, al Boun ,Tihama, Radaa, Al Rawdha N of Sanaa, al Jawf, Huth, Hajjah .

*Biserrula pelecinus* L. subsp. *pelecinus*. (8)

J. Shibam, Manakha.

*Cadia purpurea* (Picc.) Ait. حيم، قلل، عريب ، أزخم (المهرة) حومر، قضي، حمار(8)

(syn. *C. varia* L'Herit.).

Widespread: Western & Southern mountains, Hadhramaut, al Mahara.

*Cajanus cajan* (L.) Mill. (8) بسلة الطيور، بسلة الحمام، اللوبيا الافرنجى

(syn. *C. indicus* Spreng.).

Cultivated and naturalized in Ibb and Al U'deyn.,

*Calliandra umbrosa* Benth. (3)

Introduced: Cultivated.

*Calpurnia aurea* (Ait.) Benth. (8)

Introduced: Cultivated in Ibb forestry nursery.

*Canavalia africana* Dunn @

Wadi Darho (Soqotra)

*Canavalia virosa* (Roxb.) Wight & Arn. (8)

(syn. *C. polystachya* (Forssk.) Schweinf.).

Rare: Tihama & foothills e.g. Bayt al Faqih, Bagel, J. Rayma.

*Chapmannia gracilis* (Balf.f.) Thulin \* (2) طلن @ (2)

(syn. *Arthrocarpum gracile* Balf.f)

Soqotra

*Chapmannia reghidensis* Thulin & McKean \* (2)

Soqotra

*Chapmannia sericea* Thulin & McKean \* (2)

Soqotra

*Chapmannia tinireana* Thulin \* (2)

Soqotra

*Cicer arietinum* L. حمص

(syn. *Cicer album* hort., *Cicer sativum* Schkuhr, *Cicer nigrum* hort.)

Cultivatrd in Manakha, Sanaa airport.

*Clitoria ternatea* L. (8)

(syn. *C. albiflora* Mattei , *C. bracteata* Poir., *C. coelestris* Siebert & Voss, *C.*

*parviflora* Raf., *Ternatea ternatea* (L.) Kuntze, *T. vulgaris* Kunth )

Tihama foothills, Wadi Zabid, J. Bura', J. Rayma, J. Milhan, Haraz, Aden & Taiz

As ornamental.

*Crotalaria aegyptiaca* Benth. (8)

(syn. *C. wissmannii* O. Schwartz )

Rare: Marib, Nihim, Ataq-Nisab, Hadhramaut .

*Crotalaria deflersii* Schweinf. (8)

J. Raymah, Wussab Assafel, Haraz.

*Crotalaria dumosa* Franch.

Obove al Arshah ( Hadhramaut ).

*Crotalaria emarginella* Vatke. (8)

(syn. *C. laxa* Franch., *C. nogalensis* Chiov., *C. rathjensiana* O. Schwartz.).

Tihama, Haraz, Bani Manssur, Sanaa plain, Manakha, Hajjah, Hadhramaut.

*Crotalaria hirta* Willd. (8)

Rare: Haraz.

Crotalaria impressa Nees. (8)

(syn. *C. astragalina* Hochst.).

Haraz.

Crotalaria incana L.

(syn. *Chrysocalyx schimperi* A. Rich., *C. affinis* DC., *C. cubensis* DC., *C. cytisifolia* Steud., *C. diffusa* Vell., *C. eriocaula* S. Schauer, *C. herbacea* Schrank, *C. hirta* Lag., *C. montana* A. Rich., *C. picensis* Phil., *C. pubescens* Moench, *C. pubesens* Moench, *C. radiata* Merr., *C. schimperi* A. Rich., *C. setifera* DC., *Lupinus rotundifolius* Sessé & Moc.)

subsp. *incana*. (8)

Tihama, Taiz.

subsp. *purpurascens* (Lam.) Milne-Redh. (8)

Al U'deyn, Ba'adan, J. Sumara.

Crotalaria juncea L. (3)

(syn. *Crotalaria benghalensis* Lam., *C. fenestrata* Sims, *C. ferestrata* Sims, *C. porrecta* Wall., *C. sericea* Willd., *C. tenuifolia* Roxb., *C. viminea* Wall.)

Crotalaria leptocarpa Balf.f. @

(syn. *C. dubia* Balf.f.)

Soqotra, Abdul Kuri Island.

Crotalaria microphylla Vahl. (8) فجاج

Tihama.

Crotalaria natalitia Meissn. subsp. *rutshuruensis* De Willd. (8)

Rare: Bani Saad, J. Raymah, Bani Saad, J. Milhan.

Crotalaria oocarpa Bak. subsp. *microcarpa* Milne-Redh. (8)

J. Milhan.

Crotalaria persica (Burm.) Merr @

Hadhramaut, Shabwa, Al Mahara

Crotalaria pteropoda Balf.f. (2)

Soqotra.

Crotalaria plowdenii Bak. (8)

Rare: Ibb, J. Hubaysh.

Crotalaria pycnostachya Benth. (8)

Sanaa, Manakha.

Crotalaria quartiniana A.Rich. (8)

(syn. *C. azaisii* Sacleux, *C. platycalyx* Baker )

J. Milhan.

Crotalaria retusa L. (8) جلجل

(syn. *C.cuneifolia* (Forssk.) Schrank, *C. hostmannii* Steud., *C. retusa* L. var. *maritima* Trimen, *C. retusifolia* Stokes, *Dolichos cuneifolius* Forssk., *Lupinus cochinchinensis* Lour.)

Tihama & foothills, Western mountains, Hadhramaut , al Mahara, Soqotra.

Crotalaria saltiana Andr. ( Lock, J.M. & Simpson, K. (1991)

(syn. *C. argyraea* Franch., *C. farcta* Baker f., *C. franchetii* Baker f., *C. lupinoides* Benth.).

Al Mualla, al Qallua (Aden), Hadhramaut .

Crotalaria senegalensis (Pers.)Bach ex DC. (8)

(syn. *Crotalaria maxillaris* sensu auct., *C. shamvaensis* sensu Torre, *C. uncinella* Lam. var. *senegalensis* Pers.)

Rare: Tihama e.g. Beit al Faqih.

Crotalaria socotrana (Balf.f.) Thulin \* @

(syn. *Priotropis socotrana* Balf.f.)

Soqotra

Crotalaria spinosa Hochst. ex Benth. @

Taiz, J. Milhan, Haraz, Shihara, Ibb, Al U'deyn, Jiblah, Soqotra.

Crotalaria squamigera Defler. \* @ صريصاح

Dhubhan (At Turbah), Al Ahkum and Al a'aruq, (Al Hujariya), Tha'bat (J. Saber), J. Sawraq (NE of Taiz).

Crotalaria strigulosa Balf.f. \* @ مسحاب

(syn. *C. abdelkuriensis* Vierh., *C. kuriensis* Vierh., *C. schweinfurthii* Vierh.)  
Hagher (Soqotra).

Cullen corylifolium (L.) Medik. (in Bothalia 13: 317-25, 1981)

(syn. *C. corylifolia* (L.) Medik., *Psoralea corylifolia* L., *Psoralea patersoniae* Schonl., *Trifolium unifolium* Forssk., *Lotodes corylifolia* (L.) Kuntze,)  
Taiz, al Qaeda, Soqotra

Cyamopsis tetragonoloba (L.) Traub. الفاصولياء العنقودية (8)

(syn. *Cyamopsis psoraloides* (Lam.) DC., *C. psoraloides* (Lam.) DC.,  
*Cyanopsis tetragonoloba* (L.) Taub., *Dolichos fabaeformis* L'Hér., *Dolichos fabiformis* L'Hér., *D. psoraloides* Lam., *Lopinus trifoliolatus* Cav., *Lupinus trifoliolatus* Cav., *Psoralea tetragonoloba* L.)

Rare: Cultivated in Tihama & Hadhramaut .

Desmodium gangeticum (L.) DC. (8) ( Lock, J.M. & Simpson, K. (1991)

(syn. *Aeschynomene gangetica* Poir., *A. maculata* Poir., *A. maculata* (L.) Poir.,  
*Desmodium cavaleriei* H. Lev., *D. gangeticum* (L.) DC. var. *maculatum* (L.) Baker, *D. lanceolatum* Walp., *D. maculatum* (L.) DC., *D. natalitium* Sond., *D. polygonoides* Baker, *Hedysarum collinum* Roxb., *H. gangeticum* L., *H. lanceolatum* Schum. & Thonn., *H. maculatum* L., *H. ochroleucum* Moench, *H. pseudogangeticum* Miq., *Meibomia gangetica* (L.) Kuntze, *M. polygonodes* (Baker) Kuntze, *Pleurolobus gangeticus* J. St.-Hil., *P. maculatus* J. St.-Hil.)

Tihama foothills, al Mahabisha, Haraz.

Desmodium ospriostreblum Steud. ex Chiov. (8)

(syn. *Anarthrosyne abyssinica* A. Rich., *Meibomia abyssinica* (A. Rich.) Schindl.)

Rare: Al U'deyn, Huf: Al Mahara.

Desmodium triflorum (L.) DC. ( Lock, J.M. & Simpson, K. (1991)

(syn. *Aeschynomene triflora* Poir., *Desmodium albiflorum* Cordem., *D. bullamense* G. Don, *D. caespitosum* Bojer, *D. granulatum* Walp. *D. stipulaceum* Burm. F., *D. triflorum*. var. *adpressum* Ohwji, *Hedysarum granulatum* Schum., *H. granulatum* Schum. & Thonn., *H. stipulaceum* Burm. F., *H. triflorum* L., *Hippocrepis humilis* Blanco, *Meibomia triflora* (L.) Kuntze, *Nicolsonia reptans* Hook. f. & Benth., *Nicolsonia triflora* Griseb., *Pleurolobus triflorus* J. St.-Hil., *Sagotia triflora* (L.) Duchass. & Walp.)

Al H'adiyyah-Naamah (J. Rayma), Soqotra (8)

Dolichos sericeus E.Mey. subsp. formosus (A.Rich.) Verdc. (5)

Jiblah, Dhisufal.

Dolichos trilobus L. (8)

At Turbah, (Taiz), J. Sumara, J. Marran (Khawlan Ashsham), Ibb, Dhsufal, west of Yarim.

Eriosema longipedunculatum A.Rich. var. *hirsutum* Verdc. @

Mutheikhira, W of Dhisufal, J. Ayfu, J. Qarad, J. Raymah.

Erythrina melanacantha Taub. ex Harms. (2)

Soqotra.

Flemingia grahamiana Wight & Arn.. (8) ورس

(syn. *Eriosema erythrocarpum* Beck, *Moghania grahamiana* (Wight & Arn.)

*Kuntze, M. rhodocarpa* (Baker) Hauman, *M. rhodocarpa* (Baker) Hauman var.  
*hockii* (De Wild.) Hauman, ≡ *Flemingia rhodocarpa* Baker).

Rare: J. Ayfu (al Hujariyah), Dhubhan, Al H'adiyyah.

Galactia tenuiflora (Willd.)Wight & Arn.

var. *biflora* Schweinf. (8)

Rare: J. Bura'.

var. *villosa* (Wigh & Arn.)Benth. (8)

Rare: J. Rayma., J. Bura'.

Gliricidia sepium (Jaeq)Steud.

Introduced : AREA experimental farm, Taiz.

Hylodesmum repandum (Vahl) H. Ohashi & R.R. Mill ( Lock, J.M. & Simpson, K. (1991)

(syn. *Aeschynomene remota* Poir., *Anarthrosyne scalpe* Klotzsch, *Desmodium aparine* Chiov., *D. caffrum* Eckl. & Zeyh., *D. remotum* (Poir.) Drake, *D. repandum* (Vahl) DC., *D. scalpe* DC., *D. strangulatum* Wight & Arn., *Hedysarum ignescens* Miq., *H. repandum* Vahl, *H. scalpe* DC., *Meibomia repanda* (Vahl) Kuntze, *M. scalpe* (DC.) Kuntze, *Papilionopsis stylidoides* Steenis, *P. repandum* (Vahl) Y.C. Yang & P.H. Huang)

Al H'adiyyah & Kusmah (J. Rayma), J. Milhan, Haraz, al Mahwit, J. Ba'adan-J. Manar.

Indigastrum costatum subsp. *gonioides* (Hochst. ex Baker) Schr.(in Willdenowia 34: 159-182, 2004)

(syn. *I. costata* Guill. & Perr., *I. costata* Guill. & Perr. subsp. *gonioides* (Bak.)

Gillett *I. gonioides* Hochst., *Indigastrum macrostachyum* Jaub. & Spach )

Highlands, J. Al Arays, Huf.

Indigofera amorphoides Jaub. & Spach. (8)

(syn. *Indigofera alta* Schweinf.)

Sanaa, Sa'dah, Huth, Damt.

Indigofera arabica Jaub. & Spach. @ زهرة المرعى

Widespread e.g. Tihama foothills, Taiz, Dhamar, Ibb, Sanaa, Jahran, Al Mahara.

Indigofera argentea Burm.f. @ دريدة

(syn. *I. burmanni* Boiss.).

Tihama, Ras Emran Island (Aden), Hadhramaut, Soqotra.

Indigofera arrecta Hochst. ex A.Rich. (8)

Ibb, W. Dhahr, Mashwarah, Dhisufal, J. Sumara, Yarim-Al Makhader road.

Indigofera articulata Gouan. (8) حورور، شخص

Tihama foothills, Taiz, Aden, Lahj, Abyen, Wussab, Madinat Ashsharq, Bani

Hareth, Harf Sufyan, Nihim, Hadhramaut, Soqotra.

Indigofera atriceps Hook. subsp. *kaessneri* (Bak.f.)Gillett. (8)

J. Milhan.

Indigofera brevicalyx Bak.f. (8)

J. Shibam, Manakha, Al U'deyn, Shaharah.

Indigofera coerulea Roxb

var. *occidentalis*. @

Tihama, Taiz, Sa'dah, E. Manakh, Abyen, Hadhramaut . Soqotra.

var. *coerulea* Roxb.

- Soqotra  
Indigofera colutea (Burm.f.)Merr. (8)  
(*syn. I. viscosa Lam.*).  
Tihama foothills, Al U'deyn, Soqotra.  
Indigofera cordifolia Heyne ex Roth. (2)  
Soqotra.  
Indigofera deflersii E.G.Baker (3)  
J. Al Arays (Abyan)  
Indigofera eremophila Thulin (in Nord. J. Bot. 15(5): 519-522,1995)  
Al Rayan-Al Mukalla (Hadhramaut)  
Indigofera hochstetteri Baker (8)  
(*syn. I. anabaptista Steud.*).  
Widespread e.g. Tihama & foothills, western mountains, Abyen,Yafea, Soqotra.  
Indigofera linifolia (L.f.) Retz. @  
Rare: Tihama foothills, Taiz, J. Rayma.  
Indigofera marmorata Balf.f. \* (2) زیدیرو  
Soqotra  
Indigofera nephrocarpa Balf.f. @ زیدیرو  
Soqotra, Abdul Kuri Island  
Indigofera nephrocarpoides J.B.Gillett. \* @ زیدیرو  
Ras Fartak (Hadhramaut ), Soqotra.  
Indigofera nugalensis Thulin (2) زیدیرا  
Soqotra  
Indigofera oblongifolia Forssk. @ حسدر  
(*syn. I. desmodioides E.G.Baker., I. Paucifolia Delile*).  
Widespread e.g. Tihama, Taiz, Abyen, Shuqra, Hadhramaut, Soqotra.  
Indigofera parviflora Wight & Arn. @  
Taiz, al Udatn, Wussab, Rihab, Mukhadir, al muhwit.  
Indigofera parvula Del. (3) This name has been incorrectly used to refer to *Indigofera spicata*  
Hadhramaut  
Indigofera phillipsiae Bak.f. (8)  
Highlands e.g. Sanaa, Radaa, Nihim, Abyen, Raydah, Shahara, Sa'dah.  
Indigofera pseudointericata Gillett. @ زیدیرو  
Soqotra  
Indigofera rubromarginata Thulin \*\* (in Nor. J. Bot. 15(15): 519-522 (1995)  
J. Al Arays (Abyen), Sayhut-Al Qishn (Al Mahara), N of Ar Rayn, and E of Al  
Mukalla (Hadhramaut)  
Indigofera schimperi Jaub. & Spach. (8)  
Tihama foothills, Taiz, Khamis Bani Saad.  
Indigofera sedgewickiana Vatke & Hildebr. Thulin, Ghebrehiwet & Gifri 9253  
Lahj, Yafea  
Indigofera semitrijuga Forssk. (8) حصار، صرح  
Alluhayyah, Abyen, Shabwa, Hadhramaut .  
Indigofera sessiliflora DC. (8)  
(*syn. I. tribuloides Boiss., I. trigonelloides sensu Baker*)  
Rare: Tihama.  
Indigofera socotrana Vierh. \* (2) زیدیرو  
(*syn. I. gerardiana Graham*)  
Soqotra

Indigofera spicata Forssk. (8)

(syn. *I. endecaphylla* Jacq.).

S. of Taiz, J. Milhan, al Qa'idah, Sanaa, Wussab Assafel.

Indigofera spiniflora Hochst. & Steud. ex Boiss. (8)

Tihama, al Barh (w of Taiz), Aden, Madinat Ashsharq, Hajjah , Soqotra.

Indigofera spinosa Forssk. حل، حلية، قصار، زرب، كندش، صُيّب @

Widespread:

Indigofera tinctoria L. تفحر، حور، حورور @

Tihama & foothills, madinat Ashsharq, Hajjah, low altitude, al Kod (Abyen), Soqotra.

Indigofera trita L.f.

(syn. *I. spachii* Bak.).

var. maffei (Chiov.) Ali. (8)

Tihama foothills, J. Rayma, Haraz.

var. scabra (Roth) Ali. (8)

Ibb, Al U'deyn, Rada', Hajjah, J. Ashsharq.

Indigofera volkensii Taub. ( ref. Thulin, M. et al in press)

Abyen near Jahin

Lablab purpureus (L.)Sweet. كشت (Lock, J.M. & Simpson, K. (1991)

(syn. *L. vulgaris* Savi, *Dolichos lablab* L., *Lablab vulgaris* (L.) Savi,, *L. niger*

Medik. *Dolichos benghalensis* Jacq.)

subsp. purpureus. @

Cultivated in Tihama & foothills e.g. J. Milhan, Haraz, Hadhramaut .

Lathyrus pratensis L.V. (8)

(syn. *Orobus pratensis* )

Rare: J. Sumara.

Lathyrus sativus L. (8) الجبان المزروع

(syn. *L. asiaticus* (Zalkind) Kudr., *L. sativas* L., *L. sativus* subsp. *asiaticus*

Zalkind)

V. rare: Cultivated.

Lens culinaris Medic. (8) بلسن، عدس

(syn. *L. esculenta* Moench., *Ervum lens* L.).

Cultivated in highlands.

Lotononis platycarpos (Viv.) Pichi-Sarm. (5)

(syn. *L. leobordea* (Del.)Benth.).

Al Boun.

Lotus arabicus L. (2)

Manakha

Lotus corniculatus L. (8)

(syn. *L. ambiguus* Spreng., *L. arvensis* Pers., *L. balticus* Miniaev, *L. carpetanus* Lacaita, *L. major* Scop.)

Highlands e.g. Wadi As Sudan (S of Ibb), al Qaadah, Wadi Rakhwah (Khawlan Ashsham).

Lotus garcinii DC. (2)

(syn. *L. stocksii* Boiss.)

Soqotra.

Lotus mollis Balf.f. \* كسس (2)

Soqota

Lotus ononopsis Balf.f. \* كسس

- Soqotra
- Lotus quinatus (Forssk.) Gillent (8)  
(*syn. Dorycnium quinatum (Forssk.) C.Cht.*, *L. brachycarpus var. menachensis Schweinf.*).  
J. Saber, J. Habashi, Yerim, Sanaa, Muthaikhira, Yarim, J. Sumara, Hajjah , Kuhlan, Khawlan Ashsham.
- Lotus schimperi Steud. (8)  
(*syn. L. glinoides L.*)  
Soqotra, Abdul Kuri Island.
- Macrotyloma axillare (E.Mey.) Verdc. (8)  
Western mountains e.g. J. Raymah, Kusumah.
- Medicago laciniata All. @ صاريصورو، دش  
Firmihin (Soqotra).
- Medicago lupulina L. (8)  
J. Saber, J. Sumara, W of Yerim, ♀S of Mashwara, J. Annabi Shua'ib, Assada.
- Medicago minima (L.) Bartal. (@, 8 )  
Rare: J. Shibam, Kawkaban, Manakha, al Muhwit, Firmihin (Soqotra).
- Medicago polymorpha L. @  
(*syn. M. hispida Gaertn.*, *M. denticulate Wild*, *M. hispida var. denticulate (Wlild.) Engl.*).  
J. Saber, Ibb, Kuhlan, Soqotra.
- Medicago sativa L. @ قصب، برسيم  
(*syn. M. grandiflora (Grossh.) Vassilcz.*, *Medicago ladak Vassilcz.*) (Yakovlev, G. et al 1996)  
var. erecto Schweinf.  
Cultivated: Dhamar, Hadhramaut .
- Melilotus alba Medic. @  
Tihama, Taiz, Dhamar, Sanaa, Shibam, Manakha, Yerim.
- Melilotus indica (L.) All. (8)  
(*syn. M. parviflora Desf.*).  
Tihama foothills, Soqotra.
- Melilotus officinalis (L.) Pall. (8)  
Rare: Ibb, Al U'deyn, Huth, J. Ta'aker, Maswera.
- Microcharis disjuncta (Gillett) Schrire ( ref. Thulin, M. et al 2001)  
(*syn. Indigofera disjuncta var. fallax J.B. Gillett*, *I. disjuncta J.B. Gillett*)  
Qishen-Sayhut (al Mahara), Soqotra.
- Microcharis tritooides (Baker) Schrire (in Bothalia 22: 165-70, 1992)  
(*syn. Indigofera tritooides Bak.*) (8)  
Rare: Tihama e.g. Hays, J.Raas.
- Mucuna pruriens (L.) DC. (8)  
(*syn. Dolichos pruriens L.*, *Mucuna axillaris Baker*)  
Rare : J. Rayma
- Neonotonia wightii (Wight & Arn.) Lackey. subsp. wightii (8)  
(*syn. Glycine wightii (Wight & Arn.) Verdc.*, *G. javanica L.*).  
Tihama foothills, J. Habashi (Taiz), J. Razih, Ibb.
- Onobrychis ptolemaica (Del.) DC. (8)  
V. rare: Mayfiyah (Dhamar-Radaa).
- Ononis reclinata L. (8)  
Obove Al H'adiyyah, J. Rayma.

- Paracalyx balfourii (Vierh.)Ali \* (2)  
(syn. *Cylista balfourii* Vierh., *C. scariosa* Roxb., *P. schweinfurthii* (Wagner & Vierh.) Ali, *Cylista schweinfurthii* Wagner & Vierh.).  
Soqotra.
- Phaseolus vulgaris L. @ فاصوليا  
(syn. *P. communis* Pritzl, *P. compressus* DC., *P. esculentus* Salisb., *P. nanus* L. & Jusl.)  
Cultivated.
- Pisum sativum L. subsp. *pumilio* Meikle. @ عتر  
(syn. *Lathyrus oleraceus* Lam., *Pisum vulgare* Jundz.)  
Cultivated in highlands.
- Ptycholobium plicatum (Oliv.)Harms. subsp. *arabicum* Brumm. (8)  
Rare: Al H'adiyyah, Hajjah , al mahabisha.
- Rhynchosia buramensis Hutch. & Bruce. (8)  
Ibb-Suq Assabt.
- Rhynchosia flava (Forssk.)Thulin. \* (in Nordic J. Bot. 1(1):37-42 (1981)  
(syn. *Ononis flava* Forssk.)  
J. Habashi (Taiz), J. Ash Sharq, J. Marran, Jibla, between Annajd al Ahmer and J. Ta'aker, S of J. A'yfu (SW Ibb)', Madinat Ashsharq,
- Rhynchosia malacophylla (Spreng.) Boj. @  
(syn. *R. flavissima* Hochst., *R. sennaarensis* Hochst. ex Schweinf.).  
Tihama foothills, Taiz, Rayda, Khawlan Ashsham.
- Rhynchosia memnonia (Del.)DC. دجرة كاذب، دجير (8)  
(syn. *R. minima* var. *memnonia* (Del.)Cooke).  
Tihama, Taiz, Maaber, Manakha, Aden, Abyen, Shibam, Huth, Shuqra, Hadharamout.
- Rhynchosia minima (L.) DC. @ دجيرة  
Tihama, W. of Taiz, Soqotra.  
var. *prostrata* (Harv.) Meikle. (8) إقليلت  
J. Ba'adan, Dhamar.
- Rhynchosia oblatifoliolata Vedc. (8)  
Rare: Bab al Ahjar.
- Rhynchosia pulverulenta Stocks. (8)  
Rare: W. Qassab (Haraz), Soqotra.
- Rhynchosia schimperi (Hochst. & Steud.)Boiss. (8)  
(syn. *R. cliffordii* Hutch. & E.A.Bruce )  
Rare: Tihama e.g. Bagel, Bayt al Faqih, al Marawiaa.
- Rhynchosia sublobata (Schumach.) Meikle. (8)  
(syn. *R. viscosa* DC.).  
Rare: W. Hawayat (Hajjah ylah).
- Rhynchosia totta (Thunb.)DC. (8)  
(syn. *R. pilosa* (E.Mey.) Steud., *R. paniculata* (E.Mey.) Steud., *Dolicholus totta* (Thunb.) Kuntze  
Western mountains.
- Rhynchosia variegata (Deflers)Wood. (8)  
(syn. *R. mensensis* Schweinf., *Vigna variegata* Deflers.)  
J. Rayma, J. Razeh, Ibb, Al U'deyn, Assayani, Ashshawaet', Kuhlan, Attawilah.
- Sesbania concolor Gillett. (3) (in Kew Bull. 17: 91-159, 1963)  
Introduced.

Sesbania grandiflora (L.) Poir. سيسبان هندي @

Introduced. gardens, villages and road sides in Tihama, Taiz, Aden.

Sesbania leptocarpa DC. (8) ومر

(syn. *S. arabica* Hochst, *S. mossambicensis* Klotzsch, *S. mossambicensis* Klotzsch  
*subsp. minimiflora* J.B.Gillett).

Tihama, Taiz.

Sesbania pachycarpa DC. (8)

Near Ibb.

Sesbania sesban (L.) Merrill. سيسبان هندي @

(syn. *S. punctata* DC., *Sesban aegyptiaca* Poir., *Coronilla sesban* Willd.)

Introduced: gardens and road sides in Taiz, Ibb, Aden, Abyen.

Sesbania speciosa Jaub. سيسبان هندي @

(syn. *Sesbania pubescens* DC. var. *grandiflora* Vatke)

Introduced: Cultivated in Aden

Stylosanthes fruticosa (Retz.) Alston (8)

(syn. *Arachis fruticosa* Retz., *S. flavicans* Baker, *S. mucronata* Willd.).

Haraz, al Mahwit.

Styphnolobium japonicum (L.) Schott (Lock, J. & Heald, 1994)

(syn. *Sophora japonica* L. ) (8)

Introduced: Cultivated as ornamental in Sanaa.

Taverniera aegyptiaca Boiss. (1)

Hadhramaut .

Taverniera albida Thulin. \* (4)

Rare: W. Mefaa w of al Mukalla

Taverniera glauca Edgeworth. \* (1)

Aden, Hadhramaut .

Taverniera lappacea (Forssk.)DC. (8)

(syn. *Hedysarum lappaceum* Forssk , *T. stefaninii* Chiov.) (Thulin, M., 1985)

V. rare: Alluhayyah, Ashihr.

Taverniera multinoda Thulin. (3)

Hadhramaut

Taverniera schimperi Jaub. & Spach. (4)

Around Aden & Hadhramaut

Taverniera sericophylla Balf.f. \* (2)

Soqotra.

Taverniera spartea (Burm.f.)DC. (3)

(syn. *Hedysarum Spartium* Burm., *Taverniera gonoclada* Jaub. & Spach, *T. incana* Boiss.) (Thulin, M., 1985).

Tephrosia apollinea (Del.) DC.

(syn. *T. apollinea* var. *brevistipulata* Vierh. (2,5)

Harib, Soqotra.

حضرير، عفرس(3)

Hadhramaut , Ataq

Tephrosia desertorum Scheele ?? (5) { doubtful record} ?

Bayt al Faqih

Tephrosia dura Baker @ بعور

J. Gedu: Shabwa, wadi Masht'it' and wadi A'dem(Hadhramaut)

Tephrosia elata Deflers. (8)

(syn. *T. bequaertii* De Wild.) ( Gillett, J.B. et al. (1971)

Ibb, Sa'dah, J. Ashsharq, J. Rayma, Mutheikhira, J. Milhan, Haraz.  
Tephrosia hadramautica Thulin \* (in Nor. J. Bot. 14: 487-489 (1994)

NE of ArRayan (Hadhramaut)  
Tephrosia mahrana Thulin \* (im Nord. J. Bot. 24: 513-517).

W of Al Ghaydah  
Tephrosia nubica (Boiss.)Baker.

(*syn. T. pogonostigma Boiss.*)  
subsp. *arabica* (Boiss.)Gillett . (8)  
Harib, Al Jawf, Hadhramaut .  
subsp. *nubica*. (8)

Tihama & foothills, J. Bura', Aden, Abyen.

Tephrosia odorata Balf.f. \* @ طهور

Firmihin (Soqotra).

Tephrosia pentaphylla (Roxb.)G.Don. (8)  
Rare: J. Bura', J. Rayma, Al U'deyn, al Mahabisha.

Tephrosia pumila (Lam.)Pers. (8)

Widespread: Adhabab, J. Marran, Khawlan Ashahm.

Tephrosia purpurea (L.)Pers. سناف

subsp. *aff. dunensis* Brumm. (8)  
Tihama.

subsp. *leptostachya* (DC.)Brumm. @  
(*syn.T. leptostachya DC.*).  
Baytal Faqih, al Mansuriyyah, Aden, Tihama, Al U'deyn, Abyen, Hadhramaut , Soqotra.

Tephrosia quartiniana Cufod. (8)

(*syn. T. vicioides A.Rich.*).  
Bayt al Faqih, Abyen, Al Mahara.,

Tephrosia schweinfurthii Defl @

(*syn. T. heterophylla Varke. T. simplicifolia Franch.*).  
Widespread e.g. Taiz, At Turbah, Sa'dah, al Qa'idah, Huth, Shabwa, Hadhramaut

Tephrosia socotrana Thulin \* (2)

Soqotra  
Tephrosia strigosa (Dalz.) Santa. & Mahes. @  
Soqotra.

Tephrosia subtriflora Hochst. ex Baker. ( 8)

(*syn. T. lathyroides Guill. & Perr.*)  
Tihama, al Hujariyah, S. of Zabid, Hadhramaut , Soqotra.

Tephrosia uniflora Pers.

(*syn. T. anthylloides Hochst.*).  
subsp. *petrosa* Gillett & Ali. (8)  
Aden, Al H'adiyyah.  
subsp. *uniflora*. @  
Tihama, Taiz-Hagdah, Aden, Haraz, Soqotra.

Tephrosia villosa (L.)Pers.

subsp. *ehrenbergiana* (Schweinf.)Brumm. (8)  
J. Marran in Khawlan Ashsham.

Teramnus labialis (L.f.) Spreng.

subsp. *arabicus* Verdc. (8)  
Rare: J. Bura', J. Raymah,, J. Milhan. Haraz.

- subsp. *labialis* ( @, 8 )
- Taiz, Ibb, J. Razeh.
- Teramnus repens* (Taub.) E.G. Baker. subsp. *gracilis* (Chiov.) Verdc. (8)  
Rare: Al Mishrafa, Al H'adiyyah, J. Rayma, Wadi Sharis, Huf, Soqotra.
- Trifolium fragiferum* L. @  
Dhamar, J. Annabi Shua'ib.
- Trifolium semipilosum* Fresen. @  
J. Saber, Dhamar, Jiblah, J. Ta'aker, Sumara, NW of Al Mahwit, J. Annabi  
Shua'ib, Khawlan Ashsham.
- Trigonella anguina* Del. (8)  
Huth.
- Trigonella falcata* Balf.f. \* (2)  
Soqotra.
- Trigonella foenum-graecum* L. @ لبنة  
(syn. *Trigonella tibetana* (Alef.) Vassilcz.)  
Highlands e.g. J. Saber, W. Dhahr.
- Trigonella hamosa* L. (8)  
Majz.
- Vatovaea pseudolablab* (Harma) Gillett. ( ref. Thulin, M. et al in press)  
Al Mahara
- Vermifrux abyssinicum* (A.Rich.)Gillett. @  
(syn. *Helminthocarpon abyssinicum* A.Rich.).  
Amran, J. Sumara, Yarim, Assada, Ba'dan, w of Sanaa, Bani Mater, Assada,  
Hajjah .
- Vicia faba L. @ فول  
(syn. *Vicia vulgaris* Gray, *Vicia esculenta* Salisb., *Faba bona* Medik.)  
Cultivated in highlands.
- Vicia sativa L. var. *augustifolia* L. (8)  
Rare: J. Saber, J. Qaradh, Jiblah, Ibb, Wuaab al Ali, Kusuma, J. Shibam,  
Manakha, al Mahwit.
- Vicia villosa* L. subsp. *eriocarpa* (Hausskn.)P.W.Ball. (8)  
Rare: J. Saber, Kusmah, J. Rayma, al Hayma Addakhiliyah.
- Vigna aconitifolia (Jacq.) Marechal @ قطن، فاصولياء الموت  
(syn. *Phaseolus aconitifolius* Jacq.).  
Cultivated in Tihama.
- Vigna heterophylla A. Rich. (8)  
Mashwarah (Ibb-Al U'deyn road).
- Vigna luteola (Jacq.) Benth. (8) لوبياء صفراوية  
Cultivated in al Misrakh (SW of Taiz), Soqotra.
- Vigna membranacea A. Rich. (2)  
Soqotra.
- Vigna radiata (L.) Wilezek (8) كشري، لوبياء شعاعية  
(syn. *Phaseolus mungo* L.).  
Cultivated in Tihama & foothills.  
var. *glabra* (Roxb.)Verdc. (8)  
Bayt Anna eem.
- Vigna unguiculata (L.) Walp. (8) دجر  
(syn. *V. sinensis* (L.)Endl., *V. catjang* Savi)  
subsp. *sesquipedalis* (L.)Verdc.

- Cultivated: Coastal areas.  
subsp. *Unguiculata* (8)
- Cultivated: Al U'deyn, Maswera  
*Vigna vexillata* (L.) A. Rich.  
var. *angustifolia* (Schumach. & Thonn.) Bak. (8)  
Rare: J. Milhan.  
var. *vexillata*. (8)  
Rare: J. Raymah, J. Bura', J. Milhan, Khawlan Ashsham.
- Zornia glochidiata* Reichb. Ex DC. @  
(syn. *Z. diphylla* Pers.).  
Above Darho (Soqotra).
- Zygocarpum coeruleum* (Balf.f.) Thulin & Lavin \* حمهر (*Thulin, 2001*)  
(syn. *Ornocarpum caeruleum* Balf.f.)  
Soqotra.
- Zygocarpum dhofarensense* (Hillc. & Gillett) \*\* ثعقمخن (@ *Thulin, 2001*)  
(syn. *Ornocarpum dhofarensense* Hille. & Gillett).  
Huf (al Mahara)
- Zygocarpum yemenense* (Gillett) Thulin & Lavin \* رهض، إر هض، حمرور، شقر (@ *Thulin, 2001*)  
(syn. *Ornocarpum yemenense* Gillett. *O. bibracteatum* E.G.Baker)  
Western & southern mountains, Tihama foothills, Ad Dalil, Al Qafr, Al U'deyn,  
Lahj, Adhale', al Husha, Qa'taba.
- FLACOURTIACEAE**  
*Dovyalis abyssinica* (Rich.) Warburg @ مجلهش، إنجلهش  
(syn. *Aberia abyssinica* Clos.).  
Soqotra.
- Oncopa spinosa* Forssk. @ عنقب  
J. Bura', J. Rayma, Al U'deyn, Mutheikhira, Utuma.
- FRANKENIACEAE**  
*Frankenia pulverulenta* L. (2)  
Rare: Qaa Busa & Qeschero (Soqotra).
- FUMARIACEAE**  
*Fumaria abyssinica* Hamm. (7,8)  
J. Bura', Manakha, Khawlan Ashsham.
- Fumaria parviflora* Lam. (7,8)  
High altitude mountains: J.Saber: Taiz.
- GENTIANACEAE**  
*Centaurium erythraea* Rafn. (8)  
Rare: Bawan, Khawlan Ashsham.
- Centaurium tenuiflorum* Fritsch (2)  
(syn. *Erythraea centaurium* Pers.)  
Soqotra.
- Enicostemma axillare* (Lam.) A.Raynal (in Willdenowia 32: 239-269, 2002)  
(syn *E. littorale* Blume., *E. verticillare* (Retz.) Baill. (8)  
Tihama & foothills, Taiz, Hadhramaut.
- Exacum affine* Balf.f. ex Rogel \* @  
(syn. *E. gracilipes* Balf.f.).  
Soqotra, Samha, Wadi Rabkhut (Al Mahara)..
- Exacum arabicum* Thulin \*\* (in Nord. J. Bot. 21(3): 243-247 (2001))

Ras Fartak, wadi Mougaib NW of Damqut, Uteq NE of Al Ayn (Al Mahara)

Exacum caeruleum Balf.f. \* @ عشرب

(syn. E. forbesii Balf.f.)

Soqotra

Exacum socotranum Balf.f.. \* (2)

Soqotra

Sebaea microphylla (Edgw.) Knobl. (8)

J. Hubaysh, Soqotra.

Sebaea pentandra E.Mey.

(syn. *S. barbeyiana Schinz*)

var. burchellii (Gilg.) Marais. (8)

Highlands e.g. Dhamar, W. Bana.

Swertia polynectaria (Forssk.) Asches. ex C.Chr. \*\* @

(syn. *S. decunbens Vahl*).

Highlands e.g. J. Sabir, J. Maswer, J. Alloz, J. Razeh.

Swertia woodii Shah. (8)

Ibb, J. Annab Shua'ib, J. Ta'ker, J. Maswer.

## GERANIACEAE

Erodium cicutarium (L.) L`Her. Ex Aiton @

(syn. *Geranium cicutarium L.*).

Highlands: Kitab-Assadah road, Yarim-Al Makhader road, Firmihin (Soqotra).

Erodium malacoides (L.) Willd. (8)

(syn. *Geranium malacoides L.*).

J. Saber (Taiz), near Baran Manakha, Sanaa.

Geranium arabicum Forssk. @

(syn. *G. sinense Hochst. ex A.Rich.*).

Widespread on highlands e.g. J. Saber, J. Sumara, Sanaa, Hajjah , Sadah-Khawlan, Jiblah, Mutheikhira, Baa'dan.

Geranium biuncinatum Kokwaro (8)

Central escarpment, near Shibam, J. An Nasira-Hajjah , Sa'dah, Soqotra.

Geranium mascatense Boiss. @

Taiz (Hadna road), Between Shibam & Kawkaban, Soqotra..

Geranium ocellatum Jacq. ex Cam. (8)

(syn. *G. muscatense Boiss.*).

Ibb, Sumara, Abyen, Shibam.

Geranium robertianum L. (8)

V. rare: highland e.g. Kusuma (Raymah), J. Maswer.

Geranium simense Hochst. ex A.Rich. (ref. Podlech, D. 1982).

W of Amran.

Geranium trilophum Boiss. (8)

(syn. *G. yemense Defl.*).

Central escarpment, Hajjah, Abyen, Soqotra.

Monsonia heliotropioides (Cav.) Boiss. (8)

Rare: Sa'dah, J. Manar, Maamer-Amran, DOVE company (Hadhramaut.)

Monsonia nivea (Decne.) Decne. ex Webb. (3,8)

Majz.

Pelargonium alchemilloides (L.) Ait. subsp multibracteatum (Hochst. ex A.Rich.) Kok. خبز الغراب.

(syn. *P. multibracteatum A.Rich.*).

Highlands e.g. Hajjah, Sumara, W of Yerim,W of Amran.

Flora of Yemen, Dr. Abdul Wali Al Khulaidi

Pelargonium hybridum (L.) L'Herit. (8)

Cultivated in Sanaa.

Pelargonium insularis Gibby & A.G.Mill \* (2)

Soqotra

### **GLOBULARIACEAE**

Poskea socotrana (Balf.f.) G.Taylor. \* (2)

(*syn. Cockbumia socotrana Balf.f.*).

Al Mahara: N Fartak Mts, S of Nishtun, Soqotra.

### **GOODENIACEAE**

Scaevola soqotraensis St. John (2)

Soqotra.

### **HALORAGACEAE**

Myriophyllum spicatum L. (8)

Rare: Kawkaban, near Amran.

### **HYACINTHACEAE**

Dipcadi balfourii Baker \* (2)

Soqotra

Dipcadi biflorum Ghazanfar \*\* (2)

Soqotra

Dipcadi guichardii Radcl.-Sm. \* (2)

Soqotra

Dipcadi kuriensis A.G.Mill \* (2)

Soqotra, Abdul Kuri Island

Dipcadi filifolium Baker. (8)

Very rare: J. Zalamlam (Al H'adiyyah), shibam-Kawkaban.

Dipcadi viride (L.) Moench. (8)

(*syn. D. tacazzeanum (Hochst.) E.G.Baker. D. Minimum Webb & berthelot, D. Erlangeri Dammer.*)

J. Saber, al Qaadah- Assayyani, J. Sumara, J. Raymah, J. Shibam, Manakha.  
Mafhaq.

Drima porphyrostachys (Baker) A.G.Mill \* (2)

(*syn. Urginea porphyrostachys Baker*)

Soqotra

Ledebouria aff. revoluta (L.f.) Jessop (2)

Soqotra

Ledebouria grandifolia (Balf.f.) D.Alex. & AG. Mill. \* (2)

(*syn. Haemanthus grandifoilius Balf.f.*)

Soqotra.

Ledebouria insularis A.G.Mill. \* (2)

Soqotra

### **HYDNORACEAE**

Hydnora johannis Becc. (7) طحوت

(*syn. H. abyssinica A.Br. ex Schweinf.*).

Parasitic on Acacia spp.: Taiz-At Turbah, Ibb, Bayt al Amir (Yarim), al Mahara.

### **HYDROCHARITACEAE**

Enhalus acoroides (L.f.) Rich. ex Steud. (8)

Al Makha, al Hudaydah.

Halophila ovalis (R.Br.) J.D. Hook. (8)

Al Hudaydah, al Makhah.

Halophila stipulacea (Forssk.) Aschere. (8)

(syn. *Zostera stipulacea* Forssk.)

Rare: al Makhah.

Lagarosiphon roxburghii Benth. (2)

(syn. *Nechamandra alterniflora* Thwaites)

Soqotra.

Thalassia hemprichii (Ehrenb.) Aschers. (8)

Rare: al Hudaydah.

### **HYPERICACEAE (GUTTIFERAE)**

Hypericum balfourii N.Robson \* صيرب @

Hagher (Soqotra).

Hypericum fieriense N.Robson. \* (in Bull. Br. Nat. His. (Bot.)23(2):68 (1993)

Hagher (Soqotra).

Hypericum quartinianum A.Rich. (8)

(syn. *H. affine* Steudel ex Oliver, *H. ulugurense* Engler)

Rare: J. Rayma above Al H'adiyyah.

Hypericum revolutum Vahl. subsp. revolutum . @ أبية

(syn. *H. kalmii* Forssk., *H. kalmianum* Vahl., *H. leucoptychodes* Steudel.)

J. Saber (Taiz), J. Rayma, Kuhlan, SW Jibla, J. Ta'aker.

Hypericum scopulorum Balf.f. \* شيرب @

Soqotra.

Hypericum socotranum Good \* (2)

subsp. smithii N.Robson (in Bull. Br. Nat. His. (Bot.)12(4):194 (1985)

Hammerdoh (Soqotra).

subsp. socotranum. (بنشي @, 2)

Qalansiyah (Soqotra).

Hypericum tortuosum Blf.f. \* (2)

Soqotra

### **HYPOXIDACEAE**

Hypoxis angustifolia Lam. (8)

(syn. *H. luzuloides* Robyns & Tournay)

Rare: Al U'deyn, J. Ba'adan, Ibb, Tihama foothills, Soqotra.

Hypoxis villosa L.f. (8)

J. Numan.

### **IRIDACEAE**

Babiana socotrana Balf.f. \* (2)

Soqotra.

Gladiolus candidus (Rendle) Goldblatt (in Willdenowia 32: 239-269, 2002) بيطار

(syn. *Acidanthera laxiflora* Baker., *G. ukambanensis* (Baker) Marais)

Huf (Al Mahara)

Gladiolus dalenii Van Geal. (8)

(syn. *G. natalensis* (Ecklon.) Reinw. ex Hook.f.).

At Turbah, J. Eraf, Kitab, Ibb, J. Milhan..

Iris albicans Lange. @ زرنيق، أيجر

J. Saber, J. Sumara, Yerim, Kitab, Shibam, Mutheikhira, Dhisufal, Manakha,

Shibam, Wussab, Kusuma, Ba'adan.

Romulea fischeri Pax. (8)

Rare: Highlands e.g. J. Saber, J. Ta'aker, Kusumah, Soqotra.

## JUGLANDACEAE

*Juglans regia* L. @ جوز

Cultivated in Haddah ( Sanaa)

## JUNCACEAE

*Juncus acutus* L. (3) سمار، أسل

Manakha, eastern mountains.

*Juncus articulatus* L. (5)

Dhisufal.

*Juncus bufonius* L. (8)

Sanafan, Khawlan Ashsham, Soqotra.

*Juncus fontanesii* J.Gay. subsp. *pyramidalis* (Lah.)Snog. (8)

Al Qaadah, Manakha, W. Dhahr.

*Juncus inflexus* L. (@, 8)

Highlands e.g. Waalan, Dhamar, Yerim, al Hada.

*Juncus punctarius* L. (@, 8)

Highlands e.g. At Turbah, Sa'dah, Nihim.

*Juncus rigidus* Desf. @ إشالة، إشيلة (سقطرى)

(syn. *J. arabicus* (Asch. & Busch. ex Boiss) Adams, *J. maritimus* var. *arabicus* Lam.).

Sa'dah, Soqotra, Gheil Omar (Hadharamaut).

*Juncus sparganiifolius* Boiss. & Kotschy. (5)

Dhisufal.

*Juncus socotranus* (Buch.)Snog. \*\* (8)

(syn. *J. maritimus* Lamk. var. *socotranus* Lam.).

N of Radaa, Al Haradha (Hammam Damt), Waalan Dhamar, Soqotra.

## LAMIACEAE (LABIATAE)

*Ajuga bracteosa* Wall ex Benth. (8)

Widespread in highland e.g. Dhisufal, Ibb, Al U'deyn.

*Becium filamentosum* (Forssk.) Chiov. @

(syn. *Ocimum eu-filamentosum* Schwein, *O. filamentosum* Forssk.).

Tihama foothills, Taiz, al Baydah, Nihm, Lahj , Adhale' .

*Becium obovatum* (E.Mey.) N.E.Br. (8) أسل

Ibb- Udayn, al Siyani, Sumara, Dhamar.

*Endostemon gracilis* (Benth.) M.Ashby (8)

(syn. *Orthosiphon melhanensis* Schweinf.).

Rare: J. Milhan, J. Bura' , J. Raymah.

*Endostemon tenuiflorus* (Benth.) Ashby. (8)

(syn. *Orthosiphon tenuiflorus* Benth.).

Tihama foothills, Taiz, Al Udeyn, Lahj , Adhale' , Soqotra.

*Endostemon tereticaulis* (Poir.) M.Ashby. (8)

Rare: Tihama foothills, Medium altitude mountains, W. Assukhnah, J. Mirran, al Mahabishah,

*Hyptis pectinata* (L.) Poit. (8)

Rare: J. Bura' , J. Milhan, Haraz, J. Marran, J. Azzan (Ba'adan).

*Isoleucas arabica* Schwartz \* (4)

E of Sayhut, W of Qishin (Al Mahara)

*Lamium amplexicaule* L. (8)

Rare: J. Saber, J. Manar, Bawaan.

*Lavandula angustifolia* Miller (8)

- (*syn. L. vera DC.*).  
Introduced: cultivated.
- Lavandula atriplicifolia Benth. @ هلال  
(*syn. L. canescens Deflers*).  
Highlands e.g. J. Saber, Dhamar, Yasleh pass, Qa Bakil, Khawlan  
Ashsham, Wussab al Ali, J. Raymah, SW of Maaber, near Sanaa, J. Nuqum,  
Sa'ada.
- Lavandula citriodora A. Miller. \*\* (In Notes RBG Edinb. 42(3): 524 (1985)  
Highlands e.g. Yesleh pass, S and E of Sanaa, Shahara, Khawlan Ashsham,  
Haddah, J. Allowz, Yafea.
- Lavandula cronopifolia Poir. (8)  
(*syn. L. stricta Del.*).  
Highlands e.g. Hajjah , Radaa, Sanaa-Marib road, S of Sa'dah, Khawwan  
Ashsham, Damt, Shaharah, Al Kharf – Sa'dah road, al Maraqisha, J. Al Araes  
(Abyen), Ar Rayan-Sayun road.
- Lavandula dentata L. (8)  
(*syn. L. santoliniaeefolia Spach*)  
Highlands e.g. Khawlan Ashsham, Yasleh pass, Sa'da, J. Maswer.
- Lavandula dhofarensis A. Miller. \*\* (In Notes RBG Edinb. 42(3): 510(1985)  
J. Shahrut (Al Mahara)
- Lavandula macra E.G.Baker. ( in Kew Bull. 93:339 (1984)  
Musaymir (Lahj ), Near al Mukalla, Kor Seyban, wadi Himem, wadi Daua'n,  
Sayun-al Mukalla (Hadramaut).
- Lavandula nimmoi Benth. \* @ صورك، سرک  
(*syn. L. bipinnata Kuntz var. nimmoi (Bentham)Kuntze*)  
Soqotra.
- Lavandula pubescens Decne. @ فاحطة، دفار، حلف الجمل، سنبل، فحبح  
Widespread e.g. Taiz, Yarim, Dhamar, Sanaa, Huth, SE of Rad'a, Sanaa, wadi  
Dhahr, Sanaa-Al Hudeydhah road, E of Manakha, Shaharah, Raydah, NW of Aden,  
Adhale',  
SE of Radaa, NE of Sanaa, Yerim, Lawdar.
- Lavandula setifera T.Anderson. (in J. Linn. Soc., Suppl. 5:29 (1860)  
(*syn. L. hipinnata Kuntze*).  
Near Aden, above Qashin.
- Lavandula subnuda Benth. \*\* (1) كناعة، عطانة، وتبة  
(*syn. L. bipinnata Kuntze & subnuda*)  
Hadramaut .
- Leucas alba (Forssk.)Sebald. \*\* @ شقب  
(*syn. L. royleoides (Benth.)Guer, Ballota forskahlei Benth. Lasiocorys arabica Jaub. & Spach.*).  
Taiz-Mauia road, J. Habashi (Taiz), Tihama foothills, Dhi Sufal, Al Udeyn, Al  
Husha, Damt, Qa'tabah, Ad Dhale', Al Hus'ein, Jihaf, Al A'zareq.
- Leucas dhofarensis Hedge & Sebald. \*\* ( in Not. RBG Edin. Vol. 40(1)63: 1982)  
Jadib-Damqaut (al Mahara)
- Leucas flagellifolia (Balf.f.) Guerke \* @ إشفطهن  
(*syn. Lasiocorys flagellifera Balf.f.*).  
Soqotra, Samha.
- Leucas glabrata (Vahl) R.Br. @ شقب، نبيت  
(*syn. L. glaberrima Jaub. & Spach, L. trachyphylla Jaub. & Spach.*).

- J. Bura', Taiz, Ibb, Sanaa, Manakha, Lahj , Adhale' .  
Leucas hagghierensis Gifri & Cortes-Burns \* (2)  
Soqotra  
Leucas inflata Benth. (8)  
(syn. *Physoleucas inflata* (Benth.) Jaub & Spach.).  
Al Hujariyah, J. Nuqum.Dhamar, Qaatabah, Khawlan Ashsham, Raydah,  
Russabah, Shiharah, Abyen, Lahj, J. Ged (Shabwa) .  
Leucas kischenensis (A.R.Smith) Sebald \* @  
(syn. *L. thymoides* Baker *L. thymoides* subsp. *kischenensis* (A.R.Smith) Sebald).  
Firmihin (Soqotra).  
Leucas martinicensis (Jacq.) R.Br. @ طامر هن (سقطرى)  
Al Hujariyah, Damt, Ibb, Hajjah , Soqotra.  
Leucas neuflizeana Courb. (2)  
Soqotra.  
Leucas penduliflora Gifri & Cortes-Burns \* (2)  
Soqotra  
Leucas samhaensis Cortes-Burns & A.G.Mill \* (2)  
Samha.  
Leucas spiculifolia (Balf.f.) Guerke. \* @ (in Englера 28: 57-77, 2006  
(syn. *Lasiocorys spiculifera* Balf.f., *L. spicata* R.Br.).  
Soqotra.  
Leucas urticaefolia (Vahl) R.Br. @  
Tihama foothills, Taiz, Highlands, Lawdar (Abyen), Al Mahara, Soqotra.  
Leucas virgata Balf.f. \* @ صعل هون  
Soqotra.  
Marrubium vulgare L. (8) حشيشة الكلب  
Highlands e.g. Qa Jahran, Sanafan, Haddah.  
Mentha longifolia (L.)Huds. @ حبق، نعوض  
(syn. *M. sylvestris* L.)  
subsp. *schimperi* (Briq.)Briq.  
Taiz, Assayani, Dhisufal.  
Meriandra bengalensis (Hamilt.) Benth. @ ضرو  
Highlands e.g. Dhamar, Sumara, Damt, Khawlan Ashsham, Yasleh, Qaa Jahran.  
Micromeria abyssinica Benth. (8)  
(syn. *Satureja abyssinica* (Benth.) Briq)  
J. Saber, J. Raymah, J. Milhan, al Hayma al Kharijiyah.  
Micromeria imbricata (Forssk.) Christ. @ شجر الشاي  
(syn. *M. biflora* Benth., *M. punctata* Benth., *Satureja biflora* (Buch.-Ham. ex  
D.Don)Briq.).  
Widespread on highlands e.g. J. Saber, Assayani, J. Ta'ker, Ibb, Al U'deyn,  
Mashwarah, Arrabadi, Dhisufal, Ashawaet', Ba'dan, Kitab, W. of Sanaa, Sumara,  
Yerim, Qaa Jahran. Hajjah, Manakha, Huth, Raydah, Jihaf, Qa'tabah, Ashue'ib,  
Al Husha, Yafea, Shabwa.  
Micromeria remota Balf.f. \* (2)  
(syn. *M. microphylla* Benth., *M. microphylla* var. *imbricata* Balf.f., *Satureja*  
*remota* (Balf.f.) Vierh.)  
Soqotra, Samha.  
Nepeta deflersiana (Schweinf. ex ) Hedge. \*\* ( in Not. RBG Edin. Vol. 40(1)65: 1982)  
مسكرة الادم، مكررة الادم، فروق، شقر النوب، فراش قمل

- (*syn. N. rugosa Benth.*).  
Widespread: J. Saber, al Akahilah (NE At Turbah), His'n Hab, Ba'dan, Sanaa, Hajjah, J.Sumara, J. Ta'ker, Dhamar,Yerim, Manakha, J. Razeh (W of Sa'dah).  
*Nepeta woodiana* Hedge. \* ( in Not. RBG Edin. Vol. 40(1)67: 1982)  
J. Sumara- J. Manar NE Ibb.  
*Ocimum dhofarens* (Sebald) Paton \*\* @ هودم  
(*syn. Becium dhofarens* (E.G.Baker)Sebald.  
Al Mahara.  
*Ocimum basilicum* L. @ var. *purpurascens* Benth. ريحان، حبق  
Potherb: Taiz, Abyen, Adhale', Lahj .  
*Ocimum canum* L. (8)  
Al Mishrafah (W. Rimaa).  
*Ocimum gratissimum* L. (8)  
(*syn.O. viride Willd.*).  
W. Assukhnah.  
*Ocimum forskolei* Benth. حبقي، عنيصرة، حبق، ضومر، شقر ، عضة فاطمة، شقر فاطمة @  
(*syn. O. gratissimum Forssk.*, *O. hadiense Forssk.*, *O. menthifolium Hochst. ex Benth.*).  
Widespread e.g. Tihama foothills, Taiz, Hajjah, Shara'b, J. Habashi, Al Barh, Al Hujariyah, Assayani, Al Qafr, Al U'deyn, Dhisufal, Russabah, Sanaa, Dhamar, Lahj, Manakha, Haddah, Qa'tabah, Demt, Ashue'ib, Juban, Al Hussein, Adadale', Al Husha, Jihaf, al Azareq, Soqotra.  
*Ocimum serpyllifolium* Forssk. @  
(*syn. Becium serpyllifolium* (Forssk.)Wood. (8).  
Highlands e.g. J. Sawraq (NE Taiz), J. Sumara, Wadi Khabesh (Utuma).  
*Ocimum spicatum* Defl. (8)  
(*syn. O. cylindrostachys Schweinf.*.).  
Al Hujariyah, J. Bura', Madinat Ashsharq, al Mahabishah.  
*Ocimum suava* Willd. (8)  
W. adhabab, Al U'deyn, Utuma, Haraz.  
*Ocimum tenuiflorum* L. @ قرنفل  
(*syn. O. sanctum L.*)  
Cultivated in Tihama foothills.  
*Origanum majorana* L. @ أزاب  
Cultivated as potherb.  
*Orthosiphon brachystemon* Defl. \* (4)  
Rare: J. al Arays  
*Orthosiphon ferrugineus* Balf.f. \* @  
Soqotra  
*Orthosiphon pallidus* ex Benth. Royle. \*\* (8)  
Tihama & foothills, Maqbanah, Wussab, Soqotra.  
*Orthosiphon thymiflorus* (Ruth.)Sleesee @  
(*syn. O. glabratus Benth.*).  
Tihama foothills, Taiz, al Mahabishah.  
*Otostegia fruticosa* (Forssk.) شقب  
subsp. *fruticosa* (@ , 8 )  
(*syn. O. repanda Benth.*, *O. scariosa Benth.*).  
Widespread: J. Saber, Dhamar, Yesleh, Sanaa, Adhale', Abyen, Hadhramaut .  
subsp. *schimperi* (Benth) Sebald

- (*syn. O. arabica* Jaub. & Spach., *O. benthamiana* Jaub. & Spach., *O. microphylla* (Del.) Aschers. & Schweing.).  
Abyen, Shabwa, Hadhramaut, Al Mahara.
- Otostegia integrifolia* (R.Br.) Benth. (3)  
NW Al Mukalla
- Plectranthus amboinicus* (Lour.) Spreng. (8) **وعلة**  
Cultivated in J. Bura', J. Milhan, J. Marran.
- Plectranthus arabicus* Bruce. \* (8)  
(*syn. Ocimum zatarhendi* Forssk.).  
Widespread: Tihama foothills, Hajdah, Maqbanah, medium altitude mountains, Bani Umar (Al Hujariyah), As Sayani, Demt, Qa'tabah, Jihaf, Al Mahabisha (NW Hajjah).
- Plectranthus asirensis* J.R.I. Wood. \*\* (8)  
(*syn. Coleus arabicus* Benth.).  
J. Saber, At Turbah, Sanaa, Al Mahwit: between Rujm and At Tawilah, Hajjah: Kuhlan, Wadi La'ah and between Bayt A'dhaqah and J. Sharafayn, Sa'dah: J. Razeh, J. Marran and J. Minmar.
- Plectranthus barbatus* Andr. (8) **بيدة**  
(*syn. Coleus barbatus* (Andr.) Benth.).  
Highlands e.g. ibb, Jiblah, Sumara.
- Plectranthus cicaticosus* (Huth. & E.A.Bruce) Wood. (8)  
Very rare: Maghreb Ans.
- Plectranthus coerulescens* (Guerke) Willemse. @  
Al Hujariyah (Taiz).
- Plectranthus cylindraceus* Hochst. ex Benth. @  
Widespread from low to highlands e.g. At Turbah, Sanafan, al Baydhah.
- Plectranthus hadiensis* (Forssk.) Schweinf. Ex Sprenger. @ **مدن**  
J. Saber, al Hujariyah, J. Sawraq, al Misrakh, Al H'adiyyah.
- Plectranthus hyemalis* J.R.I. Wood. \* @ **عضرب**  
Saql, Al Ahkum and between Yusafin and Al Qabayt'ah (Al Hujariya ⊙, Demt, Sanaa, Juban, Ashue'ib, Al Husha, J. Gedu (Shabwa), Kor Seiban (Hadhramaut).
- Plectranthus ignarius* (Schweinf.) Agnew (8)  
(*syn. Coleus ignarius* Schweinf.).  
Rare: Khamis Bani Saad.
- Plectranthus lanuginosus* (Hochst. Ex Benth.) Agnew. (8)  
Highlands e.g. Al Hujariyah (al Akahilah), J. Maswer.
- Plectranthus ovatus* Benth. \* @  
Highlands e.g. J.A'yfua, Ba'adan, J. Ta'ker, Muthaykhirah, J. Khadra, Mashwara.
- Plectranthus socotranus* A.R.Smith. \* @ **طفرع**  
Soqotra
- Plectranthus tenuiflorus* (Vatke) Agnew. (8) **مدن**  
(*syn. Coleus zatarhendi* (Forssk.) Benth.).  
Tihama foothills, Taiz, western mountains.
- Salvia aegyptiaca* L. @  
Highlands e.g. Al Hujariyah, Yerim, Qafr, al Baydhah, Hajjah, Haraz, al Mahwit, Sa'dah.
- Salvia areysiana* Defl. \* (4)  
Al Maraqisha and J. Al Arays (Abyen),
- Salvia merjamie* Forssk. @ **صمصاص، ريحان البقر، ضرو**

(*syn. S. nudicaulis Vahl.*).

Highlands e.g. J. Saber, At Turbah, Annajd Al Ahmer, Dhamar, Yerim, Sanaa, Hajjah .

*Salvia nilotica* Jacq. (8)

Rare: J. Milhan, al Mahwit, Al H'adiyyah.

*Salvia schimperi* Benth. (8) خزامة

Highlands e.g. Dhamar, w of Yarim, Manakha, Khawlan Ashsham, al Baydhah.

*Scutellaria rubicunda* Hornem. subsp. *arabica* (Jaub. & Spach.) Podl. (in Mitt. Bot. München 18:422(1982)

Ba'dan, Ashshawaet', Jibla, Hajjah, Shibam, w of Amran, SW Sanaa, J. Sumara, Manakha, J. Ta'aker.

*Solenostemon latifolius* (Hochst. ex Benth.) J.R.Morton. (8)

(*syn. Coleus latifolius Hochst. ex Benth.*).

Rare: Ibb. Al U'deyn, Al H'adiyyah.

*Stachys yemenensis* Hedge. \*\*. (in Not. RBG Edin. Vol. 40(1)71: 1982) بيض، شحاح

Widespread: Taiz eg. J. Saber, Al Akahila, Al Qabeit'a, J. Sawraq, Najd

Dhamaran and At Turbah J. Maswer, J. A'yban, J. Nuqum, J. A Lawz, Jiblah,

Yerim-Iryan, W of Sanaa, Wadi Bana, Qa al Haql, J. Sumara, W of Yarim, E of Kitab, Yarim-Al makhader road, J. Nuqum, Yasleh, Sanaa-al Hudaydah, J.

Nuqum, Maula Matar (Hadramaut).

*Teucrium balfourii* Vierh. \* @

(*syn. T. prostratum Balf.f.*).

Soqotra.

*Teucrium eximum* Schwartz. \* (4)

Hadhramaut .

*Teucrium leucocladum* Boiss. (ref. the herbar. of al Kod, Acsad, 1986) ?? Doubtful record

Arrayyan-Sayun road (Hadhramaut )

*Teucrium rhodocalyx* Schwartz \*

Hadhramaut

*Teucrium nummularifolium* Baker. \*\* (4)

(*Syn. Teucrium paulayanum Schwartz.*) (4)

Al Mahara.

*Teucrium rhodocalyx* Schwartz. \* شيبة عجوز (4)

Hadhramaut .

*Teucrium sokotranum* Vierh. \* @ فجهن

(*syn. T. petiolare Balf.f., T. petiolare var. pubescens Balf.f.* ).

Soqotra

*Teucrium yemense* Defle. \*\* @ خودس، مبيض

At Turbah, Al Qabeta & Jabel Eraf (Taiz), Yarim, J. Sumara, Dhamar, Yeslih, Sanaa, Manakha, Hajjah, Madinat Ashsharq, Shaharah, Kuhlan Affar, Yafea, Abyen, Juban, Demt, Qa'taba, Adhale', Al Azareq, Ashue'ib.

*Thymus laevigatus* Vahl. \*\* @ زعتر، صعتر

(*syn. T. serpyllum L.*)

Widespread: J. Sumara, J. Ta'ker, W of Yerim, Ibb, Al U'deyn, Ibb-Al U'deyn road, SW Jibla, J. Maswer, Mutheikhira, Ar Rabadi, NW Dhisufal, Ashshawaet', Ba'dan, Assada, Kitab, Hajjah, Raydah, Madaq (Khawlan Ashsham), between Haydan and Saqayn (Sa'dah), Yerim, J. Nuqum, J. Annabi Shua'ib, Attawilah ,

## LAURAICEAE

*Cassytha filiformis* L. (8),@ فشعة، تسام

(syn. *Volutella aphylla* Forssk.).

Coastal areas, centeral escarpment, J. Bura'.

### LEMNACEAE

Lemna qibba L. @ بلسمة

Highlands e.g. Assinah (s of Taiz), Shibam, Kitab.

Lemna minor L. (8)

Yerim, Madinat Ashsharq, Wadi Shalalah.

Lemna perpusilla Torrey. (8)

Tihama foothills, J. Rayma, Huf (Al MAhara).

### LENTIBULARIACEAE

Utricularia australis R.Br. (8)

(syn. *U. neglecta* Lehm.)

Rare : W. Bana near Arribat

Urticularia striatula Sm. @

Soqatra.

### LILIACEAE

Albuca abyssinica Jacq. @

(syn. *A. nemorosa* Chiov. *Scilla petitiana* A. Rich.)

Taiz, Al U'deyn, J. Ta'aker, J. Gedu (Shabwa).

Allium cepa L. @ بصل

Cultivated.

Allium porrum L. @ كرات

Cultivated.

Allium sativum L. @ ثوم

Cultivated.

Bulbine abyssinica A.Rich. (8)

(syn. *B. asphodeloides* (L.) J.A. & J.H.Schult.).

Ibb, Shiharah, Haraz, Kawkaban.

Chlorophytum tetraphyllum (L.) Bak, (8)

Ibb.

Chlorophytum tordense Chiov. (8)

At Turbah.

Kniphofia sumarae Defl. \* @ قشار البق، بصلة

J. Saber, J. Sumara, J. Ta'ker, Ba'adan, Jiblah, His'n Hab, Ar Rabadi, J. Qaradh,

Hubeish, Al Manar, SW Jibla.

Lilium candidum L. (8) رنج

Cultivated above Al H'adiyyah

Merendera schimperiana Hochst. (in Flora of Ethiopia & Eritrea, vol. 6, p. 208, 1997)

(syn. *M. abyssinica* A.Rich.) (8)

J. Saber, Al Akahilah (al Hujariyah), J. Maswer, J. Ta'aker.

Scilla hyacinthina (Roth) Alston @ ثوم الرباح

(syn. *S. indica* Baker, *S. yemensis* Deflers, *S. sickenbergeri* Defler.).

Al Hujeriya, , J. Habashi, J. Saber, Ibb, Dhisufal, Assayani, Al U'deyn,

Mashwara, Jibla, Ribat Al Qala', E of Yarim, Ussab al Ali, Al H'adiyyah, Soqota.

Trachyandra saltii (Bak.) Oberm. (8)

(syn. *Anthericum saltii* Bak.)

Rare: S. of Ibb, Mudhaykhirah.

Urginea indica (Roxb.) Kunth. (ref. The herbar. Of Aden Univer.)

Al Milah (N of Lahj ).

## LINACEAE

*Linum strictum* L. (8)

Rare: J. Bura', Kusumah, Raymah, Wussab al Ali, Sumarah, J. Qaradh, Ba'adan, Muthaykhira, J. Ta'aker, J. Al Arays (Abyen).

*Linum trigynum* L. (8)

(*syn. L. gallicum* L.).

Very rare: Highlands e.g. Shibam, Manakha, Wussab al Ali, Soqotra.

*Linum usitatissimum* L. (8) **عومه، كتان**

(*syn. L. humile* Mill., *L. brachyperalum* Schwartz).

Cultivated in highlands e.g. J. Saber.

*Linum volkensii* Engl. (8)

J. Milhan, J. Raymah, J. Masaar (Haraz).

## LOASACEAE

*Kissenia arabica* (1)

(*syn. K. spathulata* R.Br.).

Gold Mor (Aden), Aden – Ataq road

## LOGANIACEAE

*Buddleja polystachya* Fres. **غفار**

Dhisufal, Sumara, Dhamar, al Ahjor, Bani Mattar, Dhawran.

*Mitreola petiolata* (J.F.Gmel.) Torr. & Gray \*\* (in Willdenowia 32: 239-269, 2002)

(*syn. Cynoctomum mitreola* (L.) Britton)

Huf: Al Mahara.

*Nuxia congesta* R.B. ex Fresen. (@ **قطن**

Rare: J. Saber, Ibb, J. Manar, Ba'adan, Sumara, Raymah, Milhan.

*Nuxia oppositifolia* Hochst. (@ **رماح، عثرب، سواد**)

(*syn. N. dentata* R.Br.).

W. Warazan, W. Adhabab & al Ahkum, Wadi Ases (S.of Taiz), Utuma, Haraz, J. Bura', Milhan, J. Al Arays (Abyen).

## LORANTHACEAE

*Helixanthera thomsonii* (Sprague) Danser. (7,8)

(*syn. Loranthus thomsonii* Sprague.).

Very rare: on Commiphora spp.; Taiz.

*Oncocalyx doberae* (Schweinf.) A. Miller & Nyberg. \* (8)

(*syn. Loranthus doberae* Schweinf.).

Rarest & threatened: on Dobera & Tamarix; Al Khalifah (W of J. Bura'), Al Hajjaylah (E of J. Bura'), Wadi Yur.

*Oncocalyx schimperi* (Hochst. ex Rich.) Gilbert. (7,8)

(*syn. Loranthus schimperi* Hochst, *Odontella schimperi* (Hochst.)v.Tiegh.).

Widespread e.g. Arrahidah, Jiblah, Yesleh, Radaa.

*Phragmanthera austroarabica* Miller & Nyberg. \*\* (7) **كرد**

(*syn. Loranthus regularis* Steud. ex A.Rich., *L. rufescens* DC, *P. regularis* (Steud. ex A.Rich.)Balle.).

Widespread in medium altiti. & highlands e.g. Al Hujariyah, NW Dhamar, Udayn, Lahj, Adhale', Waalan.

*Plicosepalus acaciae* (Zucc.)Wiens & Polhill. (@ **هدل**

(*syn. Loranthus acaciae* Zuce., *L. arabicus* Deflers, *Tapinostemma acaciae* (Zucc.)Tiegh.).

Tihama, al Mafraq (W. of Taiz), At Turbah, al Qaadah, Ibb, Utuma, Adhale', Madiant Ashsharq, Huth, al Harf.

Plicosepalus curviflorus (Benth. ex Oliv.) Tiegh. (7,8)

(syn. *Loranthus curviflorus* Benth. *L. fauroti* Franch, *P. faurotii* (Franchet) Tiegh.).

Bagel, Taiz, Kamaran island, Radaa, Khawlan, Modia-Lawdar road(Abyen),  
Mayfaa-al Mukalla road (Hadhramaut ).

Tapinanthus globiferus (A.Rich.) Teighem. (7,8)

(syn. *Loranthus globiferus* A.Rich.).

Tihama foothills, al Hujariyah, al Mahabishah.

### LYTHRACEAE

Ammannia auriculata Willd. (8)

Rare: J. Milhan, J. Raymah.

Ammannia baccifera L. (8)

(syn. *A. attenuata* Hochst. ex A.Rich.).

Suq al Ahd (Wussab Assafel), Soqotra.

Ammannia multiflora Roxb. (2)

Soqotra.

Lawsonia inermis L. @ حنة

(syn. *L. alba* Lam.).

Taiz, Tihama and foothills, Aden.

Lythrum hyssopifolia L. (8)

Ba'adan, Dhi Assufal, Khawlan Ashsham, Soqotra.

Rotala ? serpicoidea Hiern. (8)

W. Adhabab (Taiz).

Woodfordia uniflora (A.Rich.) Koehne. (8)

J. Milhan, J. Bura', J. Raymah, Haraz, Shihara.

### MAGNOLIACEAE

Michelia champaca L. فل

Introduced, J. Saber, Haraz, J. Raymah.

### MALPIGHIAEAE

Acridocarpus socotranus Oliv. \* كرلة @

Killisan (Soqotra).

Caucanthus edulis Forssk. متن، قويع (8)

(syn. *Aspidopteryx yemensis* Defl.).

Hagdah (Taiz), Tihama foothills, Al Hujariyah, Al U'deyn, Raymah, Bura',  
Khamis bani Saad.

### MALVACEAE

Abelmoschus esculentus (L.) Moench. @ بامية

(syn. *Hibiscus esculentus* L.)

Cultivated :

Abutilon bidentatum Hochst. ex A.Rich. @ غير

(syn. *A. indicum* (L.) G.Don. ).

Tihama, Hagdah-Ramada (w of Taiz), Aden, Wadi Dhahr, Jiblah, Hajjah , Lahj ,  
Hadhramaut .

Abutilon fruticosum Guill. & Perr. @ عفار

Tihama foothills, Hagda (W of Taiz), Sanaa, Aden, Hadhramaut, Qa Jahran,  
Hizyaz, eastern plateau, Hadhramaut, Soqotra.

Abutilon hirtum (Lam.) Sweet. (8) عطيب

(syn. *A. figarianum* Webb, *A. graveolens* (DC.) Wight & Arn.).

Rare: Manakha, Sanaa, Madinat Ashsharq, Haraz, Soqotra.

- Abutilon longicuspe Hochst ex A. Rich. (8)  
Ibb, Ba'adan, Sumara, Sa'dah.
- Abutilon pannosum (Forrsk.) Schlechl. (1,8) عفار  
(*syn. A. muticum (Del.) Webb*).  
Tihama foothills, Harib, Aden, Abyen, Hadhramaut, Soqotra.
- Abutilon ramosum (Cav.) Guill & Perr. (8)  
Al Misrakh, Tihama, Shahara.
- Althaea ludwigii L. (5)  
Raydah, Dhamar.
- Althaea rosa Cav. @ الخطمية  
Introduced: Planted as ornamental.
- Cienfuegosia welshii (T. Abders.) Garcke. (1)  
Aden, Hadhramaut.
- Gossypium arboreum L. (8)  
(*syn. G. rubrum Forssk., G. arboreum var. Paradoxum, G. nanking Meyen*).  
Bani Umar, Tihama, Al H'adiyyah, Southern coastal area.
- Gossypium areysianum Defl. \* @ قطن بري  
(*syn. Fugosia areysiana Deflers.*)  
J. al Arays (Abyen), Adhal'e.
- Gossypium barbadense L. (2) قطن، إشيرة (سقطرى)  
Cultivated. Taiz, J. Saafan, Soqotra.
- Gossypium herbaceum L. (8) قطن  
Tihama.
- Gossypium hirsutum L. var. punctatum (Schum.) Hutch. (8) قطن  
(*syn. Gossypium punctatum Schwn. & Thonn.*).  
Cultivated: Sanaa.
- Gossypium incanum (Schwartz) Hillcoct. \* (4)  
(*syn. Cienfuegosia incana Schwartz*)  
Southern foothills, J. Gedo: Shabwa, al Mahara.
- Gossypium stocksii Masters (in Willdenowia 32: 239-269, 2002)  
Huf and J. Fartak (Al Mahara)
- Hibiscus aethiopicus L. (8)  
V. rare: J. Milhan, J. Rayma, Al H'adiyyah.
- Hibiscus aponeurus Sprague & Hutch. (8)  
Rare: Shiharah, al Mahabisha.
- Hibiscus cannabinus L. (8)  
Taiz, al Mishrafah, Kholan Ashsham, al Kod (Abyen).
- Hibiscus deflersii Schweinf. @ حنفان، خبز الرعيان  
Widespread: Tihama foothills, Taiz, Assayani, Al Qae'dah, Assayani,  
Mutheikhira, Baa'dan, Aden, Utumah, Dhamar, Hajjah, Yafea, Lahj, Adhale' .
- Hibiscus dioscorides A.G.Mill. \* (2)  
Soqotra
- Hibiscus diriffan A.G.Mill. \* (2)  
Soqotra
- Hibiscus dongolensis Del. (8)  
Low & medium altitude mountains.
- Hibiscus lobatus (Murr.) Kunte. (8)  
(*syn. H. solandra L'Her*)  
Al U'deyn, Soqotra.

- Hibiscus macropodus Wagner & Vierh. \* درفهن @  
Soqotra.
- Hibiscus malacophyllum Balf.f. \* (2)  
Soqotra.
- Hibiscus micranthus L.f. @  
Taiz, Manakha, Aden, Qa Jahran, Sanaa, Dhamar, Hadhramaut, Soqotra.
- Hibiscus modaticus Hochst. (2)  
Soqotra.
- Hibiscus noyii-tangere A.G.Mill \* (2)  
Soqotra
- Hibiscus ovalifolius (Forssk.) Vhl. (8)  
(syn. *H. calyphyllus* Cav.).  
Western mountains.
- Hibiscus palmatus Forssk. (8)  
(syn. *H. intermedius* A.Rich.).  
Tihama & foothills, Taiz, Soqotra.
- Hibiscus panduriformis Burm.f. (8)  
Tihama, Taiz.
- Hibiscus purpureus Forssk. (8)  
(syn. *H. meidiensis* Ulbr.).  
High & Medium mountains.
- Hibiscus rhabdotospermus Garche. (8)  
Maqbanah, Hagdah, Hagdah-Madrubah, wadi rusyan (Taiz).
- Hibiscus quattenensis A.G.Mill. & Thulin \* (2) @ درفهن  
Sheltred valley (Soqotra)
- Hibiscus sabdariffa L. (8) كركديه  
Cultivated in Hadhramaut.
- Hibiscus rosa-sinensis L. @  
Introduced: Cultivated as ornamental, Taiz, Sanaa.
- Hibiscus scindicus Stocks (2)  
Soqotra
- Hibiscus scotti Balf.f. \* درفهن @  
Soqotra.
- Hibiscus sidaeformis Baill. (8)  
(syn. *H. ternatus* Mast.)  
Hagdah, Wussab, Rihab, Hara, J. Attur, Soqotra, Hadhramaut
- Hibiscus socotranus G.LL.Lucas \* (2)  
Soqotra
- Hibiscus somaliensis Franch. (8)  
Rare: Huth, Radaa.
- Hibiscus stenanthus Balf.f. \* درفهن (2)  
Soqotra.
- Hibiscus trionum L. @ جبل الرايعي  
Taiz, J. Bura', Ibb.
- Hibiscus vitifolius L. @ شقر الحمار  
Widespread: Tihama foothills, Taiz, Dhamar, Al U'deyn, Sanaa, Adhale' e, Abyen, Yafea, Soqotra.
- Kosteletzkyia adoensis (A.Rich.) Mast. (8)  
Rare: Ibb- Suq Assabt.

Malva parviflora L. @ خبیزة، قاره، خبز العنصار، حرضة

Widespread e.g. Taiz, Ibb, Dhisufal, Dhamar, Harib, J. Annabi Shua'ib, Soqotra.

Malva pusilla Sm. ? (3) Doubtful record

(syn. *Malva rotundifolia* Wallr., *Malva crenata* Kit.,) (3)

Malva verticillata L. (8)

(syn. *Althaea crispa* Alef., *Malva abyssinica* A. Br., *Malva alchemillifolia*

Wallich, *Malva brevifolia* Gilib., *Malva crispa* (L.) L.,

Sanaa.

Malvastrum coromandelianum (L.)Garcke. (8)

Introduced: J. Bura'. J. Milhan.

Pavonia arabica Hochst. ex Boiss. @ عردهن (سقطرى)

S. of Zabid, Bani Omar (Taiz), al Faydh(Abyen), Soqotra.

Pavonia burchellii (DC.)R.A.Dyer. (8)

(syn. *p. kraussiana* Hochst.).

Sumarah, Kuhlan, Ba'adan, Dhisufal.

Pavonia flavo-ferruginea (Forssk.)Hepper & Wood. (8)

(syn. *P. glechomifolia* (A.Rich.)Garcke, *P. patens* (Andr.)Chiov.).

Hithran, Bani Umar .

Pavonia hildebrandtii Gurke ex Ulbr. (8)

W. Mour, SW Madinat Ashsharq, al Mahabisha.

Pavonia kotschyti Hochst ex Webb. (8)

Bayt al Faqih.

Pavonia somalensis Franch. (in Willdenowia 34: 159-182, 2004)

J. Al Arays (Abyen)

Pavonia subaphylla Schwartz. \* (1) ??

Rare : Hadhramaut

Pavonia triloba Guill & Perr. (8)

Rare: Tihama foothills, Al Barh, Abyen.

Senra incana (Cav.) DC. (8) سراء

Taiz, Tihama, Aden, Lahj , Ssirwah, Marib-fardah road, Abyen, Adhale', Yafea, Hadhramaut, Soqotra.

Sida acuta Burm.f. (2)

Soqotra

Sida alba L. @

(syn. *S. spinosa* L.)

Western mountains, Taiz, Abyen, Shuqra.

Sida cordata (Burm.f.) Borss. Waalk. (ref. Thulin, M. et al 2001)

(syn. *S. humilis* Willd.)

Jadib-Damqaut al Mahara, Soqotra.

Sida cordifolia L. (8)

Introduced: al Mahara, J. Rayma, Soqotra.

Sida rhombifolia L. (8)

Rare: High altitude mountains e.g. Ibb, Hadiya, J. Rayma.

Sida cordata (Burm.f.)Borss. (2)

(syn. *S. humilis* Willd.).

Soqotra.

Sida urens L. (8)

(syn. *S. ovata* Forssk., *S. grewoides* Guill & Perr., *S. subrotunda* Hochst.).

Tihama, Al misrakh (Taiz), Aden, Hajjah , Manakha, eastern mountains,  
Shaharah, Ibb, Al U'deyn, Rayda, W. Dhahr (NW of Sanaa), Soqotra.

Thespisia populnea (L.)Solander ex Correa. تفاح عدن (1)

Introduced: Cultivated as ornamental : Tihama, Taiz, Aden.

Wissadula rostrata (Schum.)Hook.f. (8)

(syn. *W. hernandiooides* (L. Herit.)Garcke).

J. Milhan, J. Rayma, Wussab Assafel, W. Mour.

## MARSILEACEAE

Marsilea aegyptiaca Willd. (8)

Tihama foothills, Radaa, W. Bana, Huth, Kawkaban, Sumara.

Marsilea coromandeliana Willd. (2)

Soqotra.

## MELIACEAE

Azadirachta indica (L.) Jass. مريمرة @

Introduced: Cultivated as ornamental.

Melia azedarach L. مريمرة

Introduced: Cultivated as ornamental.

Trichilia emetica Vahl. رفع @

(syn. *T. roka* (Forssk.) Chiov.).

Widespread: Tihama foothills, Western mountains, Al Hujeriya, Al U'deyn,  
Mashwara, Dhisufal, Al Qafr, .

Turraea holstii Gurke. (8)

J. Milhan.

Turraea parvifolia Defl. قميضة، فوقن، صلبة، خمري، بليس، متزير @

(syn. *T. somaliensis* Li & Chen, *T. lycioides* Baker)

Tihama foothills, Maqbanah, Hagdah, Taiz, Al U'deyn, Shabwa, Hadhramaut .

Turraea socotrana Styles & White. \* @

Soqotra.

## MELIANTHACEAE

Bersama abyssinica Fresen. (8)

J. Bura', J. Milhan.

## MENISPERMACEAE

Cocculus balfourii Schweinf. ex Balf.f. \*\* ( @ , 7 ) شمقطن، إرسب، دحتجر هن (

Low altitude mauntains, Soqotra, Ras Fartak (al Mahara).

Cocculus hirsutus (L.)Diels. (7,8)

(syn. *Cebatha villosus* DC., *C. villosa* (Lam.)C.Christ).

Tihama & foothills, Hajjah .

Cocculus pendulus (J.R. & G.Forst.) Diels. (7,8)

(syn. *C. cebatha* DC., *C. laeba* DC.).

Tihama & foothills, Lahj, Shabwa, Soqotra.

Stephania abyssinica (Dillon & A.Rich.)Walp. (7,8)

J. Qaradh, J. Ayfua ( Taiz), Al H'adiyyah, J. Milhan, J. Rayma.

Tinospora bakis (A.Rich.) Miers in Hook. (7)

Bayt al Faqih, al Manssuriyah (Tihama), Al-Mahra: Below Shahrut NW of  
Damqaut and Ibid.

## MIMOSACEAE

Acacia asak (Forssk.) Willd. عسق، ضهي @

(syn. *A. glaucocephala* Steud.).

- Widespread on medium altitude mountains e.g. Taiz, Adhale', Abyen, Lahj , Yafea, Madint Ashsharq.
- Acacia auriculiformis A.Cum. @  
Introduced cultivated at AREA experimental farm Ibb
- Acacia calcicola @  
Introduced cultivated at AREA experimental farm Taiz, Ibb
- Acacia campoptila Schweinf. \*\* @ سمر، سويل، سنط  
Marib, Radaa, Harib, Dhawran, Hadhramaut, Shabwa .
- Acacia cyanophylla Lindl. @ سنط  
Introduced.
- Acacia cyclops A.Cimm. ex G. @  
Introduced cultivated at AREA experimental farm Taiz, Ibb
- Acacia edgeworthii (T.) Anders. @ حُرْزَرْز  
(syn. *A. erythraea* Chiov., *A. humifusa* Chiov., *A. sultani* Chiov.).  
Aden, S. of Tihama, J. al Arays, Lahj, Soqotra.
- Acacia ehrenbergiana Hayne. @ سلم، سلام، سمر  
Tihama & foothills, western mountains, Sa'dah, Marib, Radaa, Harib, Abyen, Hadhramaut.
- Acacia etbaica Schweinf. @ قرض، صاب(حوف)  
subsp. etbaica.
- Majz  
subsp. uncinata Brenan  
Widespread: Taiz, al Qa'idah, Madinat Ashsharq, Huth-Harf Sufyan, east al Hada, Baedan, Lahj, Utuma, Wussab, N of Radaa, W. of Dhamar, Adhale', Huf al Mahara, J. Gedu (Shabwa).
- Acacia farnesiana Willd. (3)  
Introduced
- Acacia gerrardii Benth. @ طلح، سمر، سنط  
(syn. *A. pachyceras* O.Schwart, *A. iraquensis* Reu.).  
NE of Taiz, Al Qa'eda, Assayani, Dhamar, Sanaa, Sumara, Radaa, Ibb, al Baydha, Saada.
- Acacia hamulosa Benth. @ كداد، قداد، قطف  
S. of Tihama, E of Al Barh, Marib, Radaa, Tur. Aden, Lhji. al Jawf, Radaa, Shabwa, Hadhramaut .
- Acacia harala Thulin & Gifri \* حارالة \* (in Nor. J. Bot. 20(6): 691-696 (2000)  
Abyen, J. Gedu: Shabwa
- Acacia hunteri Oliv. (1) سمر، ظبة، ظهية، ظهي  
Lahj, Mozaa.
- Acacia johnwoodii Boulos \*\* ميل، طلح، سيل @  
(syn. *A. abyssinica* Hochst. ex Benth. var. *macroloba* Schweinf.)  
J. Bura', J. Milhan, al Mishrafah (W. Rimaa), Maqbanah & Sharab (Taiz).
- Acacia laeta R.Br. @ سمر، طلح  
Al Hujailah, Hagdah & Annashamah (Taiz), Aden, Radaa, al Mishrafa, Heys, Ataq-Nissab (Shabwa), Arrayyan-Sayun and w of Bawazir (Hadhramaut ).
- Acacia mahrana Thulin & Gifri \* (in Nor. J. Bot. 20(6): 691-696 (2000)  
Sayhut-Al Qishn (Al Mahara)
- Acacia mellifera (Vahl) Benth. @ ظبة، ضبيان، كداد، ظبين، كتر  
Tihama foothills, Taiz, Lauder, Abyen, Aden, Shibam, Hadhramaut, Al Mahara
- Acacia nilotica (L.) Willd. ex. Del. قرض، قراضن، سمر، عصدي، شببي، شبهه

- subsp. *indica* (Benth.) Brenan. @  
(syn. *A. arabica* (Lam) Willd, *Mimosa sejala* Forssk.).
- Taiz, Tihama, Aden, Lahj , Abyen, Lawder, Adhale', Soqotra .  
subsp. *kraussiana* (Benth.) Brenan. @  
Taiz, Aden, Radaa, Adhale', Damt, Utuma, Madinat Ashsharq.
- Acacia oerfota (Forssk.) Schweinf. @ عرفط، لعوت  
(syn. *A. nubica* Benth.).  
Tihama, n of Taiz, Jiblah, Aden, Marib , Radaa, Bani salam (w. of Maaber),  
Harib, Qa Bakil, Abyen, Lahj, Shibam, Hadhramaut, al Mahara.
- Acacia origena Wood. @ طلح، كهلب، طلح أبيض  
(syn. *A. negrii* Kong).  
High altitude areas ,e.g. J. Saber and At Turba, Ibb, Dhamar, Sanaa, Haraz,  
Shibam.
- Acacia pennivenia Schweinf. \* @ تمهر  
Soqotra.
- Acacia salicina Lindl @  
Introduced: planted as ornamental
- Acacia sarcophylla Chiov. @ حرر، حرجير  
Soqotra, Abdul Kuri Island.
- Acacia senegal (L.) Willd @ ثمور  
Al Maraqisha (Abyen), Huf al Mahara
- Acacia seyal Del. @ طلح، سيل، سمر  
Taiz, Shuqra, w. of Tareem, Tihama foothills, Wussab, Rihab, Huth.
- Acacia stenophylla A.Coun ex Benth. @  
Introduced: Cultivated: Aden
- Acacia tortilis (Forssk.) Hayne subsp. *tortilis* @ حراز، سمر  
Tihama, Tihama foothills, Hagda, Warazan & Bani Shayba (Taiz), Aden, Abyen,  
Lahj, Hadhramaut, al Mahara .
- Acacia yemenensis Bolous. \* @ حروض، حراز، يهسل، قرضراض، حبالة، عبال  
(syn. *Acacia hockii* Del Willd.)  
*Subsp. yemenensis*  
J. Saber, Al Janadyah, Al Hujariyah and Tha'bat (Taiz), N of Al Qai'da, J.  
Sumara, Ibb, Dhisufal, Assayani, Jiblah, J. Jihaf, Adhale',  
*Subsp. obtusifoliolata* Boulos  
J. An Nasira (Hajjah), Huth, Kuhlan, Shaharah, N of Raydah,  
Albizia lebbeck (L.) Benth. @ لبخ، ذقن الشيبة  
Introduced: planted as ornamental.
- Dichrostachys cinerea (L.) Wight & Arn جنزير، جزير، كشكش ، حوجم ، عطر  
(syn. *D. nutans* Benth., *Dichrostachys glomerata* (Forssk.) Hutch.).  
Tihama foothills, Western Low & Medium altitude mountains, Al Mahara , ,
- Dichrostachys dehiscens Balf.f. \* @ جنزير  
Soqotra
- Faidherbia albida (Delile) A.Chev. عول  
(syn. *Acacia albida* Del.)  
Rare: W of Dhamar, Qaa Shirah.
- Leucaena leucocephala (Lam.) Dewit. @ ليوسينا  
Introduced: planted as wind break, near houses and fields
- Pithecellobium dulce (Roxb.) Benth. @ ديمان  
Introduced: road sides, near houses and fields e.g. Taiz, Aden, Lahj , Abyen.

- Prosopis cineraria (L.) Druce. (1) سيسبان، قاف،  
(syn. *P. spicigera L.*, *P. spicata Burm.*)  
Khor Makser, Bir Ahmed (Aden), Hadhramaut .
- Prosopis farcta (Banks. & Sol.)Mc Bride. (1) نويعمة، سيسبان  
(syn. *P. stephaniana (Willd.)Spreng.*).  
Hadhramaut
- Prosopis juliflora (S.W.) DC. مسكيت، سيسبان @  
Introduced: planted as wind break and fence.e.g. Tihama, Aden, al Mukalla, Lahj,  
Shabwa, Soqotra.
- Prosopis tamarugo F.Phil. @  
Introduced: AREA experimental farm, Taiz.
- MORACEAE**
- Antiaris toxicaria Lescheu. طمبق، خلع @  
(syn. *A. challa (schweinf.)Engl.*, *Ficus challa Schweinf.*)  
subsp. *toxicaria* var. *africana* A.Chev.  
Rare: J. Bura', Haraz, H'adiyyah.
- Dorstenia barnimiana Schweinf. @  
(syn. *D. barnimiana Schweinf.* var. *ophioglossoides*)  
Shara'b & At Turbah (Taiz), Rihab, Al Qae'da, Assayani, Al U'deyn, Al Manar  
(Dhamar), Jiblah, Ibb – Al U'deyn road..
- Dorstenia foetida (Forssk.) Schweinf. & Engl. @ (8) كسار، فالقة الجوس  
(syn. *D. radiata Lam.*, *Kosaria foetida Forssk.*)  
var. *foetida*  
(syn. *D. arabica Hem.*).  
Tihama, Taiz, Shara'b, Al U'deyn, Lawdar (Abyen), J. Gedu (Shabwa), Qa'tabah.  
var. *obovata* (A.Rich.)Schweinf. & Endl.  
NW Dhamar.
- Dorstenia gigas Schweinf. ex Balf.f. \* @  
كرتب  
Soqotra.
- Dorstenia socotrana A.G.Miller. \* @  
كرتب  
Soqotra.
- Ficus carica L. @ بلس، تين  
Cultivated near houses and on fields (Sanaa, Taiz, Marib, Sa'dah, Dhamar, Lahj ).
- Ficus cordata L. subsp. *salicifolia* (Vahl) Berg. @ إثتاب، إثب، لشب  
(syn. *F. ambiguum Forssk.*, *F. salicifolia (vahl)Berg.* )  
Tihama foothills, Tihama plain, Taiz, Ibb, Hadhramaut , Lawder, Shabwa, Hajjah,  
al Mahara, Soqotra.
- Ficus exasperata Vahl. (7) حشرف  
(syn. *F. serrata Forssk.*).  
Assukhna, Al U'deyn, J. Milhan.
- Ficus glumosa Del. (8) مداع، ظلف، ذلف ، بدع، برع  
(syn. *F. glumosa Del. Var. glaberrima Martell.*)  
Bani Umar (Taiz), J. Bura', Dhisufal, al Mahwit, J. Milhan.
- Ficus ingens (Mig.) Mig. @ تين، ظرف، ظروف، ظلف، قسطنم، بداع  
(syn. *F. lutea Vahl.*, *F. ingentoides Hutch.* (8)).  
Ases (S Taiz), J. Bura', Maqbanah, Jiblah, al Gabalayn (Al U'deyn), Huf,  
Hadhramaut, J. Al Arays (Abyen).
- Ficus nitida @  
Introduced as ornamental.

Ficus palmata Forssk. subsp. palmate @ بلس بري، علس، تين بري

(syn. *F. morifolia* Forssk.)

Taiz, Madinat Ashsharq, Dhisufal, Ibb, J. Sumara, Yerim, Dhamar, Shibam, Adhale'.. Hadhramaut.

Ficus populifolia Vahl. @ مداح

Taiz, J. Bura', J. Milhan, Al Azareq, Lahj , Huf.

Ficus sur Forssk. @ سار، سر، سوري، خنسر

(syn. *F. capensis* Thunb., *sycomorus* sur (Forssk.) Miq.).

J. Saber, W of Jibla, Wadi Bana, Sumara, Baedan.

Ficus sycomorus L. @ خنس، سقم، إبره، غيطيط، خمع

(syn. *F. chanas* Forssk.)

Taiz, Adhale', Ibb, Lahj , Dhawran, Hajjah, J. Al Arayes, Abyen, Huf, al Mahara.

Ficus vasta Forssk. @ خصال، طلوق، تالوق، طلوق، طيق

Taiz, Manakha, Lauder, Hajjah , Jabel Bura', Adhale' , Abyen, , Huf al Mahara, Soqotra

Morus nigra L. @ توت

Cultivated. J. Saber, Sanaa.

## MORINGACEAE

Moringa oleifera Lam. (7) حديقة

(syn. *M. pterygosperma* Gaertn.).

Introduced: Cultivated in Tihama plain and foothills, Aden, Surdud, W. Rusyan.

Moringa peregrina (Forssk.) fiori. @ بان

(syn. *Hyperantha peregrina* Forssk., *M. aptera* Gaertn., *M. arabica* Pers.).

Taiz, Bayt al Faqih, Aden, Harib, Lahj, Dunaf Island (Aden), Shabwa: J.Gedu, wadi Dharwa, and wadi Ahmadh, Hadhramaut .

## MUSACEAE

Musa paradisiaca L. subsp. sapientum (L.) O. Ktze. @ موز

Cultivated: Tihama foothills, medium altitude.

## MYRICACEAE

Myrica humilis Cham. & Schle. @ ثوام

(syn. *M. salicifolia* Hochst. ex A. Rich.).

J. Saber, J. Habashi & al Akahila (Taiz), W of Dhisufal, W. Bana & Ba'adan (Ibb), Al Ahjor, Al Hayma al Kharijiyah.

## MYRSINACEAE

Maesa lanceolata Forssk. @ معص، معس، عرار

Taiz, Dhisufal, W. Bana, J. Bura', Al U'deyn, Dhisufal, Bae'dan, J. Milhan, Haraz, Manakha, Damt, al Ahjur.

Myrsine africana L. @ قتن، ثوام، شوحط، كتم، كتن

High mountain areas: J. Habashi, J. Saber, J. Bura', Samee', J. Razeh, Dhamar, Shibam, J. Ta'aker, Ba'adan, Amran-Kuhlan road, Soqotra.

## MYRTACEAE

Eucalyptus camaldulensis Dehn. @ كافور

Introduced; street, near houses & fields.

Eucalyptus globulus Labill. @ كافور

Introduced; streets

Eucalyptus gomphocephala A.DC. @

Introduced; cultivated at AREA experimental farm, Taiz .

Eucalyptus grandis Hill ex Maiden @

Introduced; cultivated at AREA experimental farm, Taiz & Ibb.

Eucalyptus marginata Sm. @

Introduced; Sanaa.

Eucalyptus microthera F.Muell. @

Introduced; cultivated at AREA experimental farm, Taiz & Ibb.

Eucalyptus occidentalis Endl. @

Introduced: street, near houses & fields.

Eucalyptus tereticornis Sm. @

Introduced: cultivated at AREA experimental farm, Taiz & Ibb.

Eucalyptus torquata Luehm. @

Introduced: street, near houses & fields.

Myrtus communis L. @ هدس، آس، مرسين

J. Saber, Qadas and Al Ahkum (Taiz), Bura', Yafee, J. Raymah, Haraz, Ukaybir  
(J. Milhan), Sanaa, Sa'dah.

Psidum guajava L. @ جوافة، زيتون

Cultivated.

Syzygium guineense (Willd.) DC. subsp. Guineense عصنم، عضلم.

Al Hujeriya, W of Dhisufal, Al Ahjur, Al U'deyn.

## NAJADACEAE

Najas graminea Del. (8)

Rare : Al H'adiyyah, Soqotra

Najas marina L. (2)

Soqotra

## NEURADACEAE

Neurada procumbens L. (7)

Southern coastal areas, Shabwa.

## NYCTAGINACEAE

Boerhavia diffusa L. @ (سقطرى) هدس، مداد، سطاح

(syn. *B. ascendens* Willd., *B. repens* L. var. *diffusa* L, *B. coccinea* Mill. , *B. diffusa* var. *viscosa* (Lag. & Rod)Heim. *Commicarpus coccinea* Mill. Lahj.).

Tihama, Taiz, Aden, Raymah, Sanaa, Lahj , Soqotra.

Boerhavia elegans Choisy.

subsp. *adenensis* Miller. \* (3)

Aden.

subsp. *elegans*. \*\* (7) حدوان

Around Aden, Lahj , Hadhramaut, Shabwa .

subsp. *stenophylla* (Boiss.)Miller سطاح، مداد .

(syn. *B. elegans* var. *stenophylla* Boiss)

J. Bura', Southern low altitude areas.

Boerhavia repens L. @ (رقطة، مداد، سطاح)

(syn. *B. diandra* L., *B. repens* L. var. *glabra* Choisy)

Taiz, Tihama & foothills, s of Zabid, Sanaa plain, Lahj , al Qaeda.

Bougainvillea spectabilis Willd. جهنمية

Introduced: Cultivated as ornamental

Commicarpus adenensis Miller. \* (7)

Aden.

Commicarpus ambiguus Meikle. (in Kew Bull. 38(3): 482(1982)

N of Sanaa, Saada, al Baydha.

Commicarpus arabicus Meikle. \* (7,8)

(syn. *Boerhavia plumbaginea* Cav. var. *forskalei* Schweinf.).

- At Turbah (Taiz), Saqayn, Dhamar, Haraz, Manakha.  
Commicarpus boissieri (Heimerl)Cuf. @ ررف، عي طفت، عيطفت  
(syn. *Boerhavia boissieri* Heimerl).  
Dhamar, al Mahara, Abdul Kuri , Samha.
- Commicarpus grandiflorus (A.Rich.)Standl. @ صدح، مكينة  
(syn. *Boerhavia grandiflora* A.Rich., *B. plumbaginea* Cav. var. *grandiflora* (A.Rich.)Schweinf.).  
Taiz, Dhisufal, Sanaa, Kuhlan Affar, Damt.
- Commicarpus heimerlii (Vierh.) Meike. \* عي طفت، عيطفت @  
(syn. *Boerhavia heimerlii*).  
Soqotra
- Commicarpus helenae (J.A.Scholtes)Meikle. @  
(syn. *Boerhavia helenae* Schultes, *Commicarpus stellatus* (Wight)Berhaut).  
Taiz, Tihama foothills, Sa'dah, Radaa, Lahj , Abyen, Soqotra, Abdul Kuri .
- Commicarpus mistus Thulin. (7,8)  
(syn. *Boerhavia. squarrosas* (Heimerl.)Stand., *Commicarpus squarrosus* (Heimer) standl.).  
Bani Umar (Taiz), al Bayda, Qaatabah, Damt, Hadhramaut .
- Commicarpus pedunculosus (A.Rich. )Cuf. ررف (7,8)  
(syn. *Boerhavia pedunculosa* A.Rich.).  
Dhamar, Sanaa plain, Lahj, Abyen, Qaa Bakil, Shibam.
- Commicarpus plumbagineus (Cav.)Standl. @ ررف، غرمل، حريدة حضراري ، رهب  
(syn. *Boerhavia dichotoma* Vahl. *B. plumbaginea* Cav. *B. plumbaginea* Cav. var. *dichotoma* (Vahl)Aschers. & Schweinf., *B. plumbaginea* Cav. var. *glabrata* Boiss., *C. verticillatus* (Poiret)Stand. ).  
Widespread: Taiz, Tihama foothills, Western mountains, Adhale', Haddah, Ibb, W. Dhahr, Dhamar.
- Commicarpus reniformis (Choiv.)Cuf. (7)  
N. of al Mukallah.
- Commicarpus simonyi (Heim. & Vierh.) Meik. \* عي طفت، عيطفت @  
(syn. *Boerhavia plumbaginea* var. *socotrana* Heimert., *B. simonyi* Heimert & Vierh.).  
Soqotra, Samha.
- Commicarpus sinuatus Meikle. (7,8) رقم  
(syn. *Boerhavia plumbaginea* var. *viscosa* Boiss.).  
Taiz, Ibb, Madinat Ashsharq, Khawlan Ashsham, Yasleh, Wadi Dhahr, Hadhramaut
- Commicarpus stenocarpus (Chiov.)Cuf. \*\* (1)  
(syn. *Boerhavia stenocarpa* Chiov.)  
Hadhramaut .
- Mirabilis jalapa L. @ ورد الليل  
S of Taiz, Assayani, Ibb, J. Sumara, AlQae'ida, Dhisufal, Annajd Al Ahmer, Jibla, Mutheikhira, Al U'deyn, J. Bura', J. Raymah.
- Pisonia aculeata L. (7,8)  
Al U'deyn, Rayma, Haraz.
- NYMPHAEACEAE**
- Nymphaea nouchali Burm.f. var. caerulea (Savigny) Verdc. (7)  
Rare: Above Aduf near At Turbah (Taiz).

## OCHNACEAE

*Ochna inermis* (Forssk.) Schweinf. حنة الضبع، حزنبل، شنصر ، بنة، بنات @

(*syn. Euonymus inermis* Forssk., *O. parvifolia* Vahl)

Hays, Al Hujariyah, Hagdah & Sharaab (Taiz), Tihama foothills, Al U'deyn, Madinat Ashsharq, Haraz.

## OLEACEAE

*Jasminum fluminense* Vell.

subsp. *grantissimum* (deflers)p.S.Green. ياسمين @

(*syn. J. gratissimum* Deflers, *J. mauritianum* Boj.).

Tihama & foothills, Taiz, Al U'deyn.

subsp. *socotranum* P.S.Green \* رتبه @

(*syn. J. rotundifolium* Balf.f.).

Firmihin & Ma'alah plateau (Soqotra).

*Jasminum grandiflorum* L. subsp. *floribundum* (R.Br. ex Fres.)P.S.green @

(*syn. J. floribundum* R.Br. ex Fres.).

Tihama foothills, Taiz, western mountains, J. Sumara, Baa'dan, Ibb, J. Taa'ker, Mashwara, Dhisufal, W of Jibla, Yarim, Shibam, Dhamar, Assayani, Al U'deyn, Yafea, Abyen, Huf (Al Mahara).

*Jasminum officinale* L. (ref. Podlech, D. 1982)

Tihama foothills, N of Dhamar, Yesleh, NE Raydah, E of Manakha.

*Jasminum sambac* (L.)Ait. @ فل

Cultivated: Taiz, Tihama, Aden.

*Olea capensis* subsp. *macrocarpa* (C. H. Wright) I. Verd. (in Englera 28: 57-77, 2006)

(*syn. O. hochstetteri* Baker, *O. capensis* subsp. *hochstetteri* (Baker) Friis & P. S. Green)

Hagher mountain (Soqotra)

*Olea europaea* L. @

عثم، ماطن، يلق، زيتون بري

(*syn.O. africana* Mill, *O. chrysophylla* Lam.).

Taiz, J. Bura', Al U'deyn, Utuma, J. Sumra, Ba'adan, Mutheikhira, Shabwa, Hajjah, J. Al Araes, J. Milhan, Hadhramaut, J. Fartak (Al Mahara), Abyan: Jabal ڦڻArays, J. Gedu (Shabwa).

subsp. *europaea* . زيتون منزوع @

Cultivated in Dhamar, Sanaa.

## OLEANDRACEAE

*Arthropteris orientalis* (J.F.Gmelin)Posthu. (7)

J. Saber, J. Milhan, J. Bura', J. Raymah, Hagher (Soqotra).

*Nephrolepis undulata* (Afel. ex Sw.) J.Sm. ( @, 7 )

Soqotra.

## ONAGRACEAE

*Epilobium hirsutum* L. (8)

Jiblah, ibb, Kusuma, J. Annabi Shua'ib, Manakha, Attawilah, Mashwarah, Mutheikhira.

*Ludwigia octovalvis* (Jacq.) Raven.

subsp. *breviseptala* (Brenan)Raven. (8)

Hillah, J. Bura'.

*Ludwigia palustris* Ell. (2)

Soqotra.

## OPHIOGLOSSACEAE

Ophioglossum gomezianum Welw. ex A. Braun (in Willdenowia 34: 159-182, 200)

Al-Mahra: N Fartak Mts, Jabel Karmoum, southwestern flank,

Ophioglossum polyphyllum A.Br. (7) (in Willdenowia 32: 239-269, 2002)

Shibam, J. Hubaysh, Radaa, Nihim, Soqotra, Hadhramaut, Huf (Al Mahara).

Ophioglossum reticulatum L. (7)

High land areas, Soqotra.

## ORCHIDACEAE

Angraecum dives Rolfe. @

(*syn. Angraecopsis tenerrima Kraenzl.*)

Above Dahro (Soqotra).

Bonatea steudneri (Reichb.f.) Dur. & Schine. (8)

(*syn. Habenaria arabica (Defl.) Krach., H. steudneri Rchb.f., Bicornella arabica*

*Defl., Bonatea arabica (Fefl.) Summerh.*)

J. Habashi, Ibb, SW Dhulaa, Manakha, Shibam.

Disa pulchella Hochst. ex A.Reichb. (8)

Rare: Jiblah, J. Ta'aker: Ibb, Raymah.

Epipactis veratrifolia Boiss. (8)

(*syn. E. abyssinica Pax, E. consimilis Wall. Ex Hook.f., E. somaliensis Rolfe*)

Highlands e.g. At Turbah, Ibb, Dhisufal, Ibb, al Ahjur, SW of Shibam, E of

Raymah, J. Annabi Shua'ib, Mayfah-Habban road (Shabwa).

Eulophia clavicornis Lindl. var. nutans (Sond.) Hall. (8)

(*syn. E. nutans Sond*)

Rare: above Al H'adiyyah.

Eulophia petersii (Reichb.f.) Reichb.f. @

(*syn. E. coleae Rolfe, E. baginsensis Rchb., E. philipsiae Rolfe, E. schimperiana*  
*A.Rich., Galeandra petersii Rchb, Orchis viridis Forssk., ).*

Tihama foothills, Taiz, al Qa'idah-Dhisufal road, Assayani, Lawder, J. al Araes,  
Damt, Soqotra.

Eulophia guineensis Lindl. var. purpurata Ricb.f. ex Kotschy (8)

(*syn. E. quartiniana A.Rich., Galeandra quartiniana (A.Rich.) Rchb.f.*)

Rare: Al U'deyn, Huf (Al Mahara).

Eulophia streptopetala Lindl var. rueppelii (Rchb.f.) Cribb. (8)

(*syn. E. arabica Lindl. E. ruppelii (Rchb.f.) Summerh, Lissochilus ruppelii Rchb.,*  
*L. erythraeae Rolfe. )*

J. Bura', Hilyal (Sumarah), J. Hubaysh, Kusuma, Al H'adiyyah, Sumara, Bayt al  
FAQIH, Milhan, J. Raymah.

Habenaria antennifera A.Rich. (8)

(*syn. H. leptobrachiata Ridl, H. ponthothrix Kraenzl., H. simense Rchb.*)

Jiblah, J. Ta'aker, Bani Saed (al Jaafariyyah), Ibb.

Habenaria distantiflora A. Rich. (in Flora of Ethiopia & Eritrea, vol. 6, p. 208, 1997)

(*syn. H. attenuata Hook.f., H. variabilis Ridl*)

Ba'adan : Ibb.

Habenaria cultrata A.Rich. (8)

(*syn. H. ridleyana Kraenzl.*)

Ibb-Sanaa road, Ba'adan.

Habenaria cultriformis Kraenzl. ex Engl. (8)

(*syn. H. incompta Kraenzl.*)

J. Hisn Dafdaf nea Al U'deyn.

Habenaria keayi Summerh. (in Willdenowia 32: 239-269, 2002)

- Above Kadifut (Al Mahara).
- Habenaria lefebureana (A.Rich.) Dur. & Schin. @  
(syn. *Peristylus lefebureanus A.Rich.*)  
J. Saber, Jiblah, Ba'adan, J. Ta'aker, Wussab al Ali, Al H'adiyyah, Kusumah.
- Habenaria macrantha A.Rich. (8)  
Ibb-al Mashwera, J. Ta'aker, His'n Hab (Ba'adan), W of Sanaa, Manakha,  
Sumara, Maswara pass, Shibam, Haraz, J. Ashmur.
- Habenaria malacophylla Rchb.f. (in Willdenowia 32: 239-269, 2002)  
Huf (Al Mahara)
- Habenaria myodes Summerh. (in Willdenowia 32: 239-269, 2002)  
Above Kadifut (Al Mahara).
- Habenaria peristyloides A.Rich. (8)  
(syn. *H. combusta Ridl.*, *H. cardiochila Kraenzl.*)  
Rare: His'n Hab (Ba'dan), His'n Madnan (Wussab al Ali)
- Habenaria schimperiana Hochst. ex A.Rich. (8)  
J. Nuaman and J. Ta'aker near Ibb, Al H'adiyyah.
- Habenaria socotrana Balf.f. @  
Firmihin (Soqotra).
- Holothrix aphylla (Forssk.)Rchb.f. (8)  
(syn. *Deroemeria acuminata Rendle & Schltr.*, *Habenaria aphylla (Forssk.)R.Br.*,  
*Orchis aphylla Forssk.*, *Platanthera aphylla (Forssk.)Lindl.*)  
Rare: Kusumah, Wussab, Ba'adan, Ibb, J. Maswer, N of Sanaa.
- Holothrix arachnoidea (A.Rich.)Rchb.f. (8)  
(syn. *Peristylus arachnoideus A.Rich.*, *H. richardii Rolfe*, *H. vatkeana Rchb.f.*).  
J. Saber, Ibb, J. Shibam (Haraz), al Mahwit, Manakha, al Muhwit.
- Holothrix socotrana Rolfe \* (2)  
Soqotra.
- Nervilia bicarinata (Blume) Schltr. (in Willdenowia 32: 239-269, 2002)  
(syn *Nervilia umbrosa (Rchb.f.) Schltr.* *Pogonia renschiana Rchb.f.*, *P. umbrosa Rchb.f.*,)  
Rare: Ibb, Wadi Addur: Al U'deyn, Above Kadifut (Al Mahara).
- Satyrium brachypetalum A.Rich. (8)  
Rare: Highlands e.g. Jiblah, J. Ta'aker, Ba'adan, J. Hubaysh, J. Raymah.
- OROBANCHACEAE**
- Cistanche phelypaea (L.)Cout. @ فج الأرض  
(syn. *C. lutea (Desf.)Hoffm.* & *Link C. tubulosa (Schenk.) R.Wight.*)  
Tiham foothills, Taiz, al Qaaedah, Dhisufal, Dhamar, Adhale', Rusabah, Sanaa,  
Soqotra.
- Cistanche rosea E.G.Baker. @  
Hithran (w. of Taiz), Hadhramaut.
- Orobanche cernua Loefl. (@, 8)  
Rare: Taiz, Manakha, Qa Bakil, Sanaa, Lawdar (Abyen), Soqotra.
- Orobanche minor Sm. (8)  
(syn. *O. abyssinica Ach.*).  
Shibam, Soqotra.
- Orobanche radicosa A.Rich.  
Highlands.
- Orobanche ramosa L.  
(syn. *O. mutelii F.W. Schultz*).

subsp. *mutelii* (F.W.Schultz)Couti. (8)

Taiz, Jiblah, Soqotra.

subsp. *ramosa*. (8)

Highlands, Jiblah.

### **OXALIDACEAE**

**Oxalis corniculata L.** @ حمض، حميض، زاوية

Taiz, Sanaa, Lab us (Yafea). Assayani, Ibb, Al U'deyn, Mashwara, Jibla, Dhisufal, Al Maghariba, Yarim-Al Makhader road, Ba'dan, Kitab.

**Oxalis latifolia Kunth** @

Introduced: Muthaikhira, new record

**Oxalis radicosa A.Rich.** (8)

High plateau, Al Mahara: Hawf Mts, near the village Kon.

### **PANDANACEAE**

**Pandanus odoriferus** (Forssk.)Chiov. @ كاذبي

(*syn. P. odoratissimus L.*, *P. tectorius Sol.*).

Tiama & foothills, western and southern low mountains.

### **PAPAVERACEAE**

**Argemone mexicana L.** @ بارود، سنافة، سنيف

Taiz, Ibb, Dhamar, Adhale' a, Mawaa, Muzaa, Damt, Soqotra.

**Argemone ochroleuca Sweet.** @

Dhamar, Ibb-Al U'deyn, Yerim.

**Papaver dubium L.**

subsp. *laevigatum* (M.Bieb)Kader. (8)

Rare: J. Sumara, J. Milhan, Kawkaban, W. Addur, W. Dhahr.

**Papaver somniferum L. var. album.** @ خشخاش

Cultivated in Ibb, Dhi sufal.

### **PARKERIACEAE**

**Ceratopteris cornuta** (P. Beauv.) Le Prieur (7)

(*syn. C. thalictroides Brongn.*)

Tihama, western mountains, Wussab Assafel, Hajjah ila, Soqotra, Al Mahara.

### **PASSIFLORACEAE**

**Adenia venenata** Forssk. @ حبكان، عنقب، جراز، حبن، زمرطان

Taiz, Ibb, Dhamar, Hajjah, Adhale', J. Al Arays & Wadi Asurie (Abyen), J. Gedu, Habarun & Wadi Tawila (Shabwa).

**Basananthe berberoides** (Chiov.)W.j.de Wilde. ( ref. Thulin, M. et al. (in pross.)

North Al Mukalla and near ArRayan airport(Hadhramaut), Sayhut-Qishin road (Al Mahara).

### **PEDALIACEAE**

**Sesamum indicum L.** @ جحل، سمسسم

Cultivated. Tihama & foothills, medium alti. Mountains, Hadhramaut .

**Padalium murex** L. (7)

Tihama & foothills, Soqotra.

### **PIPERACEAE**

**Piper betle L.** (3) تسبيل

Cultivated: Hadhramaut .

**Peperomia abyssinica** Miq. (7)

Hilyal (Sumara).

**Peperomia blanda** (Jacq.) Kunth

(*syn. P. arabica Decne ex Miq.*).

subsp. *leptostachya* (Hook. & Am) Dull. (7)

J. Habashi, W. Addur (Al U'deyn), J. Milhan, Al Mahabisha, Soqotra.

*Peperomia pellucida* (L.) Kunth. (8)

Al U'deyn market, Huf (Al Mahara).

*Peperomia tetraphylla* (J. Forster) Hook.f. & Arn. (7)

(*syn. P. reflexa* (L.f.) A. Dietr.).

Soqotra.

## PITTOSPORACEAE

*Pittosporum viridiflorum* Sims. subsp. *arabicum* Cuf. \* (7,8)

(*syn. P. viridifolium* subsp. *arabicum* Cufod.).

Sa'dah, between Attarah and Hajarah (Haraz), between Saddah and Ribat (S of Yerim), Mahjar (Wadi Ahjar), Arround As Sabah and Al Markah (J. Milhan), S of Rihab (N of Ibb), al Mahwit, J. Milhan, Soqotra.

## PLANTAGINACEAE

*Plantago afra* L. (8)

Rare : near Maghrabah (J. Bura').

*Plantago albicans* L. (8)

(*syn. P. boissieri* Hausskn. & Bornm.).

Rare: Yerim, Amran, J. Allowz.

*Plantago amplexicaulis* Car. (8)

Sanaa, Soqotra.

*Plantago cylindrica* Forssk. (ref. Podlech, M. (1982) ?

N. of Amran, al Boun.

*Plantago lanceolata* L. J. @ وذانة، أذان المعرة

J. Saber, Ibb, Dhamar, Sanaa, Manakha, Hajjah , Yafea, Lawdar.

*Plantago major* L. @ وذنة، وذانة

Taiz, Ibb, Dhamar, Sanaa, Yafea, Amran, Mukairas.

*Plantago ovata* Forssk. @ بيلانة

Dhamar, Dhawran, Huth, Khawlan Ashsham, J. Allowz, Soqotra.

## PLUMBAGINACEAE

*Dyerophytum indicum* (Gibs. & Wight) Kuntze. @ ملحاح، مولح

Huf al Mahara

*Dyerophytum pendulum* (Balf.f.) O. Kuntze \* (2)

(*syn. Vogelia pendula* Balf.f.).

Soqotra.

*Dyerophytum socotranum* J.R. Edmond. \* (2)

(*syn. Vogella indica* var. *socotrana* Balf.f.).

Soqotra.

*Limoniastrum arabicum* J. Edmondson \* @

Sayun-al Mukalla road (Hadhramaut ).

*Limoniastrum rechingeri* J.R. EDMONDSON, sp.n. (in *Annalen des Naturhistorischen Museums in Wien* 98 B Supplement, 1996)

E of Al Mukalla (Hadhramaut),

*Limonium axillare* (Forssk.) Kuntz. (8)

(*syn. Statice axillari* Forssk.).

Coastal areas, Aden, Abyen, Ibb, Kawkaban, Ras Fartak (al Mahara).

*Limonium cylindrifolium* (Forssk.) Verdc @

(*syn. Statice cylindrifolia* Forssk.).

Coastal areas, above Qashin and near Al Mukalla.(Hadhramaut).

- Limonium paulayanum (Vierh.) J.R.Edm. \* (2) @ ضبيبة، حاطب  
(syn. *L. Kossmatii* Wagner & Vierh., *Statice kossmatii* Wagner & Vierh., *S. paulayana* Vierh.)  
Soqotra, Abdul Kuri , Samha.
- Limonium sokotranum (Vierh.) Radci.-Sm. \* (2)  
(syn. *Statice socotrana* Vierh.)  
Soqotra, Abdul Kuri , Samha.
- Limonium teretifolia (Baker ex Oliv.) Cufod. (3) (Doubtful record ??)  
(syn. *Statice teretifolia* Baker ex Oliv.).
- Plumbago auriculata Lam. @  
(syn. *P. capensis* Thunb.).  
Introduced: Cultivated as ornamental in Sanaa, Taiz, Ibb.
- Plumbago zeylanica L. (8)  
Taiz, Dhisufal, Jiblah, Shahara, Hadhtamaut.
- POACEAE (GRAMINEA)**
- Acrachne racemosa (Heyne ex Roemer & Schultes) Ohwi. (9)  
(syn. *Eleusine verticillata* Roxb.).  
Tihama foothills, Raymah, Bura', Milhan, Haraz, Soqotra.
- Aeluropus lagopoides (L.) Trin. ex Thwaites كرشح، نجيل بلدي، كوشب، مليح، @  
(syn. *A. repens* (Desf.) Parl., *A. brevifolius* (Koenig ex Willd.) Nees ex Steud., *A. lagopoides* var. *mesopotamicus* (*nabelek*) Bor, *A. massauensis* (Fresen) Mattei, *A. villosus* Trin. ex C.A. Mey.).  
Coastal areas, Radaa, የAdhale', Aden, Hadhramaut , Soqotra.
- Agrostis lachnantha Nees. (9)  
Rare: Ba'adan, Sumara, Shibam.
- Andropogon amethystinus Steud. (9)  
Western mountains, J. Saber, Ibb, J. Maswer.
- Andropogon bentii Stapf. \* (2)  
Soqotra.
- Andropogon chinensis (Nees)Merr (9)  
J. Milhan.
- Andropogon crossotos Cope. @ حشيش أحمر  
Dhamar, Sanaa, al Mahwit, Huth, Russabah, Radaa.
- Andropogon distachyos L. @ هشمة  
(syn. *Pollinia distachya* (L.) Spreng.)  
Taiz, Jiblah, Sumara.
- Andropogon fastigiatus Sw. (9)  
(syn. *Diectomis fastigiata* (Sw.)P.Beauv.).  
Al U'deyn.
- Andropogon greenwayi Napper. @ ثليل  
Ibb, Yeslih, Dhamar, J. Razeh, Khamer.
- Antheffora nigritana Stapf & C.E. Hubb. (9)  
Highlands e.g. Rujum-Attawilah.
- Antheffora pubescens Nees (8) ?  
(syn. *A. hochstetteri* Nees ex Hochst.).  
S. of Sanaa.
- Apluda mutica L. (9)  
(syn. *A. aristata* L., *A. varia* subsp. *aristata* (L.) Hack.).  
Huf al Mahara, Soqotra.

Aristida abnormis Chiov. (ذنب الفار) (9)

Shabwa

Aristida adscensionis L. @ شعارۃ

(syn. *A. caerulescens* Desf., *A. paniculata* Forssk., *A. pumila* Decne., *A. ehrenbergii* Trin. & Rupr., *A. adscensionis* var. *pumila* (Decne.) Coss. & Durieu, *A. adscensionis* var. *aethiopica* (Trin. & Rupr.) T.Durand & Schinz, *A. adscensionis* var. *typica* Stapf, *A. adscensionis* var. *ehrenbergii* (Trin. & Rupr.) Henrard, *A. adscensionis* var. *festucoides* (Poir.) Henrard, *A. adscensionis* var. *typica* subvar. *Abyssinica* (Trin. & Rupr.) henrard, *Aristida caerulescens* var. *arabica* Henrard, *A. caerulescens* var. *breviaristata* Schweinf., *Aristida caerulescens* var. *exilis* Schweinf. Ex Blatter).

Widespread: Taiz, Ibb, Dhamar, Sanaa, Qa Bakil, Lahj , Abyen, Soqotra, Hadhramaut, Al Mahara.

Aristida anaclasta Cope. \* (9)

Soqotra

Aristida congesta Roem. & Schult. @

(syn. *A. elytrophoroides* Chiov.).

Dhamar, Maaber, Radaa, Arhab, Qa Bakil.

Aristida ferrilateris S.M.Philips . (9)

(syn. *Aristida adoensis* auct.).

Widespread in highlands.

Aristida funiculata Trin. & Rupr. (9)

Rare: Haradh, Soqotra.

Aristida migiurtina Chiov. (9)

(syn. *Aristida stenophylla* auct. )

Rare: J. Annabi Shua'ib, Al Mahara, Aden, Hadhramaut.

Aristida mutabilis Trin. & Rupr. خلیس (9)

(syn. *A. cassanellii* Terra., *A. meccana* Trin & Rupr. *A. mutabilis* var. *aequiloniga* Trin. & Rupr., *A. mutabilis* var. *meccana* (Hochst. Ex Trin & Rupr.) Fenzl, *A. schweinfurthii* var. *boissieri* Schweinf.,)

Coastal areas, S. of Zabid, Wadi Rimaa, Lahj , Adhale' .

Aristida pennei Chiov. (9)

(syn. *A. yemensis* Henrard.).

Highlands: Dhamar, Bani Matar, J. Allawz.

Aristida sieberiana Trin.

(syn. *A. Pallida* Steud.)

Aristida tricornis H. Scholz & P. Konig (9)

High altitude area

Aristida triticoides Henrard. (1,9) شبهۃ

Abyen, Hadhramaut.

Arthraxon lancifolius (Trin.) Hochst. (9)

(syn. *A. molle* (Nees) Benth., *A. lancifolius* var. *eremophilus* Bor)

Taiz, western mountains, Soqotra.

Arthraxon micans (Nees) Hochst. (9)

(syn. *A. quartinianus* (A. Rich.)Nash).

Rare: At Turbah, Ba'adan, Soqotra.

Arthraxon prionodes (Steud.) Dandy. @

(syn. *A. lancelatus* (Roxb.)Dandy).

Widespread: Tihama foothills, J. Saber, W of Amran.

Arundo donax L. (9) **قصب، جرع**

Tihama foothills, western mountains.

Avena abyssinica Hochst. ex A.Rich. @

(syn. *A. sativa* L.var. *abyssinica* (Aa.Rich.)Engl.)

Highlands: J. Saber, al Ahkum(Taiz), Ba'adan, Sanaa, Yerim, Manakha.

Avena barbata Pott ex Link

subsp. *barbata*. (9)

J. Ta'aker ?

Avena fatua L. @

Dhamar, J. Ta'aker.

Avena sterilis L. subsp. *ludoviciana* (Durieu) Gillet & Magne (9)

Abyen ?

Bothriochloa bladhii (Retz.)S.T.Blake. ? (8) (Doubtful record)

N. of Ibb.

Bothriochloa insculpta (Hochst. ex A. Rich) Camus @ **خمار**

Tihama foothills, Taiz, Radaa, Sumara, Sanaa-Arhab, Hadhramaut, Soqotra.

Brachiaria arida (Mez)Stapf. (9)

(syn. *Panicum aridum* Mez)

Al Mukalla-Bayn al Jibal (Hadhramout:), AL Mahara, Soqotra.

Brachiaria brizantha (Hochst. ex A.Rich.) Stapf (8)

Rare: Ibb.

Brachiaria chusqueoides (Hack.) Clayton (8)

Rare: J. Bura', Al H'adiyyah.

Brachiaria comata (Hochst. ex A.Rich) Stapf. (9)

Rare: Adhabab (Taiz), W.Thabet, W. Assukhnah, J. Hubaish.

Brachiaria deflexa (Schum.) C.E. Hubb. ex F. Robyns (9) **كحيلة**

(syn. *B. regularis* (Nees) Stapf).

Tihama foothills, medium altitude mountains, Lahj, Adhale', Soqotra.

Brachiaria eruciformis (Sm.) Griseb. @

(syn. *B. isachne* (Roth & Schult.) Stapf, *Panicum eruciformis* Sm.).

At Turbah, Taiz-al Qaadah, Ibb, Qa Bakil, Radaa, Russabah, Sanaa, Al-Mahra: N Fartak, Soqotra.

Brachiaria lata (Schum.)C.E.Hubb. (8)

(syn. *Urochloa insculpta* (Steud.) Stapf, *Panicum insculptum* Steud).

Hagdah, W. Rusyan (W. of Taiz), Bagel, Raymah, Madinat Ashsharq, Soqotra.

Brachiaria leersioides (Hochst.) Stapf. @ **كحيلة**

(syn. *Panicum leersioides* Hochst.)

Widespread: Tihaama foothills, medium altitude mountains, Lahj , Aden, Abyen, w. of Amran.

Brachiaria mutica (Forssk.)Stapf. (9)

(syn. *Panicum muticum* Forssk, *P. appressum* Forssk.)

Tihama

Brachiaria ovalis Stapf. (9) **كحيلة**

(syn. *Panicum nudiglume* var. *major* Hochst. ex balfour,).

Rare: Hagdah, Maqbanah (w. of Taiz), Aden, Wussab Assafel, Soqotra.

Brachiaria ramosa (L.) Stapf. (9)

Rare: Tihama & foothills: Bagel, Bayt al Faqih, al Mishrafah, Soqotra.

Brachiaria reptans (L.) C.A. Gardner & C.E. Hubb. @

- (*syn. Panicum prostratum Lam, Urochloa reptans (L.) Stapf.*).  
Taiz, Tihama, low altitude mountains.
- Brachiaria scalaris Pilg. (9)  
Rare: W. Hadabah (Al U'deyn).
- Brachypodium distachyom (L.) P.Beauv. (8)  
(*syn. Trachynia distachya (L.) Link*).  
Rare: Highlandss e.g. Shaharah
- Brachypodium retusum (Pers.)P.Beauv. (9)  
(*syn. B. ramosum Roem. & Schult.*).  
Widespread on hgilands e.g. Jabel Saber, al Akahilah (Taiz), J. Milhan, J. Maswer.
- Bromus leptoclados Nees. (9)  
(*syn. B. cognatus Steud.*).  
Highlands e.g. J. Saber, Sumara. J. Maswer.
- Bromus pectinatus Thunb. (9)  
(*syn. B. adoensis Steud.*).  
Highlands e.g. J. Saber, Dhamar, J. Maswer.
- Bromus pulchellus Fig. & De (9)  
Taiz, Dhamar ?
- Capillipedium parviflorum (R. Br.) Stapf (in Willdenowia 34: 159-182, 2004)  
Al-Mahra: N Fartak.
- Catapodium rigidum (L.)C.E.Hubb. (8)  
V. rare: Al H'adiyyah.
- Cenchrus biflorus Roxb. (8) كرليس  
(*syn. Elymus caput-medusae Forssk.*)  
Coastal areas e.g. Bayt al Faqih, al Qanawiss.
- Cenchrus ciliaris L. @ حشيش أبيض، سبلة الشعل، قرطم (سقطرى)  
(*syn. Pennisetum cenchroides Rich., P. ciliaris (L.) Link., P. petraeum Steud.*).  
Taiz, N. of Sanaa, al Boun, Raydah, Jahran, Aden, Lahj , Abyen, Yafea, Soqotra.
- Cenchrus pennisetiformis Hochst. & Steudel. @ حشيش أبيض  
Tihama, W. of Taiz, Aden, Lahj, Hadhramaut, Soqotra, Abdul Kuri .
- Cenchrus setigerus Vahl. @ حشيش أبيض  
(*syn. C. montanus Nees ex Steud., C. schimperi Hochst. & Steud.*)  
Tihama & Foothils, W of Taiz, Abyen, Soqotra.
- Centropodia forskaolii (Vahl) Cope . (8)  
(*syn. Avena pensylvanica Forssk., Asthenatherum forskaolii (Vahl) Nevski, Danthonia forsskaolii (Vahl) R.Br.*). Marib, Shabwa, Bani Hushaysh, Jubah.
- Centropodia fragilis (Guinet & Sauvage) Cope. (9)  
(*syn. Asthenatherum fragile (P. Guinet & Sauvage)*  
Aden
- Chloris barbata Sw. (1) أبو فوشة  
Tihama, Lahj, Aden, Hadhramaut,
- Chloris mensensis (Schwweinf.) Cuf. (8) ?  
Very rare: J. Bura'.
- Chloris pycnothrix Trin. @  
(*syn. C. leptostachya Hochst. ex A. Rich.*).  
Widespread from Tihama foothills to highlands, Soqotra.
- Chloris roxburghiana Schultes. (8)  
(*syn. C. myriostachya Hochst.*).

- Rare: Al H'adiyyah, Raymah, J. Bura', Haaraz.  
*Chloris virgata* Sw. @  
(syn. *C. meccana* Hochst. & Steud. ex Schltl.)  
Tihama, Taiz, Marib, Soqotra.
- Chrysopogon aucheri* (Boiss.) Stapf. (8)  
(syn. *Andropogon aucheri* Boiss.).  
Rare: J. Nuqum, Hadhramaut, Al Mahara.
- Chrysopogon plumulosus* Hochst. (9)  
(syn. *C. aucheri* var. *quinqueplumis* (Hochst. Ex A. Rich.) Stapf, *Aristida chrysopila* Steud., *Andropogon quinqueplumis* (Hochst. ex A. Rich.) Steud., *A. aristidoides* Steud., *A. aucheri* var. *quinqueplumis* (Hochst. ex A. Rich.)  
Taiz, Tihama foothills, NE Dhamar, Qa Bakil, Hadhramaut, Soqotra.
- Chrysopogon serrulatus* Trin.  
Soqotra
- Coelachyrum brevifolium* Hochst. & Nees  
(syn. *Eragrostis coelachyrum* Benth)  
Hadhramaut
- Coelachyrum piercei* (Benth) Bor  
(syn. *C. stoloniferum* C.E. Hubb)  
Hadhramaut
- Coelachyrum poiflorum* Chiov. Bukta. @  
(syn. *C. induratum* Pilge.).  
Widespread: Taiz, al Rahidah, Al U'deyn, Dhamar. Huth, Nihm, N. of Sanaa.
- Coelachyrum yemenicum* (Schweinf.) S.Philips.  
(syn. *Cypholepis yemenica* (Schweinf.) Chiov., *Eragrostis yemenica* Schweinf.).  
Al Qa'idah, Radaa, Haraz, Anes, J. Ashsharq.
- Crypsis schoenoides* (L.) Lam. (8)  
Rare: Huth, Radaa.
- Cymbopogon caesius* (Nees) Stapf. (9)  
(syn. *Andropogon bicornis* Forssk., *A. caesius* Nees ex Hook. & Arn.)  
Widespread: Bagel, al Khalifah (Tihama), Al Ahkum, J. Saber (Taiz), J. Marran,  
J. Ta'aker.
- Cymbopogon commutatus* (Steudel) Stapf. @  
(syn. *C. parkeri* Stapf, *C. schoenanthus* subsp. *velutinus* Cope).  
Above Aduf near At Turba (Taiz), Wadi Al Maqad-Al Mukalla road, .
- Cymbopogon jwarancusa* (Jones) Schult. subsp. *olivieri* (Boiss.) Soena. @ حسج  
(syn. *C. olivieri* (Boiss.) Bor).  
Hagdah-al Barh (w. of Taiz), Marib, Soqotra.
- Cymbopogon pospischili (K. Schum.) C.E. Hubb.* (9)  
South of Taiz.
- Cymbopogon schoenanthus* (L.) Spreng. subsp. *schoenanthus* . @ شنان، خلال، سخنبر، حلفاء  
(syn. *C. circinnatus* (Hochst. & Steud.) Hochst. ex Hack, *Andropogon laniger* Desf., *A. circinnatus* Hochst. & Steud. *A. jwarancusa* subsp. *laniger* (Desf.) Hook.f.)  
Tihama & foothills, Arrubayee & Warazan (Taiz), Adhale', Marib, Sa'dah, Sanaa,  
Lahj, Shabwa, Hadhramaut.
- Cynodon dactylon* (L.) Pers. وبل، نجيل، ثيل @  
(syn. *C. dactylon* var. *villosum* Regel)

- Widespread; Tihama foothills, western mountains, Aden, Abyen, Hadharamaut  
Soqotra.
- Dactyloctenium aegyptium (L.) Willd. @ رجل الحرباء  
(syn. *Eleusine aegyptia* (L.) Desf.)  
Coastal plains, Tihama & foothills, western mountains, Aden, Aabyen,  
Hadhramaut , Soqotra, Abdul Kuri .
- Dactyloctenium aristatum Link. (9)  
Aden, Soqotra.
- Dactyloctenium hackelii Wagner & Vierh. \* @  
Soqotra, Abdul Kuri .
- Dactyloctenium robecchii (Chiov.) Chiov. (9)  
Hadhramaut, Al Mahara, Soqotra
- Dactyloctenium scindicum Boiss. @  
(syn. *D. glaucophyllum* Courb., *Eleusine glaucophylla* (*Courbai*) Munro ex  
Benth.).  
Tihama, W. of Taiz, E. of Manakha, Sanaa, Qaetabah, Lahj, Abyen, Al Mahara.
- Danthoniopsis barbata (Nees) C.E. Hubb. (9)  
(syn. *Tristachya barbata* Nees)  
Near suq Al Kawlah in the W. Zabid, Maaafhaq-Bani Maansoor, Abyen
- Desmostachya bipinnata (L.) Stapf. صداع @  
(syn. *Cynosurus durus* Forsk., *Eragrostis bipinnata* (L.) K.Schum., *E.  
cynosuroides* (Retz.) P. Beauv.)  
Tihama & foothills, Taiz, W. Rimaa, Aden, Marib, Lahj , al Jawf, Hadhramaut ,  
Soqotra.
- Dichanthium annulatum (Forssk.) Stop.f. (9)  
(syn. *Andropogon annulatus* Forssk.)  
Tihama & Foothills, Maaber, Radaa, Arhab, Soqotra.
- Dichanthium aristatum (Poiret) C.E. Hubb. (9)  
Taiz, Ibb, al Qa'idah.
- Dichanthium foveolatum (Del.) Roberty. (9)  
(syn. *Andropogon foveolatum* Delile, *Eremopogon foveolatus* (Del.) Stapf).  
Coastal areas: Aden, Abyen, Hadhramaut, Soqotra.
- Dichanthium insculptum (A.Rich.) Clayton. (9) ????  
Jiblah, Hadhramaut .
- Dichanthium micranthum Cope \*\* (in Willdenowia 34: 159-182, 2004)  
W of Huf (Al MAhara).
- Digitaria abyssinica (Hochst.) Stapf. @  
(syn., *D. scalarum* (Schweinf.) Chiov., *Panicum abyssinicum* Hochst. ex A. Rich.).  
Widespread in highlands.
- Digitaria ciliaris (Retz.) Koeler. (9)  
(syn. *D. marginata* Link, *Panicum commutatum* (Schult.) Nees).  
Coastal areas, Tihama & low altitude mountains, Hadhramaut, Soqotra.
- Digitaria diagonalis (Nees) Stapf. (9)  
Medium & high altitude e.g. Milhan, al Mahwit, Raymah, Al H'adiyyah.
- Digitaria nodosa Parl. @  
(syn. *Panicum commutatum* var. *nodosum* (Parl.) Hack. Ex T. Durand & Schinz)  
Tihama foothills, Taiz, Sa'dah, Sanaa, Nihm, al Baydhah, Wussab Assafel,  
Sumara, Hadhramaut .
- Digitaria pennata (Hochst.) T. Cooke. @

- Widespread: Tihama foothills, low altitude mountains, Taiz, Hadhramaut.  
*Digitaria ternata* (A.Rich.) Stapf. (9)  
Taiz, Ibb.
- Digitaria rivae* (Chiov.) Stapf (9)  
Soqotra
- Digitaria velutina* (Forssk.) P. Beauv. @  
(*syn. Phalaris velutina* Forssk., *Panicum sanguinale* var. *fentestratum* (Hochst. ex A. Rich.) Schweinf.)  
Widespread: from Tihama foothills to highlands, Lahj, Shabwa, Soqotra.
- Dignathia hirtella* Stapf. (8,9)  
Rare: Below Al H'adiyyah.
- Dinebra retroflexa* (Vahl)Panzer. (8,9)  
Rare: Tihama foothills, Hithran, al Qa'idah, Al H'adiyyah.  
**كحبة، رخيصة**  
*Echinochloa colona* (L.) Link. @  
(*syn. Panicum colonum* L.)  
Widespread: Tihama, Taiz, w of Hammam Ali, Wadi Rimaa, Aden, Lahj, Abyen, Hadhramaut, Soqotra.
- Echinochloa crusgalli* (L.) P. Beauv. (9)  
(*syn. Panicum crusgalli* L.)  
Abyen ?, Haraz.
- Ehrharta erecta* var. *abyssinica* (Hochst.)Pilger. (9)  
(*syn. E. abyssinica* Hochst.).  
Saber, Khawlan Ashsham.
- Eleusine coracana* (L.) Gaerth. @ **كتب**  
(*syn. E. tocussa* Fresen.)  
Cultivated: Taiz, Hajjah, Abyen, Soqotra, Hadhramaut, Al Mahara.
- Eleusine africana* Kenn.-O'Byrne (9)  
(*syn. Eleusine indica* (L.) Gaer. subsp. *africana* Kennedy-O Byne) SM.Phillips  
J. Habashi, al Misrakh (Taiz), Ibb, J. Bura', Raymah, SW of Sanaa, Soqotra.
- Eleusine floccifolia* (Forssk.) Spreng. @ **سراف**  
(*syn. Cynosurus floccifolius* Forssk.)  
Widespread in highlands: J. Saber, Qa Jahrar, Sumara, Dhamar, Utuma.
- Eleusine multiflora* A.Rich. (9)  
Widespread in highlands: J. Saber, Shibam, Sanaa, Dhamar, Shaharah.
- Elionurus muticus* (Spren.) Kuntze. @ **حشيش أحمر**  
Highlands e.g. Dhamar, J. Sumara, Ba'adan.
- Elionurus royleanus* Nees ex A. Rich. (9)  
(*syn. Andropogon elegantissimus* var. *arabicus* Steud)  
J. Shaharah.
- Enneapogon cenchroides* (Roem. & Schult.) C.E.Hubb. (9)  
(*syn. Pappophorum molle* (Lehm.)Kunth., *P. Cencroides* Roem. & Schult.).  
Al Hudaidah - Sanaa road.
- Enneapogon desvauxii* P. Beauv. @ **شعار**  
(*syn. E. brachystachys* (Jaub & Spach) Stapf., *Pappophorum phleoides* Trin, *P. brachystachyum* Jaub. & Spach.. *P. arabicum* Hochst. & Steud.).  
Dhubhan (Taiz), Dhamar, Khawlan Ashsham, Raydah, Wadi Dhahr, Rada', Hadhramaut, Soqotra.
- Enneapogon lophotrichus* Chiov. Ex H. Scholz. & P. Konig (9)  
Tihama, Aden, Abyen

- Enneapogon persicus Boiss. (شعاره ٩)  
(syn. *Pappophorum persicum* (Boiss.) Steud., *E. schimperianus* (Jaub. & Spach) Renvoize).  
Huth. NE of Raydah, Tihama foothills to Highlands, Soqotra.
- Enneapogon scoparius Stapf. (9)  
Shibam, Manakha, W. Dhahr (Sanaa).
- Enteropogon dolichostachyus (Lagas.) Keng ex Lazorides (9)  
Westrn mountain
- Enteropogon macrostachyus (Hochst. ex A. Rich.) Munro ex Benth. (9)  
Tihama foothills, Hithran (Taiz), Madinat Ashsharq, al Mahwit.
- Eragrostis aethiopica Chiov. (9)  
Annugaybah-Al Mafraq (Tihama).
- Eragrostis aspera (Jacq.) Nees. (9)  
Rare: W. Assukhna, Al Misrakh, Al U'deyn, Soqotra.
- Eragrostis barrelieri Dav. @  
Widespread: Tihama foothills,Taiz, Lahj , Dhamar, Abyen, Marib, Soqotra.
- Eragrostis braunii Schweinf. (9)  
Highlands e.g. Sanaa.
- Eragrostis ciliaris (L.) R.Br. (9)  
(syn. *E. major* Host)  
Widespread: Tihama foothills,Taiz, highlands, Soqotra.
- Eragrostis curvula (Schrad. ) Nees. (8)  
Very rare: Highlands e.g. Shibam, Kawkaban, J. Allowz.
- Eragrostis cylindriflora Hochst. (9)  
(syn. *E. porosa* auct.).  
Bani Manssur, Wussab, Rihab.
- Eragrostis japonica (Thunb.) Trin. (9)  
Haradh.
- Eragrostis lepida (A.Rich.) Hochst. ex Steud. (9)  
Soqotra
- Eragrostis longifolia Hocst. ex Steud. (9)  
Al H'adiyyah.
- Eragrostis macilenta (A.Rich.)Steud. (9)  
(syn. *E. decidua* Hochst.).  
Ibb, Manakha, J. Bura', J. Milhan.
- Eragrostis maharana Schweinf. @  
(syn. *E. fruticans* Jedwabn.)  
Hadhramaut, al Mahara.
- Eragrostis minor Host. (9)  
Rare: J. Attur, al Maraqisha (Abyen), Soqotra.
- Eragrostis papposa (Roemer & Schult.) Steud. @  
(syn. *E. aulacosperma* var. *perennis* Schweinf.)  
Widespread: Tihama foothills, Taiz, Dhamar, Lahj, Sumara, al Boun, Soqotra.
- Eragrostis pilosa (L.) P.Beauv. @  
Coastal areas, Taiz, Huth, highlands.
- Eragrostis schweinfurthii Chiov. (8)

var. schweinfurthii

Rare: Highland e.g. J. Saber, J. Ta'aker, Wussab al Ali, Utuma, J. Milhan.

var. kiwuensis (Jedw.) S.M. Phillips. (8)

J. Saber, Sumara, Wussab al Ali, Kusumah, Rayma.

Eragrostis tef (Zucc.) Trotter. (9) طف

(syn. *Poa abyssinica* Jacq.)

Cultivated: W. Saba (Marib).

Eragrostis tenella (L.) P.Beauv. ex Roem. & Schult. (9)

J. Bura'.

Eragrostis tenuifolia (A.Rich.) Hochst. ex Steud. (9)

Ibb, Soqotra.

Eragrostis viscosa (Retz) Trin. (9)

Soqotra.

Eriochloa fatmensis (Hochst. & Steud.) Clayton. (1,9)

(syn. *E. nubica* (Steud.) Hack. ex Thell., *E. acrotricha* (Steud.) Hack. ex Thell.,

*Panicum fatmense* Hochst. & Steud.).

Coastal areas, Lahj, Hadhramaut.

Eriochloa meyeriana (Nees) Pilg. (9)

(syn. *Panicum meyerianum* Nees).

Hithran, al Barakani (Taiz), al Qa'idah, Ibb.

Eustachys paspaloides (Vahl) Lanza & Mattei (9)

(syn. *Chloris petraea* auct.).

Ibb, Raymah, al Ahjur.

Festuca cryptantha T.Cope. \* (9)

Highlands: J. Sumara, J. Khudra (Hubeish), J. Annabi Shua'ib, J. Maswer, J.

Ta'ker, J. Mahdad (Amran-Hajjah road).

Festuca obturbans St.-Yves. (9)

Rare: Highlands: Sanaa, J. Dhawran, J. Annabi Shua'ib, Shibam, Kawkaban.

Festuca rubra L. (9)

Introduced as lawn grass: Sanaa.

Festuca pilosella Alexeev \* (9)

Rare: Highlands: Sanaa, J. Dhawran, J. Annabi Shua'ib, Shibam, Kawkaban.

Festuca yemenensis Alexeev \* (9)

High altitude areas

Fingerhuthia africana Lehm. (9)

(syn. *F. africana* var. *minor* (Nees) Pilg. ex Schwartz)

Wadi Dhahr. Highlands: Yasleh, Radaa, Khawlan Ashsham, Waalan, Nuqum,

Gastridium phleoides (Nees & Meyen) C.E. Hubb. (9)

Highlands e.g. J. Saber, J. Taaaker, Ba'adan, Manar, Kusuma, Milhan, Attawilah, Soqotr.

Hackelochloa granularis (L.) Kuntze (9)

(syn.: *Mnesithea granularis* (L.) Koning & Sosef)

Ibb, W. Assukhnah, Huf (Al Mahara), Soqotra.

Halopyrum mucronatum (L.) Stapf. @ عل

(syn. *Desmazeria unioloides* Deflers)

Coastal areas: al Hudaydah, al Khawkha, Aden, al Mukalla, Soqotra.

Harpachne schimperi Hochst. ex Rich. (9)

Highlands: Ibb, Shibam, al Aahjur, J. Razeh.

Helictotrichon arctum Cope \* (9).

- Highlands: J. Ta'aker.
- Helictotrichon elongatum* (Hochst ex A.Rich.)C.E.Hubbard. (9)  
Highlands: Jibla, J. Saber, Dhamar, Al H'adiyyah, al Aahjur, Yerim.
- Heteropogon contortus* (L.) P. Beauv. ex Roem. & Schult. حشيش أحمر @  
(*syn. Andropogon contortus* L., *H. contortus* var. *Glaber* (Pers.) hack., *H. Hirtus* Pers.)  
Al Hudaidah - Sanaa road, Dhamar, Soqotra.
- Hordeum spontaneum* K.Koch. (9)  
Yerim ?
- Hordeum vulgare* L. شعير @  
(*syn. H. aegiceras* Nees ex Royle, *H. deficiens* Steud. Ex A. Braun, *H. distichum* L. *H. vulgare* subsp. *tetragastrum* var. *pallidum* Ser. *H. vulgare* subsp. *hexastichum* var. *brachyurum* (Alef.) Korn. *H. vulgare* subsp. *distichon* var. *deficiens* (Steud. Ex A. Braun) Schweinf., *H. vulgare* subsp. *distichon* (L.) Thell., *H. vulgare* subsp. *tetragastrum* (Stokes) Celak.).  
Cultivated. J. Saber, Yerim, Hadhramaut.
- Hyparrhenia coleotricha* (Steud.)Ander. ex Clayton (9)  
Middle altitude e.g. around Al U'deyn.
- Hyparrhenia dregeana* (Nees) Stapf ex Stent (Nees). (9)  
Rare: Highlands : Ibb, Al U'deyn, J. Shibam
- Hyparrhenia formosa* Stapf (9)  
Rare: J. Kaburah above Al H'adiyyah.
- Hyparrhenia hirta* (L.) Stapf حشيش أحمر، صفصوف، مخبر @  
(*syn. Andropogon hirtus* L.)  
Sanaa, Yeslih, Huth, al Bon, Dhamar, Hajjah, Lahj, Ashue'ib, Soqotra .
- Hyparrhenia papiilipes* (Hochst. Ex A.Rich.)Anderss. ex Stapf (9)  
Rare : J. Sumara.
- Hyparrhenia quarrei* Robyns (9)  
Rare : Ibb Al U'deyn pass below Mashwarah.
- Hyparrhenia variabilis* Stapf. (9)  
Rare : Between Ibb and Suq As Sabt.
- Imperata cylindrica* (L.)P. Beauv. (8, 9)  
(*syn. Arundo epigeios* Forssk., *I. arundinacea* Cirillo)  
Very rare: N. of Radaa, Soqotra.
- Ischaemum impressum* Hack. (9)  
Soqotra
- Koeleria macrantha* ((Ledeb.) Schult. (9)  
Highlands: J. Saber, Al H'adiyyah, J. Milhan, Shibam, Haraz, Maswer.
- Lamarckia aurea* (L.)Moench. (9)  
(*syn. Cynosurus aureus* L.)  
Taiz, Ibb, Sumara, Kusumah, Raymah, Milhan, Shibam, Haraz, Attawilah.
- Lasiurus scindicus* Henrard. بكار، طعم الصد @  
(*syn. L. hirsutus* (Vahl) Boiss., *L. hirsutus* subsp. *arabicus* Chrtek, *Elionurus hirsutus* (Vahl) Munro ex Benth., *Saccharum hirsutum* Forssk., *Triticum aegilopoides* Forssk.).  
Southern Tihama, W. of Taiz, Aden, Hadhramaut .
- Leptocarydion vulpiastrum* (De Not.) Stapf. (8)  
Very rare: Al Misrakh.
- Leptochloa fusca* (L.) Kunth (9)

- (*syn. Bromus polystachios* Forssk., *Diplachne fusca* (L.) P. Beauv. Ex Roem. & Schult.).
- Rada'a*  
*Leptochloa obtusifolra* Hochst. (8)  
(*syn. Eleusine obtusiflora* (Hochst.) Schweinf.).  
Tihama foothills, Bura', Taiz.
- Leptochloa rupestris* C.E. Hubb. (8)  
Tihama foothills, W. Adhabab (Taiz), Khawlan Ashsham.
- Leptochloa uniflora* Hochst. Ex A. Rich. (9)  
Western mountains
- Leptoherim senegalense* (Kunth) Clayton. (8) صرخ  
(*syn. Latipes senegalensis* Kunth)  
S. of Zabid, Shabwa, eastern mountains, Abyen, Hadhramaut, Soqotra.
- Lepturus calcareus* Cope \* (9)  
Soqotra
- Lepturus nesiotes* Cope (9)  
Soqotra
- Lepturus.pulchellus* (Balf.f.) Clayton \* (9)  
(*syn. Ischnurus pulchellus* Balf.)  
Soqotra
- Lepturus tenuis* Balf.f. \* (2)  
Soqotra
- Lolium multiflorum* Lam. (8)  
Ba'adan, J. Manar, J. Ta'aker.
- Lolium perenne* L. (9)  
Lawn grass: Yerim, Sanaa. Highlands: Amran, Khamer, Al H'adiyyah, W. Bana.
- Lolium persicum* Boiss. & Hoben (9)  
Ba'adan, J. Manar, J. Ta'aker, Soqotra.
- Lolium rigidum* Gaudin. (9)  
Sanaa ?
- Lolium temulentum* L. (9)  
Rare: Taiz, Sanaa, Soqotra.
- Loudetia flava* (Stapf) C. E. Hubb. (in Willdenowia 34: 159-182, 2004)  
Hadhramaut, Al Mahara.
- Melanocenchrис jacquemonthii* Jaub. & Sparch.  
(*syn. M. royleana* Nees ex Steud.)  
Soqotra.
- Milinis repens* (Willd.) Zizka subsp. *grandiflora* (Hochst.) Zizka (9)  
(*syn. M. barbeyana* Mez *Tricholaena grandiflora* Hochst. ex A. Rich., *T. wightii* Nees & Arn. ex Steud., *Rhynchelytrum grandiflorum* Hochst *R. microstachyum* Balfour, *R. microstachyum* var. *albicomum* Balfour, *R. villosum* (Parl.) Chiov., )  
Tihama foothills: J. Bura' & J. Raymah, Madinat Ashsharq, Hajjah, J. Sumara,  
Soqotra.
- Microchloa kunthii* Desv. @ قربة  
(*syn. M. indica* auct. Non (L.) P. Beav.)  
Widespread: Medium to highlands e.g Dhamar, Soqotra.
- Ochthochloa compressa* (Forssk.) Hilu. (9)  
(*syn. Eleusine compressa* (Forssk.) Asch & Schweinf., *E. flagellifera* Nees, *E. arabica* Hochst. ex Steud, *Panicum compressum* Forssk., ).

- Coastal areas, Taiz, Lahj .  
Odontelytrum abyssinicum Hack. (9)  
Highlandss: Yerim, Sumara, W. Bana, Anis.  
Odyssea mucronata (Forssk.) Stapf. @ شوخم، شخم  
(syn. *Aeluropus arabicus* (Spring.) Steud., *A. mucronatus* (Forssk.) Asch., *Festuca mucronata* Forssk.)  
western and southern coastal areas, Soqotra.  
Oplismenus burmannii (Retz.) P. Beauv. (9)  
Huf (Al Mahara), Soqotra.  
Oplismenus compositus (L.) P. Beauv. (9)  
J. Bura', Suq Ar Ribat (J. Raymah), Milhan, Al H'adiyyah, Soqotra.  
Oplismenus hirtellus (L.) P. Beauv. (9)  
Wadi Ad Dur (Al U'deyn).  
Oropetium capense Stapf. (9)  
(syn. *O. capense* var. *arabicum* H. Scholz & P. Konig)  
Rare: Fardah pass, Hadhramaut, Al Mahara..  
Oropetium minimum (Hochst.) Pilger. @ قرية  
Coastal areas, Dhamar, Wussab, Shaharah, Soqotra.  
Oryza sativa L. (8) رز  
Very rare, Cultivated in Abs-Muharraq. (9)  
Piptatherum holciforme (M. Bieb.) Roem. & Schult. Subsp. abyssinicum Freitag (9)  
(syn. *Oryzopsis holciformis* (M. Bieb.) Hackel)  
J. Saber, Ayfuu, Milhan, J. Maswer, Shaharah, J. Ta'aker.  
Panicum antidotale Retz. شام ، نهام ایرانی (1.9)  
Aden, Lahj.  
Panicum atrosanguineum Hochst. ex A. Rich. (9)  
Tihama foothills, Taiz, Shaharah, Soqotra.  
Panicum coloratum L. (9)  
Coastal areas, eastern mountains, Taiz. Al Qa'idah, Ibb.  
Panicum maximum Jacq. @  
Tihama foothills, Maaber, Hadhramaut, Soqotra.  
Panicum miliaceum L. (8) دخن  
Cultivated: Tihama, Aden, Hadhramaut..  
Panicum rigidum Balf.f. \* @  
Soqotra, Abdul Kuri , Samha.  
Panicum socotranum Cope. \* (9)  
Soqotra.  
Panicum turgidum Forssk. @ شام، بكار  
Coastal areas, Hadhramaut, Marib, Soqotra.  
Paspalidium desertorum (A.Rich.) Stapf. (9)  
(syn. *Panicum desertorum* A. Rich., *P. arabicum* Nees ex Steud.)  
Coastal areas e.g. Bagel, W. Zabid, Al Hudayda, Aden.  
Paspalidium flavidum (Retz.) A. Camus. (9)  
Tihama.  
Paspalidium geminatum (Forssk.) Stapf. (9)  
(syn. *Panicum geminatum* Forssk., *P. brizoides* Lam., *P. paspalodes* Pers.)  
western coastal areas, Soqotra.  
Paspalum distichum L. (9)  
(syn. *P. paspalodes* (Michx.) Scribn.)

- Introduced as forage: W. hadaba (Al U'deyn), near Suq As Sabt (Ibb).  
*Paspalum scrobiculatum* L. (8,9)  
Rare: al Aduf near At Turbah, Wussab Assafel, Khamis Ban Saad, Soqotra.  
*Paspalum vaginatum* Sw. (9)  
Coastal areas. Taiz, Radaa., Soqotra.  
*Pennisetum clandestinum* Hochst. ex Chiov. (9)  
Introduced as lown grass and fodder in Sanaa.  
*Pennisetum divisum* (J. Gmelin) Henrard. (9)  
(syn. *P. dichotomum* Delile, *Panicum dichotomum* Forssk., *P. elatum* Hochst. & Steud.)  
Eastern mountains, Aden, Harib, Lahj , Ataq-Bayhan (Shabwa), Soqotra..  
*Pennisetum glaucum* (L.)R.Br. @ دخن  
(syn. *P. spicatum* (L.) Korn, *P. americanum* (L.) Leek, *P. typhoides* (Burm.f.) Stapf. & Hobb., *Holcus racemosus* Forsk., ).  
Cultivated: coastal areas  
*Pennisetum macrourum* Trin. (9)  
(syn. *P. quartianum* A. Rich.).  
At Turbah, Khawlan Ashsham, Wadi Shalalah.  
*Pennisetum orientale* Rich. (9)  
Soqotra, Lahj, Adhale',.  
*Pennisetum setaceum* (Forssk.) Chiov. @ حزاز، عزف، خناق  
(syn. *P. rueppellii* Steud., *Phalaris setacea* Forssk.).  
Tihama foothills, Taiz, Ibb, Qa Bakil, Huth, Dhamar, Raydah, Sanaa, Soqotra.  
*Pennisetum sieberianum* (Schltdl.) Stapf & C.E. Hubb. (9)  
Tiham foothills, Abyen  
*Pennisetum stramineum* Peter. (9)  
Highlands e.g. Arhab, Nihm, Radaa, Shiharah, Manakha, Attawilah.  
*Pennisetum thunbergii* Kunth. (9)  
(syn. *P. glabrum* Hochst. ex Steud., *P. depauperatum* Schweinf.).  
Widespread on highlands e.g. Ibb, Yerim.  
*Pennisetum unisetum* (Nees) Benth. (9)  
(syn. *Beckeropsis uniseta* (Nees) K. Schum. ).  
Widespread on highlands e.g. Ibb.  
*Pennisetum villosum* R.Br. ex Fresen. @ زباد  
Jiblah, Qa Bakil, Dhamar, Sanaa, al Boun, Yerim, Eryan, Ibb, J. Sumara, Kitab,  
Annajd Al Ahmer, Abyen.  
*Pennisetum yemense* Deflers (9)  
High altitude areas  
*Pentaschistis pictigluma* (Steud.)Pilger. (9)  
Rare: Highlands e.g Sanaa, J. Annabi Shua'ib, Taaker, J. Maswer.  
*Phaeanthoecium koestlinii* (Hochst. Ex A. Rich.) C.E.Hubb. (9)  
Raymah, Haraz, Maswer, J. Ta'aker.  
*Phalaris paradoxa* L. (9)  
(syn. *P. Paradoxa* var. *praemorsa* (Lam.) Coss. & Durieu)  
Hadda (Sanaa).  
*Phragmites australis* (Cav.) Trin. ex Steud. subsp. *australis* (9)  
(syn. *P. Communis* Trin., *P. communis* Trin. var. *stenophylla* Boiss.).  
Radaa, Arhab, near al Mukalla, Wadi Al maqad-Al Mukalla road.  
*Phragmites karka* (Retz)Trin ex Steudel. (8,9)

- Very rare: Ibb.
- Poa annua L. (9)  
Highlands.
- Poa leptoclada Hochst. ex A. Rich. (9)  
Rare: Highlands: J. Maswer.
- Poa menachensis Schweinf \* (9)  
Very rare: J. Shibam near Manakha.
- Poa pseudoschimperiana Chiov.  
Highlands: above Dimarayn (J. Saber), His'n Hab (Ba'dan), J. Ta'aker.
- Poa schimperiana Hochst. ex A.Rich. (9)  
Highlands: Ibb, J. Maswer.
- Polypogon monspeliensis (L.)Desf. (9)  
Taiz, Tihama foothills, Soqotra.
- Polypogon viridis (Gouan) Breistr. (9)  
(*syn Agrostis viridis Gouan, A. semiverticillata Forssk., A. verticillata Vill.*,  
*Polypogon semiverticillatus (Forrsk.) Hyl.*).  
Tihama foothills, Dhisufal, western mountains, Hadhramaut .
- Polypogon schimperianus (Hochst. Ex Steud.) (9)  
(*syn. Agrostis schimperiana Hochst. ex Steud., A. hirtella Hochst. ex Steud.* ).  
Rare: Manakha, Dhamar, Bawaan, Khawlan Ashsham
- Rottboellia cochinchinensis (Lour.) Clayton (9)  
(*syn. R. exaltata L.f.*).  
Tihama, Hagdah (W of Taiz), medium altitude.
- Rytidosperma subulata (A.Rich.) Cope. (9)  
Highlands: Sumara-Maab.
- Saccharum griffithii Munro ex Boiss. (9)  
Hadhramaut
- Saccharum officinarum L. (9) قصب السكر  
Cultivated: Ibb
- Saccharum ravennae (L.)Murr. (9)  
Sa'dah, Nihm, Marib.
- Saccharum spontaneum L. (9)  
Tihama, Tihama foothills, Highlands, Abyen.  
subsp. spontaneum  
Tihama, Tihama foothills, Abyen
- Schmidtia pappophoroides Steud. (9)  
Soqotra.
- Schoenefeldia gracilis Kunch (9)  
Bayt al Faqih: Tihama.
- Sehima ischaemoides Forssk. (9)  
(*syn. Andropogon sehima Steud.*)  
Taiz, Raymah, Al H'adiyyah..
- Sehima nervosum (Rottler.) Stapf. (9)  
(*syn. Ischaemum laxum R. Br.*)  
Tihama foothills, At Turbah, Ibb, Al U'deyn, Soqotra.
- Setaria barbata (Lam.) Kunth. @  
Tihama foothills, Adhabab (SW of Taiz).
- Setaria intermedia Roem. & Schult. (9)  
Soqotra.

سخن ايطالي (9) *Setaria italica* (L.) P. Beauv.

Cultivated in Hadhramaut

*Setaria megaphylla* (Steud.) T. Durand & Schinz (9)

(*syn. S. plicatilis* (Hochst.) Hack. Ex Engl., *panicum plicatile* Hochst.) (9)

Tihama foothills, al Mussallah (Taiz), Hajjah .

*Setaria pumila* (Poir.) Roem & Schult. (9)

Taiz, Ibb, Al U'deyn, J. Razeh., western mountains, Soqotra.

*Setaria sagittifolia* (Hochst. ex A.Rich.) Walp. (9)

(*syn. Panicum sagittifolium* (Hochst. ex A. Rich.)

Wussab, Rihab, Madinat Ashsharq, Raymah, Haraz.

*Setaria sphacelata* (Schum.) Stapf. & C.E. Hubb. ex M.B. Moss. (9)

(*syn. S. sphacelata* var. *aurea* (A. Braun) Clayton.)

Al Mahwit.

*Setaria verticillata* (L.)P. Beaur. @ سبيط

(*syn. S. adhaerens* (Forssk.)Chiov., *S. verticilliformis* Dumort., *Panicum adhaerens* Forssk.).

Tihama foothills, Taiz, Western mountains, Hadhramaut, Soqotra, Abdul Kuri .

*Snowdenia polystachya* (Fresen.)Pilger. @

(*syn. Beckera polystachya* Fresen.)

Highlands: J. Saber, J. Habashi, Warazan, Sumara, Sanaa, Haraz, Shaharah, Bani Matar.

*Sorghum bicolor* (L.) Moench @ ذرة

Cultivated.

*Sorghum versicolor* Andersson (in Willdenowia 34: 159-182, 2004)

Huf (AL Mahara).

*Sporobolus africanus* (Poiret) Robyns & Tournay. (9)

J. Saber, At Turbah, J. Maswer, Ibb, Dhamar, Yerim.

*Sporobolus angustifolius* A. Rich. (9)

Ibb, al Dalil, Sumarah, Bura', Al H'adiyyah, Milhan, al Mahabisha, Soqotra.

*Sporobolus airiformis* Chiov. (9)

Abyen ?

*Sporobolus confinis* (Steud.)Chiov. (9)

Medium altitude e.g. J. Razeh.

*Sporobolus consimilis* Fresen. (9) حشيش ملح، ملح

Tihama foothills, Hujaylah, Aden, Damt, al Baydah, Radaa, Sa'dah., Aden.

*Sporobolus coromandelianus* (Retz.) Kunth. (9)

Hajjaylah, Al-Mahra: 5-10 km W of Hawf

*Sporobolus diander* (Retz.) P. Beauv. (9)

Soqotra

*Sporobolus festivus* Hochst. ex A. Rich. (9)

Tihama foothills, Sharaab, Al U'deyn, J. Hubaysh, J. Ashsharq.

*Sporobolus gloeoclados* Cope (9)

Abyen ?

*Sporobolus helvolus* (Trin.)T.Duran. & Schinz. (9)

(*syn. S. glaucifolius* (Steud.) Hochst. ex Dur. & Schinz, *Vilfa helvola* Trin.).

Coastal areas, Tihama foothills.

*Sporobolus ioclados* (Nees ex Trin.) Nees . @

(*syn. S. arabicus* Boiss., *S. marginatus* Hochst. ex A. Rich., *S. jemenicus* Pilg. Ex Schwartz, *S. kentrophyllus* (Schum.) Clayton.).

- Tihama foothills, Taiz, Sanaa, Sa'dah, Hadhramaut, Soqotra.  
Sporobolus minutus Link. (9)  
Soqotra.  
Sporobolus natalensis (Steud.) Dur. & Schinz. (9)  
Shibam.  
Sporobolus nervosus Hochst. (8,9)  
V. rare: NW Sanaa.  
Sporobolus panicoides A.Rich. (9)  
At Turbah, al Qadah, Dhisufal, Ibb, Al U'deyn, Rihab, Wussab al Ali, J Ashsharq.  
Sporobolus pellucidus Hochst. (9)  
Radaa, W. Dhahr, Shamalan, Soqotra.  
Sporobolus pyramidalis P. Beauv. (9)  
(*syn. Agrostis indica Forssk.*)  
Widespread: western low and highlands.  
Sporobolus ruspolianus Chiov. (2,9)  
Hadhramaut, Soqotra.  
Sporobolus spicatus (Vahl) Kuntze. حشيش ملح، ملح، النمس @  
(*syn. Agrostis virginica Forss.*)  
Taiz, Tihama, Aden, Lahj, Hadhramaut, Hagdah-Hays, Soqotra, Abdul Kuri .  
Sporobolus stapfianus Gand. (9)  
Northern high lands  
Sporobolus tourneuxii Coss. (9)  
NE Dhamar, Milhan, Sanaban, Radaa, Bani Hushaysh, Hadhramaut .  
Sporobolus virginicus (L.) Kunth. (3,9)  
Hadhramaut  
Stipa parviflora Desf. (Doubtful record, ref. the herbarium of al Kod)  
Sayhut-Qishin road (Hadhramaut) .  
Stipa tigrensis Chiov. (9)  
J. Habashi, Haraz, Sumara, J. Allouz, Kuhlan, J. Manar, Haraz, Shibam.  
Stipagrostis acutiflora (Trin. & Rupr.) De Winter. (9)  
Hadhramaut  
Stipagrostis ciliata (Desf.) De Winter. حشيش أحمر @  
(*syn. Aristida ciliata Desf.*).  
Highlands: Maaber, Dhamar, Sanaa, Radaa, Amran, Hadhramaut .  
Stipagrostis drarii (Tackh.) De Winter  
(*syn. S. arabiifelcis Bor*)  
North Hadhramaut  
Stipagrostis foexiana (Maire & Wilczek.) De Winter. (9)  
(*syn. Aristida bifida Karl*)  
Stipagrostis hirtigluma (Steud. ex Trin. & Rupr.) De Winter. (9)  
(*syn. Aristida hirtigluma Trin. & Rupr.*).  
Tihama foothills, Bani Umar, Damt, Amran, Hadhramaut .  
Stipagrostis multinervia H. Scholz (9)  
Hadhramaut  
Stipagrostis obtusa (Del.) Nees. (9)  
(*syn. Aristida obtusa Delile*).  
Highlands: Radaa, Sa'dah, Khawlan Ashsham, Al Bon.  
Stipagrostis paradisea (Edgew.) de Winter. ذريعة (9)  
(*syn. Aristida paradisea Edgew., Arthratherum caloptilum Jaub. & Spach*).

- Aden, Jubah, Harib.
- Stipagrostis plumosa* (L.) Munro ex T.Ander. (9)  
(*syn. Aristida plumosa* L.).
- Al Mafraq-Al Makha, Aden.
- Stipagrostis raddiana* (Savi) De Winter (9)  
Fartak (Al Mahara).
- Stipagrostis sokotrana* (Vierh.) De Winter. (9)  
(*syn Aristida sokotrana vienth.*).  
Soqotra, Hadhramaut.
- Stipagrostis uniplumis* (Licht.) De Winter. (ذريعة) (9)  
(*syn. Aristida pogonoptila* (Jaub. & Spach) Boiss.)  
Abyen, Aden.
- Stipagrostis xylosa* Cope  
Western coastal area, Hadhramaut.
- Tetrachaete elionuroides* Chiov. (9)  
Coastal areas, Taiz, al Mafraq.
- Tetrapogon cenchriformis* (A. Rich.) W.D.Clayton. (9)  
(*syn. Lepidopironia cenchriformis* A. Rich, *T. spathaceus* (Hochst. ex Steud.) Hack.).  
Tihama foothills, western medium altitude.
- Tetrapogon tenellus* (K.D. ex Roxb.) Chiov. (جعمة) (9)  
(*syn. T. macroanthus* (Jaub. & Spach) Benth., *T. triangulatus* (Hochst. ex A. Rich.) Schweinf., *Chloris tenella* Roxb, *C. macrantha* Jaub. & Spach.).  
Tihama foothills, medium altitude, S. of Taiz, Lahj, Radfan, Soqotra.
- Tetrapogon villosus* Desf. (@) (حشيش أحمر، قطهن سقطرى)  
(*syn. Chloris villosa* (Desf.) Pers.)  
Widespread: Tihama foothills, Taiz, Dhamar, Raydah, Sanaa, Aden, Lahj , Soqotra.
- Themeda quadrivalvis* (L.) Kuntze. (9)  
(*syn. Anthistiria ciliata* L.f.).  
Soqotra.
- Themeda triandra* Forssk. @  
(*syn. T. forsskalii* hack., *T. triandra* var. *imberbis* (Retz.) hack., *T. triandra* var. *glaucia* (desf.) Hand.-Mazz.)  
J. Saber, Shibam, Dhamar, Yasleh, Hajjah, Raydah, Utuma, Kuhlan, Soqotra.
- Tragus berteronianus* Schult. (9)  
(*syn. T. occidentalis* Nees, *T. alienus* var. *brevispinus* Henrard)  
Tihama foothills, J. Bura', Abyen, Marib, Hadhramaut , Soqotra.
- Tragus racemosus* (L.) All. @  
(*syn. T. brevicaulis* Boiss.)  
Taiz, Yerim, Sanaa, Abyen, Hadhramaut , Soqotra.
- Tricholaena teneriffae* (L.f.) Link. (9)  
(*syn. T. leucantha* (A.Rich.) Stapf & C.E. Hubb., *T. mascatensis* Gand.Panicum *teneriffae* (L.f.) R.Br., *P. leucanthum* A. Rich.).  
Tihama foothills, Highlands, Abyen, Aden, Hadhramaut.
- Tricholaena vestita* (Balf.f.) Stapf & C.E.Hubb. \* (9)  
(*syn. Eriochloa vestita* Balf.f.).  
Soqotra.
- Trichoneura mollis* (Kunth) Ekman (9)

- (*syn. Uralepis arenaria Steud.*)  
Soqotra  
Tripogon leptophyllus (A.Rich.) Cuf. (9)  
Rare: Highlands e.g. Al Mahwit, Al H'adiyyah, Milhan, N Fartak (AL Mahara)..  
Tripogon montanus Chiov. (9)  
Highlands e.g. Ba'adan, Bawaan, Kawkaban, shibam, Dhawran.  
Tripogon multiflorus Mire & H.G.illet. (9)  
Al U'deyn, J. Raymah, Shamlan, Arhab.  
Tripogon oliganthos Cope \* (9)  
High altitude mountain areas  
Tripogon purpurascens Duthie. (9)  
Sumara, near Addalil.  
Tripogon subtilissimus Chiov. (9)  
Abyen, Hadhramaut.  
Triraphis pumilio R.Br. (9)  
V. rare: Marib, Hadhramaut.  
Triticum aestivum L. (9) **فمح، بر، حنطة**  
(*syn. T. vulgare Vill., T. vulgare var. caesium Alef., T. erythrospermum T. vulgare var. ferrugineum Alef.*)  
Cultivated: Yerim, Hadhramaut.  
Triticum dicoccum (Schrank.) Schuev. (9) **علاس**  
(*syn. Gigachilon polonicum subsp. Dicoccon (Schrank) A. Love*)  
Cultivated: Manakha.  
Triticum durum Desf. (9) **سرة**  
(*syn. Gigachilon polonicum subsp. durum (Desf.) A. Love*)  
Cultivated : Jiblah, al Kod.  
Urochloa panicoides P.Beauv. @  
(*syn. U. helopus (Trin.) Stapf, Panicum controversum Steud.*).  
Hagdah, Sharaab (Taiz), Al U'deyn, Wussab-Rihab, Al H'adiyyah, Haraz, Lahj,  
Adhale' Urochloa trichopus (Hochst.) Stapf (9)  
Tihama & foothills, Taiz, Madinat Ashsharq.  
Urochondra setulosa (Trin.)C. E.Hubb. **حصيبة**  
(*syn. Vilfa sentulosa Trin., Sporobolus setulosus (Trin.) A. Terrace.*)  
Coastal areas: Al Hudaydah, Hadhramaut, Soqotra.  
Vulpia bromoides (L.)Gray. (9)  
Highlands e.g. J. Ta'aker.  
Zea mays L. @ **هند، سبول، ذرة شامية**  
Cultivated.  
Zingeria trichopoda (Boiss.)P.Smirn. @  
Taiz.  
**POLYGALACEAE**  
Polygala abyssinica R.Br. ex Fresen.  
var. abyssinica @  
J. Saber, Manakha, Hadhramaut , Dhamar, Soqotra.  
var. subaphylla (O. Schwartz) Wood (8)  
(*syn. P. aubaphylla O. Schartz*)  
East of Radaa, near Majz Bani Hushaish.  
Polygala dhofarica Baker (in Anales Jard. Bot. Madrid 45(1): 151-158.)

Jabel An Nabi Shwayib, Jebel Hisu Naduan, Wusab al Ali, Hadhramaut, Al Mahara,

Polygala erioptera DC. (8@) مستدرة

(syn *P. thurmanniana Chodat*, *P. paulayana Vierh.*).

Bait al Faqih, Aden, Lahj, Jihaf, Abyen, Kuhlan Affar, Hadhramaut, Soqotra.  
var. *perennis Schweinf.*

Aden, Huneish island, Qa tabah.

Polygala irreqularis Boiss. (8)

Coastal areas, al Mafraq-al Barh, Dhamar, Abyen.

Polygala kuriensis A.G.Mill. \* (2)

Abdul Kuri island

Polygala persicariifolia DC. (8)

Rare: Ibb

Polygala rupicola Hochst. & Steud. ex A.Rich. (8)

(syn. *P. aethiopica Chodat.*).

J. Saber, al Ahjur, Raydah, Wusab Al Ali, J Annabi Shua'ib.

Polygala schwartziana Paiva. (3)

(syn. *P. subaphylla Schwartz*).

NE of Sanaa, N of Sa'ada, W. Hajar (Hadhramaut), Marib-Harib road.

Polygala senensis Klotzsch. @ صريحة

(syn. *P. quartiniana A.Rich.*, *P. obtusissima Hochit.*, *P. calcicola Chodat*).

Tihama foothills, Taiz, Aden, Lahj , Adhale, Nihm, Shabwa, Kuhlan, Lawdar-Al Mukala, Hadhramaut .

Polygala steudneri Chodat (in Anales Jard. Bot. Madrid 45(1): 151-158.)

(syn. *P. negrii Chiov.*)

Sana'a-Hodeida road to summit of Jebel an Nabi Shu'ayb

Polygala tinctoria Vahl. (8)

(syn. *P. bracteolata Forssk. non L.*).

At Turbah, Dhisufal, Tihama foothills.

## POLYGONACEAE

Antigonon leptopus Hook. & Arn. @

Introduced : Cultivated as an ornamental.

Calligonum comosum Herit. @

(syn. *C. polygonoides subsp. comosum (L Her) Sosk.*)

Matfaa – Aden road, Soqotra ?

Calligonum crinitum Boiss \*\* subsp. *arabicum (Sosk.) Sock.* عبال

Marib, Harib, Hadhramaut .

Emex australis Steinh. (7)

Introduced : weed at 1700

Emex spinosus (L.)Campd. (7)

Highlands e.g. Yerim, Sumarah, Manakha, W. Dhahr, Shibam, Soqotra.

Oxygonum sinuatum (Hochst. & Steud.) Dammer. (7)

(syn. *O. atriplicifolium (Meish.) var. sinuatum.*).

Ibb, Soqotra.

Perisicaria amphibia (L.)S.F.Gray (7)

(syn. *polygonum amphibium L.*).

Highlands: Sumara, Bani Matar, Yerim, Sanafan.

Perisicaria barbata (L.) Hara (7)

(syn. *Polygonum barbatum L.*, *P. setulosum A.Rich*).

Rare: Taiz, J. Bura', J. Milhan, al Ahjur, Al H'adiyyah, Assukhnah, Soqotra.  
Perisicaria decipiens (R.Br.)Wilson (7)

(syn. *P. salcifolia* (Brouss. ex Willd., *Polygonum salcifolia* Brouss ex Willd).  
Ibb, al Qa'idah, Hithran (Taiz), J. Milhan, Harz.

Persicaria glabra (Willd.) Gomez de la Maze (7)

(syn. *Polygonum glabrum* Willd.).  
Haraz, Khawlan Ashsham, Soqotra.

Persicaria lapathifolia (L.)Gray. (7,9)

(syn. *Polygonum lapathifolium* L.).  
Yerim, Sanafan.

Persicaria maculosa Gray. (7,8)

(syn. *P. dolichopoda* (Ohki)Sasak, *Polygonum persicaria* L.).  
Ibb, al Ahjor, Sanafan, Attawila, W. Dhahr.

Persicaria nepalensis (Meis.)Gross. (7, 8)

(syn. *Polygonum nepalense* Meissner).

Rare: J. Rayma, Wussab al Ali, Ba'adan, J. Ta'aker, Barat, Kusumah.

Perisicaria salicifolia (Willd.)S.F.Gray. (7)

(syn. *Polygonum salicifolium* Willd., *P. serrulatum* Lag.).

Rare: Hithran (Taiz), al Qaeedah, Ibb, Milhan, Haraz, Hujaylah.

Persicaria senegalensis (Meis.)Sojak. (7,8)

(syn. *Polygonum senegalensis* Meiss.).

Widespread from Tihama foothills to highlands.

Polygonum aviculara L. (7,8)

Taiz, High altitude mountains.

Polygonum corrigioloides Jaub. & Spach.

High altitude mountains: Huth

Rumex dentatus L.

High altitude areas: Dhamar, Yerim, Shibam, Dhawran, Khamer.

Rumex nervosus Vahl. @ عَرْب

Widespread on high altitude areas: e.g. J. Saber, J. Habashi, Ibb, Baa'dan , Yerim, Kitab, Annajd Al Ahmer, J. Ta'ker, Assayani, Jibla, Dhisufal, Dhamar, Sanaa, Amran, Hajjah, Khamer, Shibam, Dhawran, Qa'taba, Jihaf, Al Husha, Juban, Damt, Yafea.

Rumex obtusifolius L. (8) عَرْب

High altitude mountains:

J. Maswer, Haraz, Attawilah, Dhamar, Kawkaban, Baa'dan.

Rumex steudelii Hochst. ex A.Rich. (7,8) تَبَعُل

Rare: High altitude areas: wadi Nakhla (Assayani), J. Ta'ker, S of Mashwara, Dhisufal , W of Jibla, Arrabadi, Al Jirdad, Sanafan.

Rumex vesicarius L. (7,8)

Shihara, Raydah, J. Eraf, Qa Jahran, Abyen, Hadhramaut .

## POLYPODIACEAE

Loxogramme abyssinica (Swartz.) C.Presl (2)

Soqotra

Loxogramme lanceolata (Swartz) C. Presl (7)

Rare: Tihama foothills, Al H'adiyyah, J. Milhan.

Pleopeltis macrocarpa (Bory ex Willd.) Kaulf. (7)

Rare: J. Saber, Western mountains, Ba'adan, Hagher (Soqotra).

## PORTULACACEAE

- Portulaca commutata M. G. Gilbert (in Willdenowia 34: 159-182, 2004)  
Lahj, Kor Seiban (Hadhramaut), N Fartak (Al Mahara).
- Portulaca constricta M. G. Gilbert (in Willdenowia 34: 159-182, 2004)  
Al Mukalla - Sayun road,
- Portulaca dhofarica M. G. Gilbert \*\* (in Willdenowia 34: 159-182, 2004)  
Hadramout: Wadi Al-Muhammedin, Al-Mahra: Jabel Sharwayn J. Fartak.
- Portulaca foliosa Ker-Gawl. (8)  
J. Bura'.
- Portulaca kuriensis M.G.Gilbert \* (2)  
Vulnerable: Abdul Kuri .  
رجلة، رجنة
- Portulaca oleracea L. @  
Taiz, Tihama foothills, Aden, Abyen, Lahj, Hadhramaut, Abdul Kuri.  
رجنة، ارينبة (7,8)
- (syn. *P. hareschata* Forssk., *P. imbricata* Forssk., *P. linifolia* Forssk.)  
Tihama foothills, Taiz, ẒDhamar, Russabah, Aden, J. Al Araes, Abyen, Soqotra.
- Portulaca samhaensis A.G.Mill. \*  
Endangered: Samha island
- Portulaca sedifolia A.G.Mill. \*  
Endangered: Soqotra
- Talinum portulacifolium (Forssk.) Aschers. ex Schweinf. (7,)  
(syn. *T. cuneifolium* (Vahl) Willd., *Orygia portulacifolia* Forssk., *Portulaca cuneifolia* Vahl.)  
Low escarpment, Taiz, Al Mahra: Track from Ghaydah to Hawf, Soqotra.

## POTAMOGETONACEAE

- Potamogeton filiformis Pers. (2)  
Soqotra
- Potamogeton natans L. (8)  
SW of Yerim, Sanaa, al Ahjur, Soqotra.
- Potamogeton nodosus Poir. @  
(syn. *P. natans* subsp. *plantagineus* Ducros, *P. semicoloratus* A.Benn.)  
Tihama, W. al Masha'er (S. of Taiz), Huth, Huf (Al Mahara), Soqotra.
- Potamogeton pectinatus L. (2)  
Soqotra.
- Potamogeton pusillus L. (8)  
At Turbah, Shibam, Manakha, J. Milhan, Huth, al Ahjur.
- Potamogeton schweinfurthii A.Benn (8)  
. Rare: J. Sumarah, J. Manar, Wadi Bana.

## PRIMULACEAE

- Anagallis arvensis L. var. caerulea (L.) Gouan @ (8)  
عن الجمل  
At Turbah, Dhisufal, Dhamar, Sanafan, Hadhramaut, Soqotra.
- Anagallis foemina Miller. (8)  
Rare: Assyani, J. Saber, Sumarah, Barat, Kusuma, Haraz, Kuhlan, J. Annabi  
Shua'ib, Shibam, Saada.
- Anagallis minima (L.) E.H.L.Krause. (8)  
Rare: J. Ta'aker.
- Anagallis serpens Hochst. ex DC. (8)  
Rare: E. of Dhamar, J. Manar, Sumara.
- Asterolinon adoense Kunze. (8)  
J. Ba'adan.

Lysimachia ruhmeriana Vatke. (8)

Rare : J. kaburah (Al H'adiyyah).

Primula verticillata Forssk. (8)

Hayfan & At Turbah (Taiz), J. Sumara, N of Ibb, Wussab, J. Milhan, J. Alloz,  
Yerim, Jiblah, Haddah (Sanaa), Amraan, Hajjah , Mukairas.

Samolus valerandi L. (8)

J. Saber & At Turbah (Taiz), Dhisufal, al Qaeedah, Dhamar, Huf (Al Mahara).

## PROTEACEAE

Grevillea robusta A.Cunn. ex R.Br. @

Introduced: AREA experimental farm, Taiz

## PSILOTACEAE

Psilotum nudum (L.)P.Beauv. (7)

At Turbah: S. Taiz, J. Milhan, al Mahwit, Al H'adiyyah, Ba'adan.

## PTERIDACEAE

Pteris cretica L. (7)

(syn. *P. obliqua* Forssk., *P. semiserrata* Forssk.)

J. Saber, Ba'dan J. Kaburah, Al H'adiyyah, J. Milhan, Al Mahwit, Soqotra, .

Pteris dentata Forssk. @

(syn.*P. serrulata* Forssk, *P. arguta* Ait.var. *flabellata* Mett.).

Taiz, Sanaa, Dhamar, Shibam, Dhisufal, Manakha.

Pteris quadriaurita Ret. (2)

(syn. *P. catoptera* Kunze).

Al H'adiyyah,, J. Bura', J. Milhan, Soqotra.

Pteris vittata L. (2,8)

(syn. *P. obliqua* Forssk., *P. Longifolia* L.).

Medium to highlands e.g. Dhisufal, J. Milhan, Manakha, Ashawaet', Mutheikhira,  
Hajjah, Soqotra, Hadhramaut, Al Mahara.

## PUNICACEAE

Punica granatum L. @ رمان

Cultivated,

Punica protopunica Balf.f. \* @

Vulnerable: Soqotra.

## RANUNCULACEAE

Adonis dentata Del. (7)

Al Ahjur.

Clematis hirsuta Guill. & Perr. @ ذيق، شريج

(syn. *C. incisodentata* A.Rich, *C. wightiana* Wall.).

Taiz, Ibb, J. Al Arays (Abyen).

Clematis longicauda Steud. ex A.Rich. (7)

J. Nasser (Hajjah ).

Clematis simensis Fresen. @ شريج، فيقع

Highlands e.g. J. Saber, Wadi Shalalah, Muthaikhira,.

Nigella sativa L. @ حبة السوداء

Cultivated: Qa Bakil, Arhab, Hadhramaut.

Ranunculus multifidus Forssk. (7,8)

(syn. *R. forskaehlii* DC.).

Yerim, Sanafan.

Ranunculus rionii Lagg. (7,8)

(syn. *R. trichophyllus* Chair var. *rionii* (Lagg.)Rikl.).

Yerim.

Thalictrum minus L. @

○ Adhabab, At Turbah, W of Jibla, Wussab, Eryan.

### RESEDAEAE

Caylusea abyssinica (Fresen.) Fisch. & Mey. (7,8)

Rare: Al jabin-Assalafiyah, J. Rayma.

Caylusea hexagyna (Forssk.) M.L.Green. @ بـالـجـلـ

(syn. *C. canescens A.St.Hil.*, *C. jaberii Abedin*, *Reseda hexagyna Forssk.*).

N. of al Qaeedah, Dhamar, Sanaa, J. Annabi Shua'ib, Bani Mater, Manakha, Yafea, Hadhramaut, Soqotra.

Ochradenus arabicus Chaud. Hillc. & Mill. (in Not. RBG Edinb: 41(3): 494)

Hadhramaut, Abyen, Al Mahara.

Ochradenus baccatus Del. قرضي، قين، بـالـجـلـ، حـرـشـيـةـ، عـضـةـ الـجـلـ، مـشـطـ الـحـدـاـ، كـسـارـ جـيـشـوـ @

(syn. *O. baccatus Del. var. monstrosa Muell.*, *O. baccatus Del. var. scandens Hochst. & Steud. Ex Muell.*)

Taiz, Al Qae'ida, Yarin, Mutheikhira, Baa'dan, Sanaa, Yeslih, Manakha, Dhamar, Qa'tabah, Demt, Ashue'ib, Juban, Al Hussein, Adadale', Al Husha, Jihaf, Shabwa, Hadhramaut, al Mahara

Ochradenus gifrii Thulin. \*\* (in Nord. J. Bot. 14(4): 383-384 (1994)

Al Mahara, Sayhut-Qishin, Hadhramaut.

Ochradenus socotranus A.G.Mill \* (2)

Soqotra, Samha.

Ochradenus spartioides (Schwartz) Abdulla. \* (7)

(syn. *Ranodonia spartioides Schwartz*).

Rare: J. Ged: Shabwa, W. Himam above al Mukalla (Hadhramaut).

Oligomeris linifolia (Vahl)J.F.Macbr. (7,8)

(syn. *O. subulata Webb.*)Boiss.

Sanaa, Arhab, Radaa.

Reseda alba L. subsp. decursiva (Forssk.)Maire. (7)

(syn. *R. decursiva Forrsk.*)

Low altitude areas, W of Taiz .

Reseda amblyocarpa Fresen. var. adenensis Perk. (7)

Aden, ArRayan-Sayun road.

Reseda sphenocleoides Defl. \*\* (1,7,8)

Al Hujariyah, W of Arrona (N of Taiz), Mawiya-Al Janad road, Aden, Lahj, Dhamar, Radaa, Sa'dah, Al Mahabisha, Bani Al Hareth-Nihm, W. Dhahr, Sanaa-Marib road, Demt, Jihaf, Qa'tabah, Al Hus'ein, Ras Huweira, Hadhramaut, Al Mahara.

Reseda spinescrns Schwartz (ref. The herbar. of al Kod)

Abyen, Yafea, Adhale' , al Mahara.

Reseda viridis Balf.f. \* (7)

Soqotra

### RHAMNACEAE

Berchemia discolor (Klotzsch)Hemsl. تـمـارـ

(syn. *phyllogeiton discolor (Klotzsch)Herzog*).

Tihama foothills, W of Taiz, middle altitude mountains.

Helinus integrifolius (Lam.) Kuntze (8)

(syn. *H. arabicus Jaoub.* & Spach).

Sharab, al Misrakh (Taiz), Al U'deyn, J. Gedu (Shabwa), Kor Seiban  
(Hadhramaut), Soqotra.

Rhamnus prinoides L'Herit. (8)

Highlands e.g. J. Habashi, J. Ba'adan, Kusumah, , J. Raymah, J. Milhan, Al  
H'adiyyah.

Rhamnus staddo A.Rich. var. deflersii (Schweinf.)Chiov. @ جدب، حمك، حوريت  
ميطين(حوف)

Taiz, J. Saber, Al Hujeryah, Assayani, W of Jibla, Mutheikhira, Dhisufal, Al  
Qae'ida, Sanaa-Al Hudaydah, W. Adduf, Qa'tabah, al Husha, Demt, J. Al Arays  
(Abyen), Huf.

شرز، زرب، عوسج، مسرب، كهن، حنة الرباح، عنمن، ننم @  
(syn. *S. brandrethiana* Aitch. var. *bornmuelleri* Schneider, *S. spiciflora*  
(A.Rich.)Hutch & Bruce, *Berchemia yemensis* Defl.).

Tihama foothills, western scarpment, J. Saber, Jibla, Ibb, Hubaish, Dhamar,  
Sanaa, J. Rimah, Hajjah, Ibb, Shibam, W. Bana, Qa' Al haql, J. Al Arays  
(Abyen), Hadhramaut, Huf: Al Mahara.

Ziziphus leucodermis (E.G.Baker) Schwartz. \*\* (1,4)  
(syn. *Rhamnus leucodermis* Bak.)

Hadhramaut, Al Mahara, Shabwa.

Ziziphus jujuba Mills. @

(syn. *Z. vulgaris* Lam.).

Introduced: Cultivated.

Ziziphus lotus (L.)Lam. (3)

Introduced: Cultivated: Ataq-Bayhan (Shabwa), Ghayl Bawezir and Wadi Al Ayn  
(Hadramout).

Ziziphus mucronata Willd. @ سدار، علّاب

Tihama foothills, Adhabab and Al Hujerya (Taiz), Addalil, Al Manazel, western  
middle altitude mountains, S of Ibb,

Ziziphus nummularia (Burm.f.)Wight & Arn. (3)

(syn. *Z. rotundifolia* Lam.)

J. Bura'.

Ziziphus spina-christi (L.) Willd. @ سدر، علّاب، عرج، دوم

Throughout the country.

## RHIZOPHORACEAE

Rhizophora mucronata Lam. (8)

Rare: Coastal areas. Medi, Alluhayyah.

## ROSACEAE

Alchemilla cryptantha Steud. ex A. Rich. (7,8)

J. Saber, J. Rayma, Mankhah, J. Annabi Shua'ib.

Cydonia oblonga Miller. @ سفرجل

(syn. *C. vulgaris* Pers., *Pyrus cydonia* L.,)

Cultivated in highlands.

Cotoneaster nummularia Fisc. & C.Mey.) (7)

Hilyal (Sumara).

Malus sylvestris Miller. @ تفاح

(syn. *M. communis* Poir., *Pyrus malus* L.)

Cultivated.

Potentilla dentata Forssk. @

J. Saber, Ibb, J. Maswer, Manakha, J. Sumara.

Potentilla reptans L. (7,8)

(syn. *P. Abyssinica* A. Rich.)

Ibb, Yerim, NW of Al Mahwit, Khawlan Ashsham.

Prunus armeniaca L. @ برقوق، مشمش

(syn. *Armenica vulgaris* Lam.)

Cultivated: Sanaa, Shibam.

Prunus domestica L. @ أنجاس

Cultivated: Sanaa, Shibam.

Prunus dulcis (Mill.) D.A. Weeb. @ لوز

(syn. *Amygdalus communis* L. A. *dulcis* Miller, *Prunus amygdalus* Batsch, *P. communis* (L.) Arcang.)

Cultivated: Sanaa.

Prunus persica (L.) Batsch. @ فرسك

(syn. *Amygdalus persica* L.)

Cultivated: e.g. Sanaa, J. Saber.

Pyrus communis L. subsp. *sativa* (DC.) Hegi. @ عبروت

Cultivated: al Hada, Sanaa.

Rosa abyssinica R.Br. ex Lindl. @ عشق، حوجم، زرب

(syn. *R. bottaiana* Boulen., *R. moschata* Herrm. var. *abyssinica* (Lindley) Crepin, *R. schweinfurthii* Boule.

High lands e.g. J. Saber, Sumara, Mutheikhira, Dhisufal, Ba'dan, Sanaa, Dhamar, Hajjah , Amran.

Rosa barbeyi Boul. \* (7)

Low altitude mountains

Rosa x bifera (Poir.) Pers. (8)

Introduced: Cultivated. Sanaa.

Rubus apetalus Poir. (7)

(syn. *R. exsuccus* A. Rich, *R. petitianus* A. Rich., *R. quartinians* A. Rich).

Ibb, Dhisufal.

Rubus arabicus (Defl.) Schweinf. \* (7,8) حنطليس، توت بري، عنفليس

(syn. *R. glandulosus* Bell. var. *arabicus* Defl.)

Haraz, J. Milhan, Shibam, Kuhlan.

Rubus caesius L. (7,8)

Al Mihwit, Bani Mater, W. Dhahr, al Ahjor, Attawilah.

## RUBIACEAE

Anthospermum herbaceum L.f. (8)

(syn. *A. muricatum* Hochst. ex A. Rich.).

Highlands e.g. Dhisufal.

Breonadia salicina (Vahl) Hepper & J.R.I.Wood. @ ذراح، دندل

(syn. *B. microcephala* (Del.) Ridsd. *Adina microcephala* (Del.) Hiern.).

Tihama foothills (e.g., J. Bura'), W. al Mua'ten ( J. Rayma), S of Taiz, Al U'deyn, Baa'dan , Hajjah , Utuma.

Canthium schimperianum A. Rich. (8) شخص، شيء

(syn. *Plectonia schimperiana* (A. Rich.) Vatke).

Ibb, Al U'deyn, al Mihwit, al Mahabishah, Utuma, J. Razeh, Mirran..

Carphelea obovata (Balf.f.) Verdc. \* (2@) شيط، شيء

(syn. *C. glaucescens* (Hiern.) Vatke. *C. obovata* var. *albescens* Balf.f., *Dirichletia lanceolata* Balf.f., *D. obovata* Balf.f., *D. Glaucescens* Hiern, *D. venulosa* Balf.f., *Plectonia bagosensis* Martelli).

- Soqotra.
- Coffea arabica L. @ بن  
Cultivated : meddle altitude areas.
- Coptosperma graveolens (S.Moore) Degreef subsp. arabicum (Cuf.) Degreef. (in Syst. Geogr. Pl. 71:367-382, 2001)  
صر، بیس، صلیة، ثوب، رماح @  
(syn. *Tarennia graveolens* (S. Moore) Bremek. ssp. *arabica* (Cuf.) Bridson, *T. boranensis* Cuf. subsp. *arabica* Cuf)  
Bani Umar, Ases (S. of Taiz), J. Bura', J. Gedu (Shabwa), J. Al Arays (Abyen), Huf, Qa'tabah, Hadhramaut.
- Diodia aulacosperma K.Schum. (2)
- Soqotra
- Gaillonia aucheri (Guill.) Jaub. and Spach  
(syn. *Jaubertia aucheri* Guill.) (1)  
Hadhramaut .
- Gaillonia calycoptera (Decne.)Lincz. (in Nord. J. of Bot. 18(1): 31-38 (1998).  
(syn. *Neogaillonia calycoptera* (Decne.)Puff, *Pterogaillonia calycoptera*. (Decne.)Lincz.).  
Rare: Highlands e.g. Nuqum, J. Shamsan, W. Dhahr.
- Gaillonia jolana Thulin. \* (in Nord. J. of Bot. 18(1): 31-38,1998)  
Jol plateau N of al Mukalla, Jol above Mahdi Pass (Hadhramaut ), J. Gedu (Shabwa), Soqotra.
- Gaillonia puberula Balf.f \* ظرط هینتن @ (in Nord. J. of Bot. 18(1): 31-38 (1998).  
(syn. *Neogaillonia puberula* (Balf.f.) Lincz).  
Soqotra.
- Gaillonia putoroides (A.R.Smith)Thulin. \* ظرط هینتن\* (in Nord. J. of Bot.18(1):31-38 (1998)  
(syn. *Jaubertia putoroides* A.R. Smith , *Neogaillonia putoroides*(A.R.Smith) Lincz).  
Soqotra.
- Gaillonia thymoides Balf.f. \* ظرط هینتن (in Nord. J. of Bot. 18(1): 31-38 (1998).  
(syn. *Neogaillonia thymoides* (Balf.f.) Lincz).  
Soqotra.
- Gaillonia tinctoria Balf.f. \* ظرط هینتن\* (in Nord. J. of Bot. 18(1): 31-38 (1998).  
(syn. *Neogaillonia tinctoria* (Balf.f.) Lincz).  
Soqotra.
- Gaillonia yemenensis Thulin \*\* (in Nord. J. of Bot. 18(1): 31-38 (1998)  
SW Zabid Jabal Ras, Kawr sayban and Mola Matar (Hadhramaut ) , Awdillah plateau (Abyen).
- Galium kahelianum Deflers. \* (8)  
Arribat (Yerim), Hissn Madnam (Wussab al Ali), His'n Hab (Ba'adan).
- Galium setaceum Lam. subsp. *decaisnei* (Lam.) Boiss. (2)  
Soqotra.
- Galium spurium L. subsp. *africanum* Verdc. (8)  
(syn. *Galium aparinoides* Forssk., *G. aparine* var. *hamatum* (Hochst.) Hook) (8)  
J. Saber, J. Maswer, Ibb, Huf: Al Mahara, Soqotra.
- Galium tricornutum Dandy. (8)  
high mountains e.g. J. Saber, J. Maswer, al Mahwit, Bawan, Waalan, Yerim.
- Galium yemense Kotschy. \*\* (4)  
Western highlands.

Kohautia aspera (Heyne ex Roth)Bremek. (8)

(syn. *Oldenlandia strumosa* (A.Rich.)Hiern., *O. aspera* (Roth) DC.).

Tihama & foothills, Taiz, Ibb, Rihab-Wussab, Hajjah .

Kohautia caespitosa Schnizl. (8)

(syn., *Kohautia sarcophylla* (Chiov.) Bremek., *Oldenlandia schimperi* (C.Prest.)

*T.Anders O. sarcophylla* Chiov.).

Tihama & foothills, al Mahwit, Rihab, Wussab, J.Bura', Damt, Radaa, Sa'dah,  
Hadhramaut .

Kohautia coccinea Royle (8)

(syn. *Oldenlandia ledermannii* K.Krause, *O. abyssinica* (Hochst. ex  
A.Rich.) Hiern

Ibb, Jiblah.

Kohautia retrorsa (Boiss.)Bremek. @

Hadhramaut

Kohautia socotrana Brem. \* (2)

Soqotra.

Kohautia subverticellata (K.Schum.) Mantell (2)

Soqotra

Kraussia socotrana Bridson \* (2)

Soqotra.

Oldenlandia aretioides Vierh. \* (2)

Soqotra

Oldenlandia balfourii Bremek. \* @ حشاك

(syn. *Hedyotis stellarioides* Balf.f.)

Soqotra.

Oldenlandia bicornuta (Balf.f.) Bremek. \* @

(syn. *Hedyotis bicornuta* Balf.f.).

Soqotra.

Oldenlandia corymbosa L. var. caespitosa (Benth.) Verdc. (8)

(syn. *O. caespitosa* Hiern, *Oldenlandia caespitosa* Hiern var. *subpedunculata*  
(O.Kuntze)Bremek.)

Al U'deyn, al Mahwit, Soqotra.

Oldenlandia herbacea (L.)Roxb. (2)

(syn. *O. heynei* Olive).

Soqotra.

Oldenlandia ocellata Bremek. \* (2)

Abdul Kuri.

Oldenlandia pulvinata (Balf.f.) Bremek. \* (2)

(syn. *Hedyotis pulvinata* Balf.f., *O. Pulvinata forma congesta* Vierh.)(2)

Soqotra, Samha.

Shawaf, بن الرباح ، بليسان، عريب، اشب، شيق @

(syn. *P. arabica* Brenek, *P. deflersii* Bremek.).

Taiz, At Turba, J. Saber, Assayani, Al Qae'da, Ibb, Dhisufal, As Sayani, al  
U'deyn, al Qae'ida, Ibb, Rayma, Jihaf, Al Hus'ein, Ashue'ib, Adhale' .

Pavetta villosa Vahl. (8)

(syn. *P. gloveri* Bremek., *P. gillilandii* Bremek.)

Rare: Kusumah, Al H'adiyyah, Ba'adan.

Pentas lanceolata (Forssk.)Benth. & Hook. (8) عزف

Al Hujariyah, Dhisufal, Kuhlan Affar.

- Pentodon pentandrus (Schum. & Thonn.) Vatke. (8)  
(syn. *Oldenlandia macrophylla* DC., *Pentodon abyssinicus* Hochst)  
. Taiz, centeral escarpment.
- Placopoda virgata Balf.f. \* @ تيفط  
(syn. *P. virgata* var. *nana* Balf.f.)  
Soqotra.
- Pyrostria phyllanthoidea (Baill.) Bridson (in Willdenowia 32: 239-269, 2002)  
(syn. *Canthium phyllanthoideum* Baill, *C. bogosensis* (Mart.) Penzing, *Rytigynia phyllantoidea* (Baill.) Bullock.). (8)  
NE of Taiz, Al Hujariyah, J. Sawraq, J. Bura', Sharaab, Al U'deyn, Assayani, Ibb, Dhisufal, Ussab al Ali, al Mahabitah, N fartak and Hawf Mts, NW of Jadib (Al Mahara).
- Pyrostria socotrana (Radcl.-Sm) Bridson \* حاحير (2)  
(syn. *Canthium socotranum* A.R.Smith)  
Soqotra
- Rubia tinctorum L. فواح (8)  
Cultivated. as dye
- Spermacoce sphaerostigma (A.Rich.)Vatke. (8)  
(syn. *Arbulocarpus sphaerostigma* (A.Rich.)Tennant).  
At Turbah, Ibb, Al U'deyn, Dhisufal.
- Tamridaea capsulifera (Balf.f) Thulin & B.Bremer \* @ حارشيم  
(syn. *Mussaenda capsulifera* Balf.f., *Pseudomussaenda capsulifera* (Balf.f.)Wernham.).  
Soqotra.
- Wendlandia arabica Defl. subsp. arabica (8) صداع  
Rare: Warazan, Al Hujariyah, Hadhramout: Wadi Araf, near village Haglay.
- Valantia hispida L. (2)  
Soqotra.
- RUPPIACEAE**
- Ruppia maritima L. subsp. rostellata Koch. (8)  
Taiz, Soqotra.
- RUTACEAE**
- Citrus aurantifolia (Christum) Swingle. @ ليم حامض  
Cultivated
- Citrus aurantium L. (8) تجة  
Cultivated: Al Rahidah, Soqotra.
- Citrus deliciosa Ten. @ يوسفي  
Cultivated .
- Citrus limetta Risso. (8)  
(syn. *C. limonia* Osbeck var. *pusilla* Risso.).  
Cultivated
- Citrus limon (L.) Burm.f. @ ليمون  
Cultivated .
- Citrus medica L. @ ترنج  
Cultivated.
- Citrus sinensis (L.) Osbeck. @ برقال  
Cultivated
- Haplophyllum tuberculatum (Forssk.) A.Juss. Bukta. سم الكتان (8)

(*syn. H. haussknechtii* Boiss., *H. villosulum* Boiss., *Ruta obovata* (Steud.) Schwartz), *Ruta tuberculata* Forssk., *Ruta glabra* DC., *Ruta propinqua* (Spach) O.Schwartz).

Aden, Al Boun, Harf Sufyan, Nihim, Marib, Rada'.  
Ruta amoena Schwartz. \* (@ 3)

Hadhramaut e.g. J. Ghureyba south Duqm  
Ruta chalepensis L. @ شذاب، سذاب، فيجل

Teclea nobilis Del. @ ضرم، ضرئم

Taiz, Ibb, Al U'deyn, W. Mouna (w. of Dhamar), N of Addalil, E of Ibb, Dhisufal , Qa'taba, Jihaf.

Thamnosma hirschii Schweinf. (3, 2)

Soqotra  
Thamnosma socotrana Balf.f. (2)

Soqotra.

### SALICACEAE

Salix alba L. (8)

Taiz, Aden.

Salix mucronata Thunb. @

(*syn. S. subserrata* Willd).  
Introduced. Taiz, Yerim, W. Bana, W. Dhahr, J. Annabi Shua'ib, Waalan.

Salix pentandra L. (8)

Raydah.

### SALVADORACEAE

Azima tetracantha Lam. (ref. Thulin, M. et al. 2001)

Al Mukalla-Sayun road, Hadhramaut, Ras Fartak (Al Mahara) .  
Dobera glabra (Forssk.) Poir. @ ظبر، ضبر، دبیر، دير

Tihama & foothills, low western mountains, Ashueib, Al Husa, Al Azareq.  
Salvadora persica L. @ أراك، راك، إر هك، هدل

Widespread: Tihama plain, Tihama foothills, low western mountains, al Maraqisha (Abyen), Marib, Hadhramaut , al Mahara, Soqotra.

### SANTALACEAE

Osyris quadripartita Decne (@, 8) صندل

(*syn. O. abyssinica* Hochst ex Streed., *O. lanceolata* Hochst. & Steud., *O. arborea* Wall, *O. pendula* Balf.).

Tihama foothills, Shahara, Hajjah, H'adiyyah, Above Darho (Soqotra).  
Osyris sp. A. sensu Miller & Cope \*\* (in Willdenowia 32: 239-269, 2002)

Al Mahara: Huf.

Thesium radicans Hochst. ex A.Rich. (7,8)

Ibb, J. Maswer, J. Milhan, Qaa al Haql, al Mahara.

Thesium stuhlmannii Engl. (7,8)

Al H'adiyyah, J.Raymah.

### SAPINDACEAE

Allophylus rubifolius (Hochst.)Engl. @ شيرز

Tihama foothills, western low mountains e.g. Haraz, Milhan, Rhaymah, Bura' , al Mahara.

var. *Rhusiphyllus* زركن  
Soqotra

Dodonaea viscosa L.( شهث، شهس، ضرور، زركين (حوف

(*syn. D. angustifolia L.f., D. thunbergiana Radlk.* )

Tihama foothills, Taiz, Haraz, w. of Dhamar, Ibb, medium altitude mountains, Abyen, al Maraqisha (Abyen), J. Gedu (Shabwa), Hadhramaut, al Mahara, Soqotra.

*Cardiospermum corindum* L. (8)

J. Rayma, J. Milhan, J. Bura', Haraz.

*Cardiospermum halicacabum* L. (8)

Tihama foothills, al Hujariyah, Khawlan Ashsham.

*Pappea capensis* Eckl. & Zeyh. (ref. Thulin, M. et al. 2001)

Rare: J. Gedu (Shabwa), Kor Seiban and from Al Mukalla to Bayn al Jibal (Hadhramaut).

*Sapindus trifoliatus* L. (3) جوز الغسيل الهندي

Cultivated.

### SAPOTACEAE

*Manilkara zapota* (L.)Roye. العباسى، شجرة التشيكو (3)

(*syn. Achras sapota* ).

Cultivated.in Lahj, Usseifera farm (Taiz), and Aden

*Mimusops laurifolia* (Forssk.)Friis. نبع، لبخ @

(*syn. M. schimperi A.Rich.*).

Tihama foothills, low altitude mountains e.g. J. Bura', Al H'adiyyah, Milhan, Haraz, al Mehwit, J. Al Arays (Abyen), J. Gedu (Shabwa).

*Sideroxylon fimbriatum* Balf.f. \* (2,6)

Soqotra

ظلام ، يلق (A.D.C.) T.D. Penn. (in Willdenowia 32: 239-269, 2002)

(*syn. Edgeworthia buxifolia Falc., Monotheca buxifolia (Falc.)A.DC. Reptonia muscatensis (A.DC.)Radlk. ex O.Schwartz, Sideroxylon buxifolia Hutch, S. aubertii A.Chev. Spiniluma buxifolia (Hutch.) Aubrév.,*)

Rare: J. Thujan al Qabbaya, Assumeided Saber (Taiz), Al Azareq, Al-Mahra: Fartak Mts Hadhramaut.

*Spinulima discolor* (A.R. Smith.) I.Friis. \* (2)

(*syn. Sideroxylon discolor Radcl.-Sm.*)

Soqotra.

*Spiniluma oxyacantha* (Baill.)Aubrev. (8) جروم

(*syn. Sideroxylon oxyacantha Bail.*).

Ibb, J. Ayfue, J. Manar, Sa'dah, Raymah, al Mahara.

### SCROPHULARIACEAE

*Alectra parasitica* (Hochst.) A.Rich. (8)

At Turbah, J. Ta'aker, , Huf (Al Mahara).

*Alectra sessiliflora* (Vahl.)Kuntze

(*syn. A. arabica Defl.*).

var. *senegalensis* (Benth.) Hepper. (8)

J. Saber, Ibb, Jiblah, al Mahwit, J. Ta'aker.

*Anarrhinum forskahlii* (J.F.Gmel.) Cuf. بر الجمل، سبلة النسم @

(*syn. A. orientale Benth.*).

Yeslih, Sanaa, Dhamar, Wadi Dhahr.

*Anticharis arabica* (Hochst. & Steud.) Endl. (8)

Tihama foothills, between al Mafraq & Nuqaybah (w. of. Taiz), Radfan (Lahj ),

Aden, al Maraqisha (Aden), Soqotra, Abdul Kuri, Samha.

*Anticharis glandulosa* (Ehrenb. & Hempr.) Aschers. (3) احتيبة @

- Aden, Abyen, Lahj , Radfan, Hadhramaut , Soqotra.  
*Anticharis senegalensis* (Walp.) Bhandari خزعة  
(syn. *A. linearis* (Benth.) Hochst. ex Asch. (8), *A. longifolia* Marloth & Engl.,  
*A. azurea* Dinter ex Schinz )  
Tihama & foothills, W. Yur (Milhan), Shaharah, Shamlan, Sanaa, Marib, Abyen,  
Lahj, Hadhramaut: Jol plateau, Wadi Yirib close to Ghayl bin Yamin.  
*Antirrhinum majus* L. (8) فم السمكة  
Cultivated as garden plant in Sanaa as ornamental  
*Aptosimum pumilum* (Hochst.) Benth. @,  
Highlands: Sa'dah, Lawdar, Dhamar, Amran, Nogad plain, Hadhramaut,  
Hadhramout: Tarim-Thamud road, Qaarah (Soqotra).  
*Bacopa monnieri* (L.)Wettst. @ حبيبۃ، بربین بري  
(syn. *Herpestes monnieria* (L.) H.B.K.).  
Tihama, Taiz, Al U'deyn, Radfan, Bates (Abyen), Lahj, Sayun, Tareem, Soqotra.  
*Bartsia longiflora* Benth. (8)  
V. rare: Sumara.  
*Bellardia trixago* (L.)All. (8)  
(syn. *Bartsia trixago* L.).  
Al H'adiyyah, Kusumah, Raymah.  
*Buchnera hispida* Buch.-Ham. (8)  
Rare: Ibb, Milhan, al Jaafariyah (Raymah), Huf (Al Mahara),.  
*Camptoloma lyperiiflorum* (Vatke) Hilliard (2)  
(syn. *C. villosa* Balf.f., *C. liperiflorum* (Vatke) Wettst., *Chaenostoma oxypetalum* Wagner & Vierh.)  
Soqotra, Samha.  
*Campylanthus antonii* Thulin \* (in Nord. J. Bot. 15(2): 191-192 (1995)  
Sayhut-Al Qishn road (Al Mahara)  
*Campylanthus chascaniflorus* A.Miller. \*\* ( in Not. RBG. Edinb. 38(3):380(1980).  
Al Mahara  
*Campylanthus hubaishanii* N. Kilia & P. Hein. \* (in Willdenowia 32: 271-279, 2002)  
Rare: S Fartak mountains (Al Mahara)  
*Campylanthus junceus* Edgeweirth. (8)  
Rare: Radaa, al Baydha, Harib, J. Shamsan (Aden), w of Aden, Ataq-Al Mukalla road, north al Mukalla, w of Shuqra and above Maadi (Hadhramaut) .  
*Campylanthus pungens* Schwartz.. \*\* (8) سیواق  
Dhamar. J. Shamsan, Abyen, Hadhramaut .  
*Campylanthus spinosus* Balf.f. (2)  
Soqotra, Abdul Kuri, Samha.  
*Campylanthus yemenensis* A.G.Miller. \* @ درد  
Tihama & foothills, Al Mafraq (W of Taiz)  
*Craterostigma plantagineum* Hochst. (8)  
Harz, Huth, W. Dhahr, J. Ashsharq, Al H'adiyyah.  
*Craterostigma pumilum* Hochst. @ أحسن  
Widespread on Highlands e.g. Dhamar, Soqotra.  
*Cycniopsis himifusa* (Forssk.) Engl. (8)  
Ibb, Aduf, Al U'deyn, Hajjah , Raymah, al Mehwit, Haraz.  
*Cycniopsis obtusifolia* Skan. (5)  
Jiblah.  
*Graderia fruticosa* Balf.f. \* @ بيشي

- Soqotra.
- Halleria lucida L. (8) شبراد  
Rare: W. Ahjor.
- Harveya obtudsifolia (Benth.) Vatke. (8)  
V. rare: Assalafiyah (Raymah).
- Kickxia acerbiana (Boiss.) Taeckh. & Boulos. (8)  
Rare: s. of Mamar.
- Kickxia asparagoides (Schweinf.) Cuf. (8)  
(syn. *Linaria asparagioides* Schweinf.).  
Shaharah, Madan.
- Kickxia elatine (L.) Dumont.  
(syn. *Elatinoides elatine* (L.) Wett.)  
subsp. *crinita* (Mabille) W.Greuter. @  
W. Adhabab(Taiz), Ibb, Sanaa.
- Kickxia heterophylla (Schousb.) Dandy. (3)  
(syn. *Linaria sagittata* (Poir.) S.D.Hook.).  
Sayhut-Qashin road
- Kickxia macilenta (Decne.) Danin. (3) (Doubtful record) ?  
(syn. *Linaria macilenta* Decne.).
- Kickxia petiolata D.Sutton. \* (8)  
Shara'b, Al Ayfu'a, Muthaikhira (Taiz), Al U'deyn.
- Kickxia pseudoscoparia D.A.Sutton. (1) ?  
Abyen, Hadhramaut .
- Kickxia qaraticus D.A.Sutton. \*\* (3)  
Abyen ?
- Kickxia sabaea D.Sutton. (8)  
J. Dhawran, Yesleh, S. of Sa'dah, Bani Hushaysh.
- Kickxia sabarum V.W.Sm. & D.A.Sutton. \* (4)  
Northern highlands, NW Dhamar
- Kickxia saccata D. A. Sutton. (8)  
Rare: J. Ras.
- Kickxia scalarum Schweinf. ex D.Sutton. \* (8)  
Shara'b Assalam (Taiz), Dhisufal, Haraz : J. Shibam, J. Masar, J. Sa'fan and Usil  
Ashaawaet, J. Milhan, W. Yur, Al Mahwit.
- Kickxia spiniflora (Schwartz) D.A.Sutton. \* (4)  
NW Ash shihr (Hadhramaut)
- Kickxia woodii D.A.Sutton. \* @  
Al Hujaryia: Taiz.
- Limosella africana Gluck. (8)  
Rare: Sumara, J. Hubaysh, Kawkaban, J. Ashsharq, Haraz, al Mehwit, J. Masaar.
- Limosella macrantha R.E.Fries. (8)  
Rare: J. Manar, J. Hubaysh.
- Lindenbergia indica (L.) Kuntze. @  
(syn. *L. abyssinica* Hochst ex Benth, *L. sinaica* (Decne.). Benth.).  
Rare: Bani Shayba area: S. of Taiz, W. Assukhnah, al Mahabishah, Shaharah,  
Hadhramaut .
- Lindenbergia muraria (Roxb.) Brühl (in Willdenowia 34: 159-182, 2004)  
Huf (Al Mahara)
- Lindenbergia sokotrana Vierh. \* (2)

- (*syn. L. kuriensis vierh.*, *L. paulayana Vierh.*).  
Soqotra.  
*Mimulus gracilis* R.Br. (8)  
V. Rare: Ibb, J. Hubaysh, Sumara.  
*Misopates orontium* (L.)Raf. @  
(*syn. Antirrhinum ororetium* (L.)Raf.).  
Dhamar, Russabah, Raydah, Soqotra.  
*Nanorrhinum hastatum* (Benth.) Ghebrehewit (2)  
(*Syn. Kickxia hastata* (R.Br. ex Benth.)Dandy, *Linaria hastata* R.Br.).  
Taiz, Soqotra.  
*Nanorrhinum kuriensis* (Radcl.-Sm.) Ghebrehiwet \* (2)  
(*syn. Kickxia kuriensis* A.R.Smith.)  
Abdul Kuri, Samha.  
*Schweinfurthia latifolia* (.Baker.ex) Oliver \* (ref. Miller, A.G. et al (1982).  
(*syn. S. pterosperma* (A.Rich)A.Braun var. *latifolia* (Bak.)Rothm.)  
Hadhramaut , near al Mukalla, W. Bani Ali, al Hudaidha, al Mahara.  
*Schweinfurthia papillionaceae* (L.) Boiss. (ref. Miller, A.G. et al (1982).  
(*syn. Antirrhinum glaucum* (Stocks ex)Wight, *A. papilionaceum* L., *Orontium papilionaceum* (L.)Pers., *S. sphaerocarpa* (Benth.)A.Braun).  
Sayun (Hadhramaut ).  
*Schweinfurthia pedicellata* Benth. & Hook. (2)  
(*syn. Anarrhinum pedicellatum* T.Ander., *A. apterum* Vatke, *A. pedicellare* Bentham, *Schweinfurthia pedicellaris* (T.Ander.)Wetts.).  
Tihama, al Jawf, al Mukalla, Aden, Abyen, Soqotra.  
*Schweinfurthia pterosperma* (A.Rich.) A.Braun. (ref. Miller, A.G. et al (1982).  
(*syn. Antirrhinum pterosperma* A.Rich., *S. pterosperma* var. *latifolia* Rothm.)  
Between Haradh & Medi: Tihama plain, Bir Ahmed.  
*Schweinfurthia spinosa* Miller, Sutton & Short. \*\* (in notes RBG Edinb. 40(1):37  
(1982).  
NE of Ar Rayan (Hadhramaut), Al Ghaydha .  
*Scrophularia arguta* Ait. (8)  
At Turbah, Bura', Milhan, Haraz, al Mahwit, Soqotra.  
*Scrophularia deserti* Del. (8)  
Rare: J. Annabi Shua'ib, Sanaban, Shamlan.  
*Scoparia dulcis* L. (8)  
V. rare: W. Sukhnah, Suq al Jammah.  
*Striga angustifolia* (D.Don) Saldanha (in Willdenowia 32: 239-269, 2002)  
Al Ghaydha-Huf road (Al Mahara).  
*Striga asiatica* (L.) Kuntze. (8)  
(*syn. S. hirsuta* Benth.).  
Bagel, Taiz, Ibb,Yerim, Raymah, J. Annabi Shua'ib, Yafea, Hadhramaut, Soqotra.  
*Striga densiflora* Benth. (2)  
Soqotra  
*Striga aspera* Benth. (5)  
J. Ta'aker Jiblah.  
*Striga gesnerioides* (Willd.) Vatke. @ فجل الأرض  
(*syn. S. orabanchoides* Benth.).  
Taiz, Jiblah, E of Ibb, W of Dhisufal, Huth, Soqotra.  
*Striga hermonthica* (Del.) Benth. @ عدار، عذار

- Tihama, Taiz, Modia (Abyen).
- Striga yemenica* Mussel. & Hepper. (8) عدار (yemenica)
- Ibb, Wussab al Ali, Kusuma, Raymah.
- Verbascum bottae* (Defl.) Huber-Mor \* (8)  
(syn. *Celsia bottae* Defl.).
- At Turbah (S of Taiz), Yerim, Kuhlan, al Mahwit, Tina;m, Khawlan, His'n Hab (Ba'dan), Al Makhadr.
- Verbascum longibracteatum* Defl. (3)
- Hadhramaut
- Verbascum luntii* E.G.Baker. \* (4) سمع الحمار؟
- Rare: Hadhramaut .
- Verbascum melhanense* (Murb.) Huber-Mor. \*\* (8)  
(syn. *Celsia melhanensis* Murb.).
- J. Milhan, J. Marran, Manakha, U'sil, J. Masar in Haraz, Shaharah, J. Razeh.
- Verbascum sinaiticum* Benth. @  
(syn. *V. somaliense* Baker, *V. erianthum* Benth., *V. nubicum* Murb.)
- Taiz, Dhisufal, al Qa'idah, al Mahwit, Sanaa, Radhma.
- Verbascum yemense* Defl. \*\* (4)
- High plateau e.g J. Saber.
- Veronica anagallis-aquatica* L. @  
(syn. *V. anagallis* L.).
- W. al Mashaer (S of Taiz), Dhamar-Radaa road, Al U'deyn, Dhisufal.
- Veronica persica* Poir. (8)  
(syn. *V. tournefortii* Gmel.).
- J. Saber, Dhisufal, Jiblah.
- Veronica polita* Fr. (5)
- Wadi Shalalah, Abyen, Soqotra.
- Xylocalyx aculeolatus* S.Carter. \* @  
Soqotra.
- Xylocalyx asper* Balf.f. \* (2)  
Soqotra, Samha.
- SELAGINELLACEAE**
- Globularia arabica* Jaub. & Spach. (3) ??
- Selaginella goudotiana* Spring var. *abyssinica* (Spring)Bizarri. (7)
- Southern uplands e.g. Ba'adan.
- Selaginella imbricata* (Forssk.) Spring كفان @ (in Willdenowia 32: 239-269, 2002)
- Tihama foothills, Bagel, J. Bura', Taiz, J. Milhan, Al U'deyn, Hadhramaut, Al Mahara..
- Selaginella yemensis* (Swartz) Spring. (8) حكة، شحنة
- J. Bura', Shamir, Maqbanah, J. Habashi, J. Milhan, Dhisufal, Al U'deyn, Addalil, Annajd Al Ahmer, Jibla, J. Ta'ker, Al Qafr, Anes & Al Manar (Dhamar), J. Sumara.
- SIMAROUBACEAE**
- Brucea antidysenterica* J.F. Mill. (8)
- Rare: Al Ja fariyah (Raymah)
- SOLANACEAE**
- Capsicum annuum* L. ببير @  
Cultivated.
- Capsicum frutecens* L. بسبا س. @

- Cultivated.
- Datura fastuosa L. منج، بنج  
(*syn. D. metel, D. fastusa L. var. alba (Nees) Clarke*).  
Taiz, Tihama foothills, Bayt al Faqih, Hadhramaut, Soqotra.
- Datura ferox L.  
Introduced: Taiz, Adhale'  
Datura innoxia Mill. منج، بنج @  
Tihama, Taiz, Aden, Hadhramaut .
- Datura stramonium L. منج، بنج  
Taiz, Dhamar, Adhale' .
- Hyoscyamus albus L. (8)  
Rare: Dhamar, Shahara, Hadhramaut .
- Hyoscyamus flaccidus Wright \*\* (3)  
Al Mahara: Hawf Mts, bay 8 km W of Jadib and .
- Lycium schweinfurthii U. Dammer (3) (Doubtful record ?)  
Dhamar, Hadhramaut .
- Lycium shawii Roem & Schult. عوسج، زرب @  
(*syn. L. arabicum Shweinf., L. persicum Miers*).  
Taiz, Dhamar, Sanaa, Qa Jahran, Huth, Adhale' , Marib, Hadhramaut , al Mahara.
- Lycium sokotranum Wagner & Vierh. \* سوهر، سؤهر @  
(*syn. L. socotrina L.*)  
Soqotra, Abdul Kuri.
- Lycopersicum esculentum Mill. طماطم @  
(*syn. Solanum lycopersicum L.*).  
Cultivated.
- Nicandra physaloides Gaertn. (2)  
Soqotra
- Nicotiana glauca  
Introduced: Sanaa, Taiz
- Nicotiana rustica L. تمنا ك، تتن @  
Cultivated.
- Nicotiana tabacum L. تمنا ك، تتن @  
Cultivated.
- Physalis angulata L. (8)  
J. Raymah, al Mishrafah.
- Physalis micrantha Link. (8)  
(*syn. P. minima L.*).  
Ussab al Ali, Huf (Al Mahara).
- Physalis minima L. (2)  
Coastal plains near Hadibu & Qalansya (Soqotra).
- Solanum anguivi L. حارشيم(2)  
Al U'deyn.
- Solanum coagulans Forssk. (8) بقين  
(*syn. S. dubium Fresen.*).  
Taiz, Hagda, Addimna, Mutheikhira, Tihama & foothills, E. of Manakha,  
Khamer, Hadhramaut, Soqotra.
- Solanum cordatum Forssk. حدق @  
(*syn. S. gracilipes Dec., S. hadaq Defl., S. sabaeorum Defl.*).  
Taiz, Soqotra.

Solanum forskalii Dunal (8)

(syn. *S. albicaule (Kotschy)Dunal*).

Tihama foothills, J. Ras, Surdud, Milahan, Hadhramaut .

Solanum glabratum Dunal حدق

(syn. *S. palmetorum Dunal*, *S. sepicula Dun.*).

var. *glabratum*. @

Tihama & foothills, Labus (Yafea), Amran, Adhale' , Soqotra

var. *sepicula* (Dunal)Wood. @

Taiz, Dhi Sufal, Ibb, Yeslih, Sanaa, Amran.

Solanum incanum L. @ عرصم، نقم

Widespread: e.g. Taiz, Ibb, Dhamar, Sanaa, Al U'deyn, Hajjah , al Mahwit, Lahj ,

Abyen, Adhale' , Juben, Qa'taba, Jihaf, Al Azareq, Al Hussein, Attawilah,

Hadhramaut, Soqotra.

Solanum melongena L. @ بلدة نجان

Cultivated.

Solanum nigrum L. @ عمنمة، عمنم، حدق

Taiz, Sanaa, Jiblah, Dhamar, Abyen, Hadhramaut .

var. *miniatum* (Bernh.)Fr.

Maaber, Soqotra.

Solanum platanthrum Dun. \* (8)

At Turbah, Yerim, W of Jibla, J.Razeh, J. Milhan.

Solanum pubescens Willd. (3)

S of Sayun (Hadhramaut ).

Solanum schimperianum Hochst. ex A.Rich.

(syn. *S. carens Dun.*, *S. polyanthemum Hochst. ex A.Rich.*).

var. *carens* (Dun.) Wood. (8)

Dhamar, Khawlan Ashsham.

var. *subglabrum* Bitter.

Qa Bakil, Manakha, Bura' , Milhan, J. Ashsharq, Yeslih, Haddah, W. Dhahr.

Solanum surattense Burm.f. (8)

(syn. *S. xanthocarpum Schrad.*, *S. armatum Forssk.*).

Tihama, Wussab al Ali, Al Qafr.

Solanum terminale Forssk. (9, 8)

Jahran, Baa'dan, S of mashwara, Al Jirdad, Manakha, Milhan, al Mehwit.

Solanum tuberosum L. @ بطاطس، البطاطا

Cultivated.

Solanum villosum Willd. (8)

(syn. *S. luteum L.*, *S. hirsutum Dunal*,)

subsp. *puniceum* (Kirsch.)Edmon. (8)

Tiham foothills, Dhamar, Sanaa, Radaa.

subsp. *vilosum* . @

J. Saber: Taiz, Yerim, Sanaa, Shibam, J. Annabi Shua'ib.

subsp. *Miniatum* (Bernh. ex Willd.) Edmonds (2)

Soqotra.

Withania adunensis Vierh. \* (@, 2) عب

Soqotra.

Withania qaraitica A.Miller & J.Bagi. \*\* (ref. Thulin, M. et al. (in press)

Between Jadib and Damqut (al Mahara)

Withania riebeckii Schweinf. ex Balf.f. \* (@, 2) عب

Soqotra.

Withania somnifera (L.) Dun. @ عب

Widespread: e.g. Tihama foothills, Taiz, Maqbana, J. Habashi, J. Saber, Mawiya, Ibb, Dhamar, Sanaa, Manakha, Abyen, Lahj, Adhale', Juban, Damt, Qa'taba, Ashshue'ib, Al Hussein, Jihaf, Al Azareq, Bani Mater, Hadhramaut, Soqotra.

Withania sphaerocarpa Hepper & Boulus var. sphaerocarpa (3) عب

Al mukalla – Sayun road (Hadhramaut).

### STERCULIACEAE

Brachychiton diversifolius (G.Don) Terr. (8)

Cultivated as ornamental: Taiz, Sanaa.

Dombeya schimperianum A.Rich. (8) تقاح

J. Habashi (Taiz), Khawlan, Haraz.

Hermannia madesta (Ehrenb.) Mast. (8)

Rare: Mafhaq.

Hermannia paniculata Franch. @

Al Maraqisha (Abyen), Hadhramaut

Hermannia testacea Vollesen (in Willdenowia 34: 159-182, 2004)

Huf (Al Mahara).

Melhania denhamii R. Br. (8)

W. Maur, al Maraqisha (Abyen), Ashehr-Al Mukalla road.

Melhania incana Heyne

(syn. *M. steudner Schweinf.*).

Madinat Ashsharq, Khawlan Ashsham.

Melhania milleri Abedin \* (2)

Soqotra

Melhania muricata Balf.f. @

Bani Umar (Taiz), Bagel, Lahj, Hadhramaut, Soqotra.

Melhania ovata (Cav.) Sprens. @

Maqbana, Sharaab (W. of Taiz), al Faydh(Abyen).

Melhania philipsiae E.G.Baker. (8)

Aden, J. Shahara, al Mahfad.

Melhania stipulosa J.R.I.Wood. (8)

Maghreb Ans, Yafea, Adhale', Eastern mountains.

Melhania velutina Forssk. (8)

(syn. *M. ferruginea A.Rich.*).

Tihama foothills, J. Eraf (al Maqatira), J. Bura', al Mahwit.

Sterculia africana (Lovr.) Fiori. @ دثري ، فلغم ، كاهم ، رقع

(syn. *Culhamia hadiensis J.F.Gme*, *S. arabica (R.Br.)T.Ander.*).

Al Ahkum, East Hagda, Shar'ab (Taiz), Aden, Tur al Baha, Al Azareq (Adhale'),

W. Siham, Abyen, Al Udain, Yahar, J. Al Araes (Abyen), Al Habilein (Lahj),

Hadhramaut .

var. socotrana (K.Scum.) Fiori \* @ بوهـن

(syn. *S. triphaca R.Br.*)

Soqotra

Waltheria indica L. (8)

Tihama foothills, J. Rayma, Haraz, Soqotra.

### TAMARICACEAE

Tamarix aphylla (L.) Karst. @ أثل، وعل

(syn. *T. articulata Vahl*, *T. orientalis Forssk.*).

Coastal areas, eastern & medium alti. Mountains, Soqotra.  
Tamarix nilotica (Ehrenb.) Bunge. @ أش، وعل  
(syn. *T. arabica* Bunge., *T. mascatensis* Bunge, *T. socotrana* Vierh., Tamarix scebelensis Chiov.)  
Hagdah, Qa Bakil, wadi Dhahr, Dhamar, Abyen, Hadhramaut, Soqotra.  
Tamarix passerinoides Del. (ref. the herbar. Of al Kod) أش  
Around al Mukalla (Hadhramaut ).

### THELYPTERIDACEAE

Christella dentata (Forssk.) Bronnsey & Jermy @  
(syn. *Cyclosurus dentatus* (Forssk.) Ching., *Dryopteris dentata* (Forssk.) Chr.).  
Tihama foothills, Al U'deyn, Soqotra.

### THYMELIACEAE

Gnidia socotrana . (Balf.f.)Gilg. \* لاقة، قيظهر @  
(syn. *Lasiosiphon Soqotranus* Balf.f.)  
Soqotra.

Gnidia somalensis Gilg var. sphaerocephala (Bak.)Gastald. @ بارحة، خارطة، صوارخة  
(syn. *Lasiosiphon sphaerocephalus* (Bak.f.)Do.).  
J. Eraf (S. of Taiz), Dhamar, Raydah, Sa'dah, Damt, al Baydah, al Mahwit,  
Yafea, Abyen, Shaharah, Huth, J. Ged (Shabwa), Hadhramaut.

### TILIACEAE

Corchorus aestuans L. (2)  
(syn. *C. acutangulus* Lam.)  
Soqotra

Corchorus cinerascens Defl. \* (3)  
(syn. *C. stenophyllus* (K.Schum.) Weim., *C. erinaceus* Weim., *C. hirsutus* L. var.  
*stenophyllus* K.Schum., *C. bricchettii* Weim.).

Corchorus depressus (L.)Christ. @ وبكة بريمة  
(syn. *C. antichorus* (L.) Raeusch.).

Tihama & foothills, W of Taiz, low western mountains, Aden, al Kod, Abyen,  
Lahj, Shabwa, Hadhramaut, Soqotra.

Corchorus erodioides Balf.f. \* ازرب @  
(syn. *C. erodioides* var. *pinnatus* Vierh., *C. erodioides* var. *bicrenatus* Vierh.)  
Soqotra

Corchorus olitorius L. @ ملوخية  
Cultivated: Taiz, Al U'deyn, Abyen, Shihara.

Corchorus tridens L. @ وبكة ، ملوخية  
Tihama , Tihama foothills, W. of Taiz, Abyen, Shaharah.

Corchorus trilocularis L. @ وبكة، ملوخية  
Taiz, Tihama foothills, Abyen, Hadhramaut .

Grewia arborea (Forssk.) Lam. (8) سراك  
(syn. *G. fallax* K.Schum.).  
V. rare: J. Bura', Taiz, al Mishrafa, Wussab Assafel.

Grewia bilocularis Balf.f. \* حارثامو @  
Vulnerable: Soqotra

Grewia erythraea Schweinf. @ شوحط، حنقص، خدار  
Taiz, Tihama foothills, J. Milhan, Haraz, Marib, Radaa, Abyen, Wussab Assafel,  
Marib, Hadhramaut,..

Grewia flavescens Juss. (8)  
Al U'deyn, Haraz, Rayma.

Grewia gilletti Sebsebe (8)  
(syn. *G. bicolor Schwartz*).

J. Saber & al Hujariyah (Taiz), western mountains, Tihama foothills.

Grewia mansouriana Abedin (2)  
Soqotra

Grewia milleri Abedin \* (2)  
Vulnerable: Soqotra.

Grewia mollis Juss. @ نشم  
(syn. *Grewia venusta Fresen.*)

Taiz, Tihama foothills, Al Hujariyah, Rayma, J. Bura'. J. Milhan, al Hayma.  
Grewia schweinfurthii Burret. @ برم، عيهك، حجرد، بطم

Tihama foothills, western mountains.

Grewia tembensis Fresen. @ (8) خدار، شوحط، حنفيص، شقيرز  
Widespread :Tihama foothills, western mountains, E of Ibb, J. Gedu (Shabwa),  
Demt, Qa'tabah, Abyen .  
var. ellenbeckii Burret. شوحط

Al Hujariyah.

Grewia tenax (Forssk.) Fiori. @ شوحط، خدار  
(syn. *G. populifolia Vahl.*).

Taiz, Tihama foothills, western mountains, Lahj , Adhale', Ataq, Soqotra.

Grewia trichocarpa (Hochst.) Burret @ شوحط  
(syn. *G. mollis Juss var. petitiana (A.Rich.)Burret.*, *G. mollis var. trichocarpa (Hochst. A.Rich.) Burret* )

var. petitiana (A.Rich.) Burret. (8)

Tihama foothills

var. trichocarpa (Hochst.) Burret. (8) نشم

Western mountains, Shabwa, J. Al Arays, Ras Fartak: Al Mahara.

Grewia turbinata Balf.f. \* @ حارثامو، عرط  
Soqotra

Grewia velutina (Forssk.) Vahl. @ نشم، مشم  
(syn. *G. bicolor var. canescens (A.Rich.)Burret*).

Taiz, Tihama foothills, western mountains.

Grewia villosa Willd. بريق، غيره، خمان

Taiz, Tihama foothills, western mountains, Dhawran.

Triumfetta flavesrens Hochst. ex Rich. (8)  
J. Rayma, J. Bura', J. Milhan, Haraz.

Triumfetta pentandra A.Rich. (8)  
Rare: J. Rayma, J. Bura', J. Milhan, Haraz.

Triumfetta rhomboidea Jacq. (8)  
Al Misrakh & Adhabab (Taiz), Al U'deyn, Tihama foothills.

## TYPHACEAE

Typha domingensis Pers. @ عال، دخن كاذب، بردى  
(syn. *T. angustata Bory & Chaub.*).

Tihama foothills, W. Hithran, Juban, Damt, Abyen, Gheyl Omar (Hadramaut).

Typha elephantina Roxb. @ خسع  
Tihama foothills, Aden, Taiz, Madinat Ashsharq.

## ULMACEAE

Celtis africana Burm.f. (8) خمان، شرجب  
(syn. *C. kraussiana Bernh.*).

J. Saber & al Hujariyah (Taiz), Western mountains, Khawlan, al Hada, al Ahjur, J. Razeh, Kor Seiban (Hadhramaut).

Celtis toka (Forssk.) Hepper & Wood. @ صلام، بظاح  
(syn. *C. integrifolia* Lam.).

Tihama foothills, Hagdah (w. of Taiz), al Mishrafah, Wussab, Haraz, Al H'adiyyah (Raymah).

Trema orientalis (L.) Blume. @  
(syn. *C. orientalis* L., *T. guineensis* (Schum.) Engl. var. *hochstetteri* (Buch.) Engl.,  
*T. hochstetteri* (Buch.) Engl.)  
Adhabab (Taiz), J. Bura', Haraz.

## URTICACEAE

Debregeasia saeneb (Forssk.) Hepper & Wood (7,8) سنب  
(syn. *D. bicolor* (Roxb.) Wedd., *D. salicifolia* (D. Don) Rendle, *Rhus saneb* Forssk.)  
J. Saber, Dhisufal, Khawlan, W of Jibla, Utuma.

Droguetia iners (Forssk.) Schweinf. (7,8)  
J. Saber, Ibb, Wussab al Ali, Rayma, J. Milhan.

Forsskaolea griersonii A. Miller. \* (in Edinb. J. Bot. 51(1)44:(1994)  
J. al Arays.

Forsskaolea tenacissima L. @ سبيط، لصيق، قبيص، حكبة  
(syn. *Caidbeja adhaerens* Forssk.)

Taiz, Dhamar, Tihama foothills, Lahj, Abyen, Hadhramaut .

Forsskaolea viridis Ehrenb. 3 حريق (3)  
J. shamsan (Aden), Ghayl Ba Wazir (Hadhramaut), Al Mahara, Soqotra.

Girardinia diversifolia (Link.) Friis. محرق (8)  
(syn. *G. condensata* (Hochst.) Wedd., *Urtica diversifolia* Link, *U. palmate* Forssk.)

J. Rayma, Al H'adiyyah.

Laportea aestuans (L.) Chew (7,8)  
(syn. *Fleurya aestuans* (L.) Gaud., *Urtica divaricata* Forssk.).

Adhabab (Taiz), Al U'deyn.

Laportea interrupta (L.) Chew (in Willdenowia 34: 159-182, 2004)  
(syn. *Urtica interrupta* L.)

Huf: Al Mahara

Parietaria alsinifolia Del. (7,8)  
Rocky areas, J. Saber, J. Bura'.

Parietaria debilis G. Forster. @  
Al Hujariya, J. Annabi Shua'ib, Soqotra.

Parietaria judaica L. (7,8)  
Manakha, Haraz.

Parietaria umbricola A.G. Miller. \*\* (in Edinb. J. Bot. 51(1)46:(1994)  
Middle altitude mountains, J. Al Arays (Abyen).

Pilea tetraphylla (Steud.) Blume (2)  
Soqotra

Pouzolzia auriculata Wight. @  
Wadi Darho (Soqotra).

Pouzolzia mixta Solms-Laub. (8)  
Rare: J. Rayma, J. Milhan, Haraz, W. Addur, Al H'adiyyah.

Pouzolzia parasitica (Forssk.) Schweinf. (7,8)  
(syn. *Urtica muratis* Vahl, *U. parasitica* Forssk.)

- Al Misrakh & J. Saber (Taiz), Ibb, J. Milhan, J. Rayma, Haraz.  
*Urtica pilulifera* L. (7,8)  
Rare: Manakha.
- Urtica urens* L. @  
Sanaa, Al Mahara, Soqotra.
- VALERIANACEAE**  
*Valerianella affinis* Balf.f. \* (2)  
Extinct: Soqotra
- VELLOZIACEAE**  
*Xerophyta arabica* (Baker) N. Menezes (8) \*\*  
(syn. *Vellozia arabica* E.G.Baker, *Barbecenia arabica* (E.G.Baker)Schwart.).  
Tihama foothills, Damt, Huth, Dhi Naem, J. Al Arays (Abyen).
- VERBENACEAE**  
*Chascanum gilletti* Moldenke (in Kew Bull. 45(1): 139 (1990).  
(syn. *Chascanum obovatum* Sebseb subsp. *glaucum* Sebseb) (3)  
*Chascanum laetum* Fenzl. ex Walp. (8)  
(syn. *Bouchea pterygocarpa* Schaver, *C. arabicum* Moldenke, *Svensonia laeta* (Fenzl ex Walp.) Moldenke).  
J. Bura', Haraz, Bagel, W. of Taiz, Madinat Ashsharq, Hammam Ali, Khamis Bani Sad.
- Chascanum marrubifolium* Fenzl ex Walp. (8)  
(syn. *Bouchea marrubifolia* (Fenzl)Schaver).  
Maqbanah (w. of Taiz), Haradh, Marib, Hadhramaut .
- Chascanum sessilifolium* (Vatke) Moldenke. (8)  
At Turbah, J. Ashsharq, W. Dhahr, Sanaa, Qa' Jahran, Yerim-Dhamar, Qa' Bakil, Al Awadilla (Abyen), Mukayras-Al Bayda, .
- Chascanum yemenense* Sebseb. \* (4)  
J. al Arays
- Clerodendrum galeatum* Balf.f. \* @ سنهن  
Vulnerable: Hagher (Soqotra).
- Clerodendrum inerme* (L.) Gaertn. (8)  
Introduced: Al Hudaydah, Taiz.
- Clerodendrum leucophloeum* Balf.f. \* @ سنهن  
Vulnerable: Soqotra.
- Clerodendrum myricoides* (Hochst.) Vatke. @ جيفه، سويد، صنبر  
Adhabab & J. Eraf, Thubhan N of At Turba. (S. of Taiz), Ibb, J. Al Arays: Abyen.
- Coelocarpum haggierensis* A.G.Mill. \* @ شجرة قالق  
Hagher, Firmihin (Soqotra)
- Coelocarpum socotranum* Balf.f. \* @  
(syn. *C. socotranus* Balf.f.)  
Soqotra.
- Lantana camara* L. @ حشف، مينا شجري، لانتانا، حنطليس  
Introduced: Gardens, Road sides, wadis & neglected areas.
- Lantana petitiana* A.Rich. @  
Tihama foothills, western mountains
- Lantana rugosa* Thunb @ حنون  
(syn. *Lantana salviifolia* Jacq.).  
Taiz, Dhamar, Dhisufal, Assayani, AdGalil, Yerim, Sanaa, Kuhlan Affar.
- Lantana viburnoides* (Forssk.) Vahl. @ حبوب الراعي، نعنع بري

Widespread: Taiz, Tihama foothills, western mountains, Adhale', Modia, Abyen.  
Lippia triphylla (L.Herit) Kunze

(*syn. L. citriodera Kurt.*).

Cultivated: Sanaa.

Phyla nodiflora (L.) Greene. @ بلحة

(*syn. Lippia nodiflora (L.)A.Rich.*).

Tihama, Taiz, Lawder, Modiah, Radaa, Lahj, Soqotra.

Premna resinosa (Hochst.) Schauer. @ شقب

W. of Taiz, Bani Omar, J.Bura'

Priva cordifolia (L.) Druce. حمشد

Tihama foothills, Taiz.

Priva socotrana Moldenke \* @لوسک

Soqotra

Priva tenax Verdc. (8)

(*syn. P. leptostachya Juss.*).

Tihama, Tihama foothills.

Verbena officinalis L. (8)

Taiz, Yerim, W. Addur, Dhamar.

## VIOLACEAE

Hybanthus enneaspermus (L.) F. Muell. (8)

var. enneaspermus.

J. Bura'.

var. latifolius (De Wild.) Engl.

At Turba, Dhi Sufal, Khawlan, J. Razeh, Hajjah, Sumara, Kuhlan Affar, Soqotra.

Hybanthus durus (Baker) Schwartz. (in Willdenowia 32: 239-269, 2002)

J. Fartak & J. Faydami (Al Mahara)

Viola cinerea Boiss. var. *stocksii* (Boiss.) W. Becker (2)

Abyen, Soqotra

Viola odorata L. (8)

introduced : extinct: cultivated.

## VISCACEAE

Korthalsella taenioides (Comm. ex DC.) Engel (2)

Soqotra

Viscum schimperi Engl. (7)

Highlands, Hadhramaut.

## VITACEAE (VITIDACEAE)

Cayratia gracilis (Guill. & Perr.) Suess. (8)

Rare: Ibb, W. Addur, Al U'deyn.

Cissus hamaderohensis A.R.Smith. \* @ عطر هن

Widespread on low land of Soqotra.

Cissus paniculata (Balf.f.) Planch. \* عطر هن (2)

(*syn. Vitis paniculata Balf.f.*).

Soqotra.

Cissus quadrangularis L. @ سلع، عطروت

(*syn. Vitis quadrangularis Wall.*)

Widespread: Tihama plain, Tihama foothills, Taiz, Assayani, Al U'deyn,

Dhisufal, Al Qae'dah, ,Al Qafr, Lahj, al Mahara .

Cissus rotundifolia (Forssk.) Vahl. @ حلس، هدل، علقم

Widespread: Taiz, Lahj, Al U'deyn, Dhisufal, Al Qafr, Mutheikhira, Abyen, Adhale'.

Cissus subaphylla (Balf.f.) Planch \* @ عطرهن

(syn. *Vitis subaphylla* Balf.f.).

Soqotra, Samha

Cyphostemma digitatum (Forssk.) Desc. @ حلقة

(syn. *Cissus digitatum* (Forssk.) Lam.).

Sanaa, Huth, Manakha.

Cyphostemma ternatum (Forssk.) Des. (8) حلقة

(syn. *Cissus ternatua* (Forssk.) Gmel.).

Qa Bakil, Tihama foothills, Hadhramaut .

Rhoicissus revoilii Planch. (8) مردو

Tihama foothills, al Mahwit, Al U'deyn, J. Al Arays (Abyen).

Rhoicissus tridentata (L.f.) Willd & Drum. (8)

(syn. *R. erythroides* (Fresen.) Planch.).

J. Saber, J. Sawraq, al Mahwit.

Vitis vinifera L. @ عنب

Cultivated on highlands.

## WOODSIACEAE

Cystopteris fragilis (L.) Bernh. (8)

Rare: Taiz, J. Maswer, J. Ta'aker, J. Manar.

## ZANNICHELLIACEAE

Zannichellia palustris L. var. genuine Asch. (8)

Bani Mater, Aduf, W. Mouna, al Ahjur.

## ZINGIBERACEAE

Curcuma longa L. (8) هردد

Cultivated at J. Milhan

Zingiber officinale L. (8) زنجبيل

Cultivated at J. Bura', J. Raymah.

## ZYGOPHYLLACEAE

Fagonia bruguieri DC. @ شکعة، حلية، حلوة

(*F. schimperi* C., *F. myriacantha* Boiss., *F. echinella* Boiss.)

Taiz, Raydah, Bagel, Saada, Huth, Radaa, Arhab, Hadhramaout, Al Mahara.

Fagonia hadramautica Beier & Thulin \* ( Bieier, B.-A., 2005) قطب

Hadhramaut, Shabwa.

Fagonia indica Burm.f. @ شکعة، حلوة، مدركة، ضریمة

(syn. *F. mysorensis* B. Heyne ex Roth., *F. aucheri* Boiss., *F. ovalifolia* Hadidi, *F. parviflora* Boiss., *F. elliptica* tabassum).

Widespread: Tihama, Aden, Marib, Jubah, Western mountains, E. of Manakha, Saa'da, Juban, Jihaf, Demt, al Azareq, Hadhramaut .

Fagonia lahovarii Volkens & Schweinf. ( Bieier, B.-A., 2005)

(syn. *F. lahovarii* var. *spinescens* O. Schwartz, *F. harerensis* Hadidi)

Abyen, lajh, Al Mukalla-Ash shehr (Hadhramaut ). Al Mahara,

Fagonia luntii Baker @

(syn. *Fagonia nummularifolia* Baker, *F. socotrana* (Balf.f.) Schweinf. var. *somalica* Sprague, *F. socotrana* var. *Luntii* (baker) hadidi, *F. cretica* var. *socotrana* Balf. f.).

Al Mukalla & Shuqra (Hadhramaut ), Al Mahara, Soqotra.

Fagonia maharana Beier \*\*\* ( Bieier, B.-A., 2005)

Al Mahara

*Fagonia paulayana* Wagner & Vierh. مدركة ، حلبلة ، شكعة

(syn. *Fagonia schweinfurthii* Hadidi, *F. elba hadidi*, *F. parviflora* var. *Brevispina Schweinf.*, *F. glabra* K. Krause, *F. indica* var. *Schweinfurthii hadidi*, *F. ovalifolia* var. *Pakidtanica Ghafoor*)

Tihama, Shara'b, Muthaikhira, Aden, Lahj, Abyen, Qa'tabah, Demt, al Hus'ein, Ashue'ib, Juban, Amran, Raydah, Huth, Haddah, E of Rada, Hadhramaut, Soqotra.

*Kelleronia gilletiae* Baker.f. var. *gilletiae*. (3)

Hadhramaut .

*Kelleronia splendens* Schinz. (3)

Huf al Mahara

*Peganum harmala* L. @ حرمل

Maaber, Sanaa, Amran, al Baydha, Mukayras(Abyen).

*Seetzenia lanata* (Willd.) Bullock @

(syn. *Zygophyllum prostratum* Thunb, *S. prostrata* (Thunb.) Eckl. & Zeyh.)

.Near Hikma village (Hadharamout)

*Tribulus arabicus* H.Hosnlined. @ شرشر

Lahj , Hadharamout.

*Tribulus bimucronatus* Viv.

(syn. *T. spurius* Kralik.).

subsp. *bimueronatus*

Tihama & Foothills, J. Bura' قطيب (8)

subsp. *inermis* (Kralik)H.Hosni. (8)

Tihama.

*Tribulus macropterus* Boiss. (3)

(syn. *T. pterocarpus* Ehrenb., *T. persicus* Kralik, *T. longipetalus* var. *macropterus*, (*Boiss.*) Maire ex Ozenda & Quezel) (in Saudi J. of Biol. Scien. 13 (1) 7-12: 2006).

Tihama, Bir Ahmed W. Tuban.

*Tribulus mollis* Ehrenb. ex Schweinf. (8) قطيب

(syn. *T. ochroleucas* Maire).

Hays.

*Tribulus omanensis* H.Hosni ex Haddidi. (8) زحار، قطبة

Marib, W. Nijran, Aden.

*Tribulus parvispinus* Presl. (8) قطيب، قطبة

(syn.: *T. bispinulosus* Kralik, *T. pentandrus* El-Hadidi non Forssk). (in Saudi J. of Biol. Scien. 13 (1) 7-12: 2006).

N. of Sanaa, Lahj .

*Tribulus pentandrus* Forssk. var. *pentandrus*. (8) قطيب، قطبة

(syn. *T. alataus* Defl., *T. longipetalus* Viv).

Tihama, W. Rimaa, Lahj , Adhale', Abyen.

*Tribulus terrestris* L. @ قطبة، قرطبة

(syn. *T. bicornutus* Fisch. & Mey., *T. lanuginosus* L., *T. lanuginosus* var. *orientalis* (Kerner) Nayar et Giri, *T. robustus* Boiss. & Noe, *T. orientalis* Kerner) (in Saudi J. of Biol. Scien. 13 (1) 7-12: 2006).

Widespread: Tihama, Taiz, Shara'b, Hagda, Dhisufal, Jibla, Ashshwaet', J.

Sumara, W Jibla, Sanaa, Dhamar, Adhale', Qa'taba, Ashue'ib, Al Azareq, Al

Husha, Abyen, Lahj, Hadhramaut, Soqotra.

Zygophyllum album L. var. amblyocarpum (E.G.Baker)Hadidi. (8) حميم، نقاوة

Coastal areas, Soqotra, Abdul Kuri

Zygophyllum coccineum L. (8)

Medi, Hadhramaut .

Zygophyllum decumbens Del. قرمل

var. decumbens. (2,3)

Hadhramaut, Shabwa, Soqotra.

var. megacarpum H.Hosni. (3)

Hadhramaut, Al Mahara

Zygophyllum fontanesii Webb. (3)

Sayhut-Qashin (Hadhramaut), Ras Fartak al Mahara .

Zygophyllum hamiense Schweinf. (8)

Hadhramaut: Al Hami, Nihim, Sirwah, al Jawf, Sa'dah..

Zygophyllum qatarense Hadidi \*\* (2)

Soqotra, Abdul Kuri, Samha.

Zygophyllum robechii Engl. (3)

(syn. *Fagonia heinii Schwartz*)

Zygophyllum smithii Hadidi \*\* ( ref. Thulin, M. et al (in press.)

Hadhramaut, Ras Fartak (al Mahara)

Zygophyllum simplex L. @ حرم، قرمل، جرم، رب، فلق، فقهل (سقطرى)

Coastal areas, W. of Taiz, Hunaish island, Aden, Lahj , Marib, Adhale' , Abyen,

Hadhramaut, Soqotra, Abdul Kuri, Samha.

## BIBLIOGRAPHY ON NATURAL RESOURCES OF YEMEN

### (Vegetation, Flora, Range)

- Al Abbasi, T.M., Al-Farhan, A., Al Khulaidi, A.W., Hall, M., Llewellyn, O., Miller, A.G. & Patzelt, A. (2010).** Important Plant Areas in the Arabian Peninsula Edinburgh Journal of Botany 67: 25-35 - Cambridge University Press
- Al Dubaie, A.S. & Al Khulaidi, A.A. (1990).** Studies on the Genus Acacia Mill. in Yemen. Bull. Fac. Sci. Assiut Univ. 20 (2-D): 43-62, Assiut, Egypt.
- Al Dubaie, A.S. & Al Khulaidi, A.A. (1993).** Studies on the flora of Yemen, On the flora of Tihama plain. Feddes Repertorium 104, 3-4 259-265, Berlin, Germany.
- Al Dubaie, A.S. & Al Khulaidi, A.A. (1996).** Medical and Aromatic plants of Yemen (in Arabic). Obadi center for studies and publisher, Sanaa, Yemen.
- Al Dubaie, A.S. (1993).** The significance of medicinal plants in Yemen for the pharmaceutical industry. First Sci. conf. Sanaa Univ., Sanaa, Yemen.
- Al Dubaie, A.S. (1995).** Notes on the medicinal plants endemic to Yemen. 1<sup>st</sup> int. sci. conf. (Science & Development). Al Azhar Univ., Egypt.
- Al Dubaie, A.S. (1995).** Studies on the flora of Yemen. On the flora of Sanaa and surrounding areas. 1 st int. sci. conf. Al Azhar univ. Egypt.
- Al Dubaie, A.S. , El Monayeri, M. & Al Hubaishi, A. (1990).** Habitats and vegetation of Wadi Dhahr, Sanaa, Yemen. Bull. Fac. Sci. Assiut Univ. 19 (2-D): 89-102, Assiut, Egypt.Eschborn, Germany, 1984.
- Al Dubaie, A.S. Abdel Fattah, R.L. (1998).** Taxonomic studies on the Genus Solanum L. in Yemn. Egypt Jou. appl. Sci. 5: (7).
- Al Dubaie, A.S., Gifre A, & El-Monayeri M. (1993).** Studies on the flora of Yemen 3. On the flora of Wadi Dahr. Candollea 48: pp. 101-109. Geneva.
- Al Gifri, A.N. and Gabali, S.A.(1991).** Shrubs and Trees of Aden. Frag. Flor. Geobotanica, 35: 89-95.
- Al Gifri, A.N. & Al Subai, M.Y.(1994).** Vegetation between Abyen - Modia (Yemen). Fedder Repor 105 (3-4): 226-234.
- Al Gifri, A.N. & Hussein, M. A. (1993).** Plant communities along the road from Aden to Sheikh Salem, Abyen, Yemen. Feddes Report 104 (3-4): 267-270.
- Al Gifri, A.N. & Hussein, M.A. (1993).** Plant Communities along the road from Aden to Sheikh Saleim (Abyen). Feddes. Rep. 104 pp. 267-270.
- Al Gifri, A.N. & Kurschner, H. (1996a).** First records of bryophytes from Hadramout and Abyen. Yemen. Nova Hedwigia 62:137-148.
- Al Gifri, A.N. (1991).** Salt tolerant plants in Aden (Yemen). Frag. Flo. Geobot. 36(2)pp. 289-192.
- Al Gifri, A.N. (1992).** Studies in the flora of Yemen 1. New record of legumes for the flora of Aden. Cons. Jord. Bot. Geneve. 47(1)pp. 215-217.
- Al Gifri, A.N. (1992).** Studies in the flora of Yemen 2. New records for the flora of Aden. Cons. Jord. Bot. Geneve. 47(2): 613-619.
- Al Gifri, A.N. (1992).** Vegetation of Masila-Terminal pipe route, Hadramout: an environmental assessment for Canoxyi.
- Al Gifri, A.N. (1992).** Vegetation of Masila-Terminal piperoute, Hadramout. Technical report, Canadian Oxy, Yemen, Canada.
- Al Gifri, A.N. Abdul Gani, A.H. & Salem, M.F. (1992).** Weeds of Dalta Abyen (Yemen). A perlimer study: Symposium of fac. Of Agri. Uni. Of Aden, 25-27.

- Al Gifri, A.N. Kurschner, H. & Mies, B.** (1995). New records, additions and new species, *Sematophllum socotrense* Buck (Sematophyllaceae Musei) to the bryophyte flora of Soqotra (Yemen). *Nova Hedwigia* 61, 3-4: 467-480.
- Al Hubaishi, A and Muller - Hohenstein K.** (1984). An introduction to the vegetation of Yemen. GTZ.
- Al Hubaishi, A., Al Dubaie, A.S. & El Monayeri, M.** (1991). Habitats and vegetation of Wadi Dahr. Sana, Yemen. *Bul. Fac. Sci. Assiut Uni.* 20(1-D)pp. 1-24.
- Al Khulaidi, A. & Mahdi, A.** (2000). Botanical Geografic and vegetaion of Yemen. Obadi center for studies and publisher, Sanaa, Yemen.
- Al Khulaidi, A.A. & Duabie A.S.** (1993). The flora of Dhamar and surrounding areas (Republic of Yemen), Fragm, Flor. Geobot. 38 (1): 141-152. Poland.
- Al Khulaidi, A.A. & El-Ghouri,M.** (1996). Main Natural vegetation and protected areas in Yemen. A workshop on natural areas and biodivesity conservation in Yemen. EPC & MAWR, Sanaa, Yemen
- Al Khulaidi, A.A. & Kessler, J.J.** (1999). Plants of Dhamar. Obadi center for studies and publisher, Sanaa, Yemen.
- Al Khulaidi, A.A.** (1989). A comparative vegetation survey of four photographic regions in the Y.A.R. unpublished M Sc thesis, ITC, Enschede, The Netherlands.
- Al Khulaidi, A.A.** (1992): Ecological vegetation survey of three areas located Southern Tihama - Technical report 1990/91, AREA, regional station, Taiz, Yemen.
- Al Khulaidi, A.A.** (1992): Vegetation of Taiz – Yemen journal of Agriculture research univ. of Aden, vol. 2: 173-192. Yemen.
- Al Khulaidi, A.A.** (1993): Natural vegetation of Kuhlan Affar area -IDRC/ICARDA and AREA, Sanaa, Yemen.
- Al Khulaidi, A.A.** (1996). A vegetation survey of wadi Rimaa catchment areas. Land and water coservation project ,Forestry component , (UTF/YEM/023) (IDA Credit TEM), Sanaa, Yemen.
- Al Khulaidi, A.A.** (1996). A vegetation survey of wadi Sharis catchment areas. Land and water coservation project ,Forestry component , (UTF/YEM/023) (IDA Credit TEM),Sanaa, Yemen.
- Al Khulaidi, A.A.** (1996). Forest and range resources degradation and desertification. First National Conference to Combat desertification, Sanaa.
- Al Khulaidi, A.A.** (2006). Environmental and human determinates of vegetation distribution in the Hadhramaut region, Republic of Yemen. A thesis submitted for the degree of Doctor of Philosophy School of GeoSciences University of Edinburgh
- Al Kuthiri, G.** (1997). Weed as limited factor for production in southern governorate in Yemen. *Yemen Jour. Of Agric.* Vol. 2: 387-394.
- Al Monayeri, M.O. A. Al Hubaishi, A. S. Al Dubaie, A. Ba Issa & A. Younis** (1995). Ecological studies on cement dust pollution on vegetation and cultivated plants of Amran (Yemen). 1- Ecological parameters. 1<sup>st</sup> int. conf. (Science & development). Al Azhar univ. Egypt .
- Al Monayeri, M.O., A. Ba Issa, A. S. Al Dubaie, A. Al Hubaishi & A. Younis** (1995). Ecological studies on cement dust pollution on vegetation and cultivated plants of Amran (Yemen). 2- Ecological adaptation. . 1<sup>st</sup> int. conf. (Science & development). Al Azhar univ. Egypt .
- Al Saghier, O.A.** (1997). Vegetation study in an area covered by quarter degree sheet 144C, FAO, AREA. Dhamar.p.44.
- Al Zabadi, A.S.** (1996). Reforestation in Yemen (in Arabic). Paper presented as lecture on extension training on forestrry, Agricultural office, Russabah, Dhamar, Yemen.

- Al Zabadi, A.S. and Murtland, R** (1987).Forestry Requirements Experience and Practice on the montane plains of the centralHighlands of the YAR.forestry Research publ.2.ISSN 0251-0375.
- Ali, A.M. et al.** 1984. A note on rangeland management in the YAR. In proc. of the workshop on land evaluation for extensive grazing, Addis Abeba. p. 309-314. ILRI, Wagenenengen.
- Asmaa, M. El-Ghouri, M. & Al Kulaidi A.A.** (1992). Farming system in the high land. IDAS Appraisal main report PN91.2142. 7-03. 105, GTZ, Eschborn, Germany.
- Ba Angood, S.A.** (1997). Conservation of Some natural resources in Soqotra islan and its impact on sustainable development. Yemen journal of Agricul. Research. Uni. Of Aden vol.2:161-170.
- Babaker, A.** (1996). Ecological degradation and vegetation changes in Tihama. First National Conference to Combat desertification, Sanaa.
- Balaidi, A.S.** (1989). Report on a trip to Huf area (al Mahara gover.) Forestry & Range management section, AREA, al Kod, Yemen.
- Balaidi, A.S.** (1990). A study on windbreaks in Yemen Republic. Agriculture and Water, Syria.vol. 11, p. 30-39.
- Balaidi, A.S.** (1996). Yemen Traditional in Natural Conservation. First National Conference to Combat desertification, Sanaa.
- Balaidi, A.S. and Bazaraa M.A.** (1990). A study on vegetation and some trends for pastures improvement in Yemen. Agriculture and Water, Syria.vol. 13, p. 4-15
- Balfour, I.B. (1887)** Trans. Roy. Soc. Edinb. 31: 1-446. Botany of Socotra
- Balfour, I.B.** (1882,1884). Diagnoses plantarum novarum phanerogamarum Socotrenium, etc. parts 1-4, proc, Roy. Soc. Edinburgh II: 498-514, 834-842 (1882): 12: 76-89, 402-411 (1884).
- Balfour I.B.** (1888). Botany of Soqotra. Trans. Roy. Soc. Edinb. 31: 1-446.
- Baum, B.R.** (1989). Studies in the flora of Arabia : XXV. Tamarix in the Arabian Peninsula. Notes RBG Edinb. 46(1): 1-6.
- Bazaraa, M.A.** (1985). The rule of native fodder and shrubs in supplying livestock feed and bee nectar in PDRY. Expert consultation on rangeland rehabilitation and development in the Near East , 16 pp. FAO, Rome.
- Bazaraa, M.A.** (1996). Government efforts to combat desertification. First National Conference to Combat desertification, Sanaa.
- Bazaraa, M.A., Guarino,L., Miller, A. & Obadi, N.** (1990). Observations on endaangered fan palm in Arabia. Edinb.Jou. Bot. 47(3): 375-379.
- Beskok, T.E.** (1974). Afforestation and quik growing tree species. Report to the Goverment of the Yemen. UNDP/FAO project YEM/71/005. FAO publ. TA 3245. 47 pp. Rome.
- Beyhl, F.E. & Mies, A.** (1996). Remarks on the vegetation ecology of Soqotra , First international symposium on Soqotra island, (24-28 March 1994), university of Aden, Yemen.
- Beyhl, F.E.** (1996). Attempts at raising the Soqotran dragon tree, *Dracaena cinnabari* Balf. Fil., outside the island. First international symposium on Soqotra island, (24-28 March 1994),university of Aden, Yemen.
- Beyhl, F.E.** (1998). The Emtna Tree ( *Euphorbia arbuscula* Baalf.f.). A succulent tree of Dracoid habitus from the island of Soqotra (Dicotyledones, Tricoccae: Euphorbiaceae) in Soqotra , first international Symposium on Soqotra island Aden, vol.A. pp. 115-123.

- Biologiske skrifter (2001).** Biodiversity Research in the Horn of Africa Region. Volume 54 Edited by IB Frils and Olof Ryding.
- Bisset, P.G. and Said S.A.** (1982). A trial of 19 tropical grasses and 14 tropical legumes for forage production under irrigated and rainfed conditions on the Montane Plains. Publ. 29. 5 pp. ISSN 0251-0375. Dhamar Agricultural Improvement center, Dhamar, Yemen
- Blatter, E.** (1914-1916). Flora of Aden, Rec. Bot. Survey India 7: 1-418.
- Blatter, E.** (1919-1936). Flora Arabica, Rec. Bot. Survey India 8: 1-519.
- Boulos, L.** (1988). A contribution to the flora of South Yemen. Candollea, 43(2): 549-585.
- Boulos, L.** (1991). The identity, typification and distribution of *Salsola imbricata* Forsskal. Studies in the Chenopodiaceae of Arabia: 1. Kew Bulletin vol. 46(1): 137-140.
- Boulos, L.** ( ). A synopsis of *Chenopodium* L. Studies in the Chenopodiaceae of Arabia: 4. Kew Bulletin vol. 46(2): 301-305.
- Briede, J.W., Kessler, J.J.** (1985). The early development of *Acacia negrii*, *Atriplex nummularia*, *Cyprus profilerus* at two sites with different surface conditions (Montane plains, Yemen). RLIP Commun. no.. Agricultural Research Authority, Yemen and DHV Consulting Engineers, Amersfoort, The Netherlands .
- Briede, J.W., Kessler, J.J. Hoenen, J.G. and Mufareh, M.M.** (1985). Sheep behaviour and vegetation changes during a village grazing trial at the Dhelan hill exclosure (montane plain)RLIP Commun. no.1. Agricultural Research Authority, Yemen and DHV Consulting Engineers, Amersfoort, The Netherlands.
- Bruce, W.G.** (1975). Medicinal properties in the Aloe. Excelsa No. 5: 57-68.
- Bruno, M.** (1996). The flora and vegetation of the island groups of Soqotra and Macalonesia in comparison. First international Scientific Symposium on Soqotra island, Aden.
- Cilishu, (2003).** DYSPHANIA R. Brown, Prodr. 411. 1810. *Flora of China* 5: 376-378
- Carter, S. & Wood, J.R.I.** (1982). Two new Succulent Euphorbia species from south west Arabia. Kew Bulleten, vol. 37(1): 73-76.
- Chaudhary, S.A. and Revri, R** .(1983). Weeds of North Yemen ISBN, GTZ, Eschborn.
- Cope, T.A.** (1985). Studies in the Flora of Arabia: XX, Akey to the grasses of the Arabian peninsula. Arab Gulf J. Sci. Res., Special Publ. 1: 1-82.
- Costin, E.** (1981). Improvement of crop roduction, 7 Years trial of *Eucalyptus* species and provenances in PDRY, UNDP-FAU project PDY-75-019, FAO, Rome.
- Costin, E.** (1984). *Eucalyptys microtheca*, 15 provenances trial report of 3 years growth. Forestry and rangeland section, El Kod Research Station, Yemen.
- Cribb, P.J.** (1978). The Orchids of Arabia. Kew Bulletin vol. 33(4): 651-677.
- Degreeef, J. P. De Block and E. Robbrecht (2001).** A Survey of Continental African Coptosperma (Rubiaceae, Pavetteae) Systematics and Geography of Plants, Vol. 71, No. 2, Plant Systematics and Phytogeography for the Understanding of African Biodiversity pp. 367-382
- Deflers, A.** (1889). Voyage au Yemen. Journal d'une excursion botanique faite en 1887, Paris.
- Deflers, A.** (1895). Esquisse de geographie botanique. La vegetation de l'Arabie tropicale au-delà du Yemen. Revue d'Egypte 1: 349-370 u. 400-430.
- Deflers, A.** (1896). Plantes de l'Arabie méridionale recueillies pendant les années 1889, 1890, 1893 et 1894. Bull. Soc. Bot. France 43: 321-332.
- Deil, U. & Muller-Hohenstein, K.** (1988). Euphorbias from Arabia Felix Habitats and distribution. Euphorbia journal 5: 108-120. Pasadena.

- Deil, U. & Muller-Hohenstein, K.** (1991). Euphorbias from Arabia Felix Part II: Succulent associations and Phytogeographical aspects. *Euphorbia journal* 7: 72-97. Pasadena.
- Deil, U. & Rappenhoner D.** (1988). Studies in phytosociology & fodder yield in the Y.A.R. - a comparison of methodes & Results. *Colloques phytosociologiques XVI*, Paris.
- Deil, U.** (1986). Vom Menschen gestaltetes Relief in der Arabischen Republik Jemen und Konsequenzen fur vegetation skundliches Arbeiten. in Gehu, J.M. (Ed.) *vegetation et Geomorphologie = Coll. Phytosoc.* 13: 375-395. Berlin.
- Deil, U. & Al Gifri, A.N.** (1998). Montane and Wadi vegetation of Arabiaan Peninsula 6: 125-174. Kluwer Academic.
- Deil, U. & Muller-Hohenstein, K.** (1983). Yur Pflanzenwelt des Jemen-am Beispiel sukkulenter Euphorbien. *Jemen Report* 14: 12-16. Freiburg.
- Deil, U. & Muller-Hohenstein, K.** (1984). *Fragmenta Phytosociologica Arabiae-Felicis* 1 - Eine Euphorbia balsamifera - Gesellschaft aus dem jemenitischen Hochland und ihre Beziehungen zu makaronesischen Pflanzengesellschaften. *Flora* 175: 407-426. Jena.
- Deil, U. & Muller-Hohenstein, K.** (1985). Beitrage zur vegetation des Jemen Pflanzengesellschaften und Okotopgefuge der Gebirgstihama am Beispiel des Beckens von At Tur Y.A.R. *Phytocoenologia* 13: 1-102. Stuttgart.
- Deil, U. & Muller-Hohenstein, K.** (1985). Die Gefasspflanzen des Beckens von At Tur (Gebirgstihama, Nordjemen): Haufigkeit, Standortansprueche und Vergesellschaftung. *Bot. Jahrb. Syst.* 106: 23-52. Stuttgart.
- Deil, U.** (1984). Yur vegetation der Gebirgstihama am Beispiel des Beckens von At Tur. in: KOPP, H. & SCHWEIZER, G. (Hrsg.): *Entwicklungsprozesse in der Arabischen Republik Jemen= Jemen-Studien* 1: 225-235. Wiesbaden
- Deil, U.** (1986). Die Wadi vegetation der nordlichen Tihama und Gebirgstihama der Arabischen Republik Jemen. in Kurschner,H. (Ed.): *Contribution to the vegetation of southwest Asia. Beih. Tub. Atlas Vord. Orient, Reihe A:* 24: 167-199. Wiesbaden.
- Deil, U.** (1988). Primary and secondary Habitats of Succulent plant communities in south west Arabia. *Flora* 180: 41-57 VE B Gustav Fischer Verlag Jena.
- Deil, U.** (1989). Adiantetea-Halbinsel. Coenosyntaxa in dieser klasse sowie allgemeine ueberlegungen zur phylogenie von pflanzengesellschaften (Adiantetea community on the Arabian peninsula, coenosyntaxa within this class and general remarks on the phylogeny of plant communities). *Flora* 182:247-264.
- Deil, U.** (1991). Rock communitie in tropical Arabia. *Flora et vegetatio Mundi* IX:175-187.
- Ekhlas, M.A.** (1993). A study of the plant cover in Tihama, TDA, Al Hudaydah, Yemen.
- Edmondson, J. (1996).** A new species of *Limoniastrum* (Plumbaginaceae) from Yemen and Somalia. *Annalen des Naturhistorischen Museums in Wien* 98 B Supplement - 90 Jahre K.H. Rechinger
- EPC,** (1990). Environmental profile of Tihama, Dhamar, & Al Baydha Governorates, DHV, Consultants, BV, Amersfoort, The Netherlands.
- FAO,** (1986). Forest Renewable Energy Resources, GCP-015-SW1Ministry of Agriculture anf Fisheries, Al Hudaidah, Yemen.
- Fleurentin, J. And J. M. Pelt,** (1982). Repertory of Drugs and Medicinal Plants of Yemen. *J. Og Ethopharmacology*, 6: 85-108.
- Forbes, H.O. (ed.)** (1903). The natural history of Soqatra and Abdel Kuri. Liverpool Museums, Liverpool. 598 pp.
- Forsskal, P.** (1775). *Flora Aegyptiaca-Arabica*. Copenhagen (Reprint 1981).

- Gabali, S.A. & Miller, A.G** (1992). Provisional checklist of the southern region of Yemen (excluding Socotra). Checklist of south Yemen (Draft 10/1/1992).
- Gabali, S.A.** (1995). Plant life in Yemen. A general survey and preliminary checklist of the flowering plant species. Unif. Of Aden, series 4. Yemen.
- Gabali, S.A.** (1998). Studies in the flora of Yemen 4. The endemic species. Cons. Et. Jor. Bot. 53 (1)pp. 73. Geneve .
- Gabali, S.A. and Al Gifri, A.N.** (1990). Flora of South Yemen. Angiospermae, a provisional check list. Feddes Repert. 101 (7-8): 373-383.
- Gabali, S.A. and Al Gifri, A.N.** (1991). A survey of the vegetation of Hadramaut. Fragn. Flor. Geobot. Ann.36: 127-133.
- Gillett, J.B. (1963)** Kew Bull. 17: 91-159. Sesbania in Africa (excl. Madagascar
- Gillett, J.B. et al. (1971)** Papilionoideae. In: Fl. Trop.E. Africa, Milne-Redhead & Polhill
- Ghazanfar, A.S. & Fisher, M.** ( - ). Vegetation of the Arabian Peninsula . Kluwer Academic Publishers, Dordrecht, Bosston, London, U.K.
- Grosser,L.**(1988).Untersuchungen zo vegetation, Boden und Landnutzungsmöglichkeiten in der Gebirgsregion Haraz, Arabische Republik Jemen (Studies on vegetation ,sol and possible land use in the mountainous region of Haraz, Yemen ), Bayreuth university, Germany.
- HALL, M. (2005).** The Valley Forest of the Western Escarpment Mountains and the Conservation of Jabal Bura, Yemen. MSc dissertation, The University of Edinburgh and Royal Botanic Garden Edinburgh.
- HALL . M., P. SCHOLTE, , A. W. AL-KHULAI DI , A. G. MILLER, A. H. AL-QADASI, A. AL-FARHAN6 & T. M. AL-ABBAS (2009).** ARABIA'S LAST FORESTS UNDER THREAT II : REMAINING FRAGMENTS OF UNIQUE VALLEY FOREST IN SOUTHWEST ARABIA. EDINBURGH JOURNAL OF BOTANY 66 (2): 263–281 (2009).
- HALL, M., AL-KHULAI DI, A. W., MILLER, A. G., SCHOLTE, P. & AL-QADASI, A. H. (2008).** Arabia's last forests under threat: Plant biodiversity and conservation in the valley forest of Jabal Bura (Yemen). Edinburgh J. Bot. 65(1): 113–135.
- Hedge, I.C.** (1982). Studies in the flora of Arabia II. Some new and interesting species of Labiateae, Notes from the Royal Botanic Garden, Edinburgh, volum 40(1): 63-73.England.
- Hepper, F.N. & Wood, J.R.I.** (1979). Were there forests in Yemen.? Proc. Seminar Arab. Stud. 9: 65-71. London, UK.
- Hepper, F.N.** (1977). Outline of the vegetation of the Yemen Arab Republic. Cairo Univ. Herb. No. 7-8, 307-322 pp.
- Hillcoat, D., et al. (1980)** Kew Bull. 35: 261-71. New sp. Ceratonia fr. Arabia & Somali Rep.
- Hooker`s Icones Plantarum** (1971). New or noteworthy species from Socotra and Abdul Kuri, Hooker`s Icon. pi. 37,4: t. 3673-3700.
- Hunting Technical Services Limited (HTS)** (1992). National Land & Water Conservation Project woodland Resources Mapping Project. Technical manual for MAWR.
- Ibrahim, H.M. (1998).** Studies on the Flora of Al Mahweet Governorate, Republic of Yemen. A thesis submitted in partial fulfillment of requirement for the degree of master in science, Sana university, faculty of science.
- Irwin, H.S. & Barneby, R.C. (1982)** Mem. New York Bot. Gard. 35: 1-918 [in 2 parts] American Cassiinae

**Isawumi, M. A. et al. 1996.** Pollen morphology, floral microcharacters and taxonomy of the genus *Baccharoides* Moench (Vernonieae: Asteraceae). *Grana* 35:205–230. Flora of North America. Vol. 20 Page 101, **103**

**Kashnon, A. (2009).** Studies on the flora of Dhubhan, Ashammayatain district, Taiz Governorate, Republic of Yemen. A thesis submitted in partial fulfillment of requirement for the degree of master in science, Aden university, faculty of education, biology department.

**Kessler, J.J** (1989). Feed suply & Demand of a sheep production systum in the montane plain , Yemen. *Tropicla grasslands*, vol. 23, no. 3.

**Kessler, J.J** (1990). Atriplex forage as a dry season supplementation feed for sheep in Montane plains of the Yemen. *Journal of Arid Environment* 19: 225-234.

**Kessler, J.J. & Al-Khulaidi, A.A.** (1987): Common plant species of Dhamar montane plains. RLIP Communication 12. Agricultural Research Authority, Yemen and DHV Consulting Engineers, Amersfoort, The Netherlands.

**Kessler, J.J.** (1987). A rangeland vegetation survey of Dhamar Montaneplains, RLIP commun. no.14. Agricultural Research Authority, Yemen and DHV Consulting Engineers, Amersfoort, The Netherlands.

**Kessler, J.J.** (1987). Grazing trials at village exclosures in the Dhamar montane plains, RLIP Communication 20. Agricultural Research Authority, Yemen and DHV Consulting Engineers, Amersfoort, The Netherlands.

**Kessler, J.J.** (1988) .Mahjur area :Traditional rangeland reserves in the Dhamar Montane plains(YAR). RLIP Commun. no. 16. Agricultural Research Authority, Yemen and DHV Consulting Engineers, Amersfoort, The Netherlands

**Kessler, J.J. and Briede, J.W.** (1988). Simple dimention measurements as a means of standing biomass of Atriplex nummularia shrub.. RLIP Commun. no. 13 Agricultural Research Authority, Yemen and DHV Consulting Engineers, Amersfoort, The Netherlands.

**Kessler, J.J.**(1987) Grazing trials at village exclosures in the Dhamar montane plains, RLIP Commun. no. 20. Agricultural Research Authority, Yemen and DHV Consulting Engineers, Amersfoort, The Netherlands.

**Kessler, J.J.**(1987). Phenological observations on 18 common rangeland plants in the Dhamar montane plains (YAR). RLIP Commun. no. 13 Agricultural Research Authority, Yemen and DHV Consulting Engineers, Amersfoort, The Netherlands.

**Kessler, J.J.**(1989). Feed supply and demand of a sheep production system in the montane plains (Yemen). *Tropical grassland*, vol. 23, no. 3.

**Kilian, N. & Hein, P. (2006).** New and noteworthy records for the vascular plant flora of Socotra Island, Yemen. *Englera* 28 Pp. 57-77. Berlin-Dahlem.

**Kilian, N. & Miller, A. G.: ( 2000).** Studies in the Compositae of the Arabian Peninsula and Socotra – 5. *Distephanus qazmi* (Vernonieae, Gymnantheminae), a remarkable new species from the island of Socotra, Yemen. – *Willdenowia* 30: 83-91..

**Kilian, N. (1999):** Studies in the Compositae of the Arabian Peninsula and Socotra – 1. *Pulicaria gamaledinae* sp. nova (Inuleae) bridges the gap between *Pulicaria* and former *Sclerostephane* (now *P. sect. Sclerostephane*). – *Willdenowia* 29: 167-185.

**Kilian, N., Hein, P. & Hubaishan, M. A.: (2002).** **New and noteworthy records for the flora of Yemen, chiefly of Hadhramout and Al-Mahra.** - *Willdenowia* 32: 239-269.- ISSN 0511-9618.

**Kilian, N., Kürschner, H. & Hein, P.(2006).** *Euphorbia greuteri* (Euphorbiaceae), a new single-spined succulent. *Willdenowia* 36 (Special Issue): 441-446. –

- Kurschner, H. Hein, P. Kilian, N. (2004).** The *Hybantho durae-Anogeissetum dhofaricae* ass. Nova- phytosociology, structure and ecology of an endemic South Arabian forest community. *Phytocoenologia*, 34(4): 569-612, Berlin.
- Lavranos, J.J. & Al Gifri, A.** (1999). A new spiny Euphorbia and Amplified description of perennial woody species, both from the Hadhramaout, Yemen. *Cactus and succulent journal (US)*, 71(1): 1-8.
- Lavranos, J.J. & Newton. L.E.** (1979). New Stapelieae from Yemen. *Cactus and Succulent Journal of America*, vol. 51: 233-237.
- Lavranos, J.J.** (1965). Notes on the Aloes of Arabia with descriptions of six new species, in *Journ. S. Afr. Bot.* 31: 55-81.
- Lavranos, J.J.** (1967). Notes on the Succulent flora of Southern Arabia, with description of new Taxa, *Succ. Journ.* vol. 39 (4/5), pp.. 123-171.
- Lavranos, J.J.** (1971). Notes on the Succulent flora of North East Africa and Southern Arabia. *Cactus and Succulent Journal of America*, vol. 43,(4), pag. 60-67.
- Lavranos, J.J.** (1971). *Senecio delfersii*, a very rare and unusual species from the southern Yemen. *Cactus and Succulent Journal of America*, vol. 43, (4), pag. 150-152.
- Lavranos, J.J.** (1971). The island of Abdul Kuri aand its peculiar Euphorbia. *Cactus and Succulent Journal of America*, vol. XLIII, no. 3 .
- Lavranos, J.J.** (1974). Notes on the Succulent flora of North East Africa and Southern Arabia .*Cactus and Succulent Journal of America*, vol. 46, pag. 125-130.
- Lavranos, J.J.** (1974). *Sarcostemma vanlessenii*- A new species from the Yemen, *National Cactus and Succulent Journal (U.K.)* 29 : 35.
- Lavranos, J.J.** (1992). *Aloe inermis* Forsk. Aand its relation with description of a new species. *Cactus and Succulent Journal*, vol 64, no. 4, pp. 206-208.USA.
- Lavranos, J.J.** (1993). Two new species of *Echidnopsis* (Asclepiadaceae, stapelieae) from Soqotra. *Cactus Succulent Journal* vol. 65. No.6, USA, pp. 293-295.
- Lavranos, J.J.** (1993a). Two new species of *Huernia* from south-western Arabia. *Jou. South Africa Bot.* 29: 97-99.
- Lavranos, J.J.** (1993b).Three new species of *Caralluma* from south-western Arabia. *Jou. South Africa Bot.* 29: 103-110.
- Lock, J.M. (1988)** Kew Bull. 43: 333-342. *Cassia* sens. lat. in africa
- Lock, J.M. & Simpson, K. (1991).** Legumes of West Asia: A Checklist. RBG, Kew.
- Mahdi, A. & Al Khulaidi, A.A.** (1999). Vegetation degradation mountain at Taiz, Yemen. *Journal of Dalta*, vol. no1: 75-95, Iraq.
- Martín-Bravo , S. & M. Amini Rad (2010).** OCHRADENUS ARABICUS (RESEDACEAE), A NEW RECORD FOR THE FLORA OF IRAN. *Iran. J. Bot.* 16 (1): 84-86. Tehran.
- McCoy, von t. And J. Lavranos (2007).** *Aloe lanata* und *Aloe haggeherensis* Aloaceae), zwei neue Aloen aus dem jemen. *Kakteen und andere Sukkulanten* 58(11): 295-298
- Meikle, R.D.** (1983). Additional notes on *Commicarpus* (Nyctaginaceae). *Kew Bulletin* vol. 38(3): 481-484.
- Meister, J., M.A. Hubaishan, N. Kiliana and C. Oberprieler (2005).** Chloroplast DNA variation in the shrub *Justicia areysiana* (Acanthaceae) endemic to the monsoon affected coastal mountains of the southern Arabian Peninsula. *Botanical Journal of the Linnean Society* , 2005, 148 , 437–444.
- Meve, U. & Liede, S.** (1996). *Sarcostemma* R.Br. (Asclepiadaceae) in East Africa and Arabia. *Botanical journal of the Linnean Society*, 120: 21-38. London.

- Mies, B.A. & Aschan, G.** (1995). Radiation regime and temperature conditions in the canopy of the succulent shrub *Euphorbia balsamifera*. *Vieraea* 24: 115-125. Univer. Of Dusseldorf, Germany.
- Mies, B.A., Lumbsch, H.T. & Tehler, A.** (1995). *Feigeana Socotrana*, a new genus and species from Soqotra, Yemen (Roccellaceae, Euscomycetidae). *NYCOTAXON*, vol. LIV: 155-162.
- Mies, B.A. & Zimmer, H.** (1993). Die Vegetation der Insel Sokotra im Indischen Ozean. (The vegetation of Socotra island in the Indian ocean). In: Natur und Museum (Germany). Vol. 17(9).
- Mies, B.A. & Zimmer, H.** (1994). Die Populationen von *Adenium Socotranum* (Balf.f.) Vierhapper und *Dendrosicyos Socotranum* Balf.f. bei Ras Hebak (Insel Sokotra, Jemen) und ihre Gefährdung Kakt. *Sukk.* 45: 1-5.
- Mies, B.A. & Beyhl, E.E.** (1996). The vegetation ecology of Soqotra. The first international symposium on Soqotra Island: present and Future. Aden.
- Mies, B.A.** (1994). Checkliste der Gefässpflanzen, Moose und Flechten und botanische Bibliographie der Sokotra und des Sokotrinischen Archipels (Jemen. Indischer Ozean). *Senckenbergiana biologica* 74 (1/2) 213-2258, Frankfurt, Germany.
- Mies, B.A.** (1995). On the comparison of the flora and vegetation of the Island groups of Soqotra and Macaronesia. *Bot. Mus. Munic. Funchal Supl.* 4 : 455-471.
- Mies, B.A.** (1996). The phytogeography of Soqotra: evidence for Disjunctive Taxa, especially with Macaronesia. The first international symposium on Soqotra Island: present and Future. Aden.
- Mies, B.A., Beyhl, E.E. & Printzen** (1995). Die Waldformation der Insel Sokotra (Indischer Ozean). *Natur und Museum* Band 125, Heft 4. D5107E, pp. 122-133, Frankfurt, Germany.
- Mies, B.A., Lumbsch, H.T. & Tehler, A.** (1995). *Flegeana Socotrana*, a new Genus and species from Soqotra, Yemen. (Roccellaceae, Euscomycetidae). *MYCOTAXON*, vol. LIV, pp. 155-162, Germany.
- Mill, R.R. & Miller, A.G.** (1984). Studies in the flora of Arabia : IX. A synopsis of *Paracynoglossum* (Boraginaceae). *Notes RBG Edinb.* 41 (3): 473-482 .
- Miller, A.G. & Bazaraa, M.** (1996). The conservation status of the flora of the Soqotran Archipelago. The first international symposium on Soqotra Island: present and Future. Aden.
- Miller, A.G. & Cope, T.A.** (1996). Flora of the Arabian Peninsula and Soqotra . Vol. 1. Edinburgh Univ. Press in associ. Royal Botanic Garden. Edinburgh, Kew. UK.
- Miller, A.G. & Morris M.** (2004). Ethnoflora of the Soqotra Archipelago. RBGE, Edinburgh.
- Miller, A.G. & Nyberg, J.A.** (1991). Patterns of endemism in Arabia . *Flora et Vegetatio Mundi* IX: 263-279.
- Miller, A.G.** (1980). A revision of *Campylanthus*. *Notes RBG. Edinb.* 40 (3): 373-385.
- Miller, A.G.** (1983 ). A revision of *Ochradenus*. *Notes RBG. Edinb.* 41(3): 491-504.
- Miller, A.G.** (1985). The Genus *Lavandula* in Arabia and tropical NE Africa. *RBG Edinb.* 42(3): 503-528.
- Miller, A.G., Hedge, I.C. & King, R.A.** (1982). Studies in the flora of Arabia: 1, A botanical bibliography of Arabian Peninsula, notes Roy. Bot. Gar. Edinburgh 40:43061.
- Miller, A.G., Short, M. & Sutton, D.A.** (1982). Aa revision of *schweinfurthia*. Notes RBG. Edinb. 40(1)23-42.

- Mokbel, M.H.** (1996). Ecology and management of a *Juniperus procera* woodland in the southern highlands of Yemen. A thesis submitted for the degree of MSc in forestry. Facul. Of forest un. Of Khartoum, Sudan.
- MONOD,T.**(1979).Les arbres en encens (*Boswellia sacra* Flueckiger,1867)dans le Hadramaout(Yemen du Sud).(incense trees in Hadramout SouthYemen).In:Bulletin du Museum d.Histoire Naturelle.botanique (France).VOL 1 (3).
- Mufareh,M.M.and J.W.bride.**1985.six years of testing interroduced range ,fodder and forest plants species in the montane plains of Dhamar (YAR).RLIPcommunication 2.22 pp.ARA, Dhamar.
- Muller-Hohenstein, K. & Rappenhoner, D.** (1991). Vegetation mapping under different aspects of basic and applied vegetation science. Large scale examples from the Y.A.R. in Engel, T., Frey, W. & Kurschner,H. (Eds.). *Contributiones selectae ad floram et vegetationem orientis*. *Flora et vegetatio Mundi* 9: 199-213. Berlin/Stuttgart.
- Muller-Hohenstein, K.** (1984). Bericht über den Stand der vegetationskundlichen Arbeiten in der Arabischen Republik jemen am Ende des jahres 1982- in Kopp, H.& Schweizer, G. (Hrsg); *Entwicklungsprozesse in der Arabischen Republik Jemen=Studien*,1: 211-223. Wiesbaden.
- Muller-Hohenstein, K.** (1986). Methodische Probleme Vegetation skundichen Arbeitsens in semiariden Raumen am Beispiel des Nordjemen. *Geomethodica*, 11: 109-143. Basel.
- Muller-Hohenstein, K.** (1988). Zur Arealkunde der Arabischen Halbinsel (Chorological aspects of the Arabian peninsula). *DIERDE* 119(5): 65-74.
- Muller-Hohenstein, K.** (1989).Desertification in the mountainous region of Yemen. Resource Conservation and Desertification Control in the Near East, Report by Dieter Rappenhoner: 62-65.
- Muller-Hohenstein, K. Grosser, L. Rappenhoner,D. & Stratz, C.** (1987). Applied vegetation studies in the Yemen Arab Republic. Range management and terrace stabilisation. in *Catena* 14: 249-265. Braunschweig.
- Murtland,R and Zabady A.S..**(1987).The introduction, establishment and growth of *Atriplex* species for rangeland improvement, windbreaks and soil conservation.
- Musand,H.A.and M.A.EL-Rasheed.**(1977).Forestry for local community development in the Yemen Arab Republic and Somalia. FAO mission report .28.
- Newton, L.E. & Lavranos, J.J.** (1993). *Huernia Rosea*: A new species from the Yemen. *Cactus and Succulent Journal of America*, vol. 65: 279-280.
- Newton, L.E.** (1980). Phytogeographical associations of the succulent plant flora of SW Arabia and the horn of Africa. *Nat. Cact. Succ.j.* 35: pp. 83-88.
- Norwich, D.D.** (1990). Land evaluation for afforestation in a semi-arid environment: The montane plains of the central highlands of north Yemen. *CATENA* Vol. 17, p. 509-532, Cremlingen..
- Obadi, N.** (1996). Biodiversity in Yemen. Submitted to the Yemen workshop on natural areas and biodiversity conservation in Yemen.
- Othman, S.A., Sabri,A. and Balaidi, A.S.** (1992). Farming systems in southern coastal areas. IDAS Appraisal main report PN91.2142. 7-03. 105, GTZ, Eschborn, Germany.
- PAIVA, J. A. R. (1988).** Notes on Arabian *Polygala* L. (Polygalaceae). *Anales Jard. Bot. Madrid* 45(1): 151-158.
- Pallot, J.K. , Shami, A. & Zabadi, A.S.** (1990). Report on assessment of forestry trials established in the central highlands from 1981-1986. Forest Research Publication No. 4, AREA, Dhamar, Yemen.

- Pallot, J.K. Abbadi, F. & Shami, A.** (1990). Australian Acacia on sand dunes ; an evaluation 15 months after planting, forest research publication no. 6., AREA, Taiz, Yemen.
- Podlech, D.** (1981). Zur verbessierung des natürlichen bewuchses der als weide genutzien Areale in projectgebiet Al Boun, Yemen. P.16.
- Podlech, D.** (1982). Beitrage Zur Kenntnis der Flora des Jemen (YAR). Mitt. Bot. Munchen 18: 401-442.
- Polhill, R.M. (1982)** A.A. Balkema, Rotterdam 389pp Crotalaria in Africa & Madagasca
- Popov,G.B.** (1957). The vegetation of Soqatra. J. Linn. Soc., Bot. 55: 706-720.
- Qaiser, M. & H. W. Lack** (1985). The genus Phagnalon (asteraceae, Inuleae) in Arabia. Willdenowia 15:3-22-ISSN 0511-9618.
- Rauh,W. ( )**. Little Known Succulents of Southern Arabia. Cactus and Succulent Journal of America, pag. 150-152.
- Rawaished, A.K.** (1997). Impact of sustainable development on reserve of the natural balance of vegetation in Yemen. Yemen journal of Agricul. Research. Uni. Of Aden vol.2:237-254.
- Revri, Roman.** 1983.Catha edulis. Geographical dispersal ,botanical,ecological and agronomical aspects with spiecal referance to YAR.phd dissertation.gottinger Beitrage zur land und Forstwirtshschaft in den tropen und subtropen 1.157pp.
- Robson, N.K.B.** (1981). Stidies in the genus Hypericum L. (Guttiferae). 2. Characters of the genus. Bulletin British Museum vol 8(2):182-213.
- Robson, N.K.B.** (1985). Stidies in the genus Hypericum L. (Guttiferae). 3 sections 1. Campylosporus to 6a. Umbraculoides. Bulletin British Museum vol 12(4): 163-325.
- Robson, N.K.B.** (1993). Studies in Hypericum : validation of new names. Bulletin British Museum vol 23(2):67-70.
- Röpert, D. (Ed.) 2000-** (continuously updated): Digital specimen images at the Herbarium Berolinense. - Published on the Internet <http://ww2.bgbm.org/herbarium/default.cfm> [accessed <date>].
- Saeed, A.G. & Assibae, M.Y.** (1999). Geomorphological composition affect on the dynamique of costal vegetation (Abyen governarate). Yemen Scie. Research Found. The scien. Confer. Sanaa.
- Scholte, P.A. , A.A. Al Kulaidi & J.J. Kessler** (1991). The vegetation of Republic of Yemen (western part), DHV, Amesfoort, The Netherlands.
- Scholte, P.T., Al Khulaidi, A.A. & Kessler, J.J.** (1991). The vegetation of the Republic of Yemen (western part) EPC and ARA, Sanaa and DHV, Amasfort, the Netherlands.
- Scholte,P. and C.M.E.van schoot.** 1989.The role of natural vegetation in household fuel needs in the Dhamar Montane plains.RLIP Communication 32.
- Schrire, B.D. (1992)** Bothalia 22: 165-70 New combntns & resurrctd.. Microch. & Indig.
- Schuler,R.** 1988.Recommendation on appropriate tree species in the HARAZ region.Based on trial plot evaluation.(Arabic and English).
- Schwartz, O.** (1939). Flora des tropischen Arabien. Mitt. Iust. Allg. Bot. Hamburg. 10:1. P. 393.
- Schweinfurth, G.** (1984). Allgemeine Betrachtungen über die flora von Soqatra. Englers Bot. Jahrb. 5: 40-49.
- Schweinfurth, G.** (1894). Sammlung arabisch-aethiopischer Pflanzen. Bull. Heb. Boiss. 2: 1-113.
- Schweinfurth, G.** (1896). Sammlung arabisch-aethiopischer Pflanzen. Bull. Heb. Boiss. 4: 116-266.
- Stirton, C.H. (1981)** Bothalia 13: 317-25. Studies in the Leg-Paps. of S. Africa

- Tadesse, M. (2004).** Flora of Ethiopia and Eritrea, Vol. 4(2). The national Herbarium. Addis Ababa.
- Talen, D.C.P. (1979).** Ecological and Utilization of desert shrub rangelands in Iraq. W.Junk B.V. publishers, the Hague,
- Talen, D.C.P. and Kessler,J.J. (1988).** The role of the rangelands in livestock production. The Role of the rangelands in Yemen Agriculture. MAF & ARA, Sanaa, Yemen.
- Thomas A. C. (1985).** A key to the Grasses of the Arabian Peninsula (Studies in the flora of Arabia XV), Royal Botanic Garens, Kew, Richmond, survey TW9 3AE, U.K.
- Thulin, M, (2001).** Phylogeny and Biogeography of the Ormocarpum Group (Fabaceae): a New Genus Zygocarpum from the Horn of Africa Region. Systematic Botany (2001), 26(2): pp. 299–317.
- Thulin, M, (2006).** New species of Tephrosia (Fabaceae) from Somalia and Yemen. Nord. J. Bot. 24: 513-517. Copenhagen.
- Thulin, M. & Al Gifri , A. (1993).** Cucumis canoxyi (Cucurbitaceae), a new species from Yemen. Nord. J. Bot Section of tropical taxonomy 14: 315-317. Copenhagen. ISSN 0107-055X, pp. 315-3384.
- Thulin, M. & Al Gifri, A. (1995b).** Euphorbia applanata sp. nov. (Euphorbiacea) from Yemen, with a note of E. quaitensis. Nordic journal of Botany 15(2): 193-195.
- Thulin, M. & Al Gifri, A. (1996b).** The frankincense trees (Boswellia spp.) on Soqotra. The first international symposium on Soqotra Island: present and Future. Aden.
- Thulin, M. & Mats, H (1995).** Echidnopsis globosa sp. Nov. (Asclepiadaceae-Stapelieae) from Yemen. Nordic journal of Botany 15(3): 261-262.
- Thulin, M. (1981).** Notes on some species of Rhynchosia (Leguminasae-Papilionoideae) from NE Africa & Yemen. Nordic jour. Of botany 1: 37-42.
- Thulin, M. (1985)** Acta Univ. Upsalienses: Symb. Bot. Ups. 25: 44-95. Taverniera
- Thulin, M. (1989)** Kew Bull. 44: 329-332. identity of Tephrosia heterophylla
- Thulin, M. (1994).** A new species of Ochradenus (Resedaceae) from sothern Arabia. Nord. J. Bot Section of tropical taxonomy 14: 383-384. Copenhagen. ISSN 0107-055X.
- Thulin, M. (1998).** Gaillonia (Rubiaceae, Paederieae) in Africa and Arabia. Nord. J. Bot. 18(1)pp. 31-38.
- Thulin, M., Al Gifri , A. , Hussain, A. & Gabali, S. (2001).** Additions to the Flora of Yemen. Biol. Shr. 54: 137-153.
- Thulin, M., Al Gifri, A.N. Husein, M.A. & Gabali, S. (2001).** Additions to the Yemen flora-Biol. Scr. 54:137-153.
- Townsland C. C. (1983).** A new species of Peucedanum (Umbelliferam) from the Yemen Arab Republic. Kew bulletin vol. 38(1). UK.
- Ubadi, N. & Al Khulaidi, A.A. (1997).** Trees and Shrubs of Yemen (in Arabic). prepared by FAO and Forest Improvement Project, GCP/YEM/015/SW1, Sanaa, Yemen.
- ULRICH MEVE and RALPH M. MANGELSDORFF (2000).** A new Ceropogia species from Yemen, and reconsideration of the status of C. arabica, C. barbigera and C. powysii (Apocynaceae: Asclepiadoideae-Ceropegiae). Botanical Journal of the Linnean Society Volume 137 Issue 1, Pages 99 - 105.
- University of Sana,a.1988.**The role of rangelands in YEMEN agriculture.proc. of a seminar held at the faculty of Agriculture,University of Sana,a Dec.1987.(Arabic and English).
- Vierhapper, F. (1907).** Beitrage zur Kenntnis der Flora Sudarabiens und der Inseln Sokotra. Semha und Abdel Kuri. Denkschr. Kaiserl. Akad. Wiss. Math.-naturwiss Kl. 71: 321-490.

- Walter, H.** (1984). Report on survey on weeds in orchards in vegetable growing areas in the Y.A.R.
- Westinga,E. and D.C.P.Thalen.**1980.Asurvey and problem analysis of the rangelands in the rada,district RIRDp Techn. note 5. min.of Agriculture and forestry.
- White, F. & Leonard,J.** (1991). Phytogeographical links between Africa and Southwest Asia. Fl. Veg. Mundi IX. pp. 229-246.
- Wickens, G.E.** (1982). Studies in the flora of Arabia: III, A biographical index of plant collectors in the Arabian peninsula (including Soqotra). Notas Roy. Bot. Gard. Edinburgh 40: 301-330.
- Wood, J.R.I** (1983). An outline of the vegetation of the Yemen Arab Republic . USAID. Cornel Univ. USA.
- Wood, J.R.I** (1996). The Aloes of the Yemen Arab Republic. Old foyle Cottage 111, Forest Rd. Liss Frest, Liss hants, GU33 7Bp.
- Wood, J.R.I.** (1983). Aloes of the Yemen Arab Republic. Kew Bulletin (UK). vol 38(1), p. 13-31.
- Wood, J.R.I.** (1989). Flora of Yemen. KBG Edinb. UK.
- Wranik, W.** (1995). Island of dragon. Soqotra. Yemen Update 36: 8-11.
- Yakovlev G, Sytin A & Roskov Y (1996)** Legumes of Northern Eurasia. Royal Botanic Gardens, Kew.
- Zohary, M.** (1973). Geobotanical foundations of the Middle East. Gustav Fischer, Stuttgart. Vols. pp 1-2, 739.